

Pima County Clerk of the Board

Julie Castañeda

Melissa Manriquez
Deputy Clerk

Administration Division
130 W. Congress, 5th Floor
Tucson, AZ 85701
Phone: (520)724-8449 • Fax: (520) 222-0448

Document and Micrographics Mgt. Division
1640 East Benson Highway
Tucson, Arizona 85714
Phone: (520) 351-8454 • Fax: (520) 791-6666

May 2, 2018

John Lashai
Tucson Speedway
11955 S. Harrison Road
Tucson, AZ 85747

RE: Fireworks Display
Applicant: Tucson Speedway
Date: June 30, 2018 at 9:00 p.m.
Location: 11955 S. Harrison Road

Dear Mr. Lashai:

Notice is hereby given that the above-referenced application for a fireworks permit is scheduled to be heard before the Pima County Board of Supervisors on Tuesday, May 15, 2018, at approximately 9:00 a.m. or thereafter, to be held at the following location:

Pima County Administration Building
Board of Supervisors Hearing Room
130 W. Congress, 1st Floor
Tucson, AZ 85701

If you have any questions pertaining to this matter, please contact this office at (520)724-8449.

Sincerely,

A handwritten signature in cursive script, appearing to read "Julie Castañeda".

Julie Castañeda
Clerk of the Board

c: Sheriff's Department-Explosives Division
Southwest Fireworks, L.L.C.



Pima County Clerk of the Board

Julie Castañeda

Melissa Manriquez
Deputy Clerk

Administration Division
130 W. Congress, 5th Floor
Tucson, AZ 85701
Phone: (520)724-8449 • Fax: (520) 222-0448

Document and Micrographics Mgt. Division
1640 East Benson Highway
Tucson, Arizona 85714
Phone: (520) 351-8454 • Fax: (520) 791-6666

PIMA COUNTY APPLICATION FOR FIREWORKS DISPLAY INSPECTION/PERMIT

Persons applying for a fireworks display permit in Pima County are required to undergo a display site inspection conducted by the Pima Regional Bomb Squad. This inspection is used to make a recommendation to the Board of Supervisors regarding the approval or denial of your permit. Inspectors will be checking for compliance with Pima County Code 9.04 and the National Fire Protection Association Code 1123: Code for Fireworks Display. The local fire district and or the state fire marshal may conduct an independent inspection which has the authority to override permit approval.

NOTE: The Display Operator and Site Manager should be selected as individuals with authority to supervise the event. These parties must be willing to accept civil/criminal responsibility for assuring compliance with provisions and safety regarding this display. A violation of Pima County Code 9.04 is a class 3 misdemeanor.

ORGANIZATION/APPLICANT:

MAILING ADDRESS:

LOCATION/ADDRESS OF DISPLAY:

SITE MANAGER: Phone #:

DATE AND TIME OF DISPLAY:

ALTERNATE DISPLAY DATE(S)/TIME*

*(Alternate display date(s) must be within 7 days of the date selected above)

PRODUCTION COMPANY:

DISPLAY OPERATOR: Phone #:

Submit this completed application to the **Pima County Clerk of the Board** with the following:

- Pima County Permit for Fireworks Display* form completed with organization/display information
- Written shot sheet including display list and mortar diameters
- Site plan diagram including dimensions of display, location of discharge site, spectator area, parking area, fall-out area and associated distances per NFPA 1123 5.1.2.2.
- Evidence that all persons participating in the display have received training as required under NFPA 1123 8.1.3.3
- Evidence of insurance/bonding (Alternative display date(s) requested above must be listed on the Certificate of Liability Insurance.)

A Pima Regional Bomb Squad representative will contact you to schedule a site inspection.

APR 11 10 42 AM '18 PIMA COUNTY CLERK OF BOARD



PIMA COUNTY PERMIT FOR FIREWORKS DISPLAY

ORGANIZATION: Tucson Speedway

ADDRESS: 11955 S Harrison Rd, Tucson AZ 85747

LOCATION OF DISPLAY: Same as above

DATE AND TIME OF DISPLAY: 06/30/18 9:00 PM MST

ALTERNATIVE DISPLAY DATE(s)/TIME: 07/01/18 9:00 PM MST

PRODUCTION COMPANY: Southwest Fireworks LLC

Pursuant to Pima County Code 9.04.050, the Pima County Sheriff's Department has conducted a site inspection and recommends approval of the Permit for Fireworks Display. Conformance to the provisions on the attached *Pima County Fireworks Inspection Form* is required.

Pima County Sheriff

=====

The Pima County Board of Supervisors approves the Permit for Fireworks Display for the location, date and time, or alternative date(s) and time, specified above. In the event a fire emergency is declared, adherence to any restriction(s) set forth in that declaration is required.

Dated this _____ day of _____, 20_____.


Chairman, Pima County Board of Supervisors

ATTEST

CLERK OF THE BOARD

This permit is not transferable or assignable, must have the executed *Pima County Fireworks Inspection Form* attached and must be available for inspection prior to, during and after the fireworks display.

REPRODUCED
AFB



PIMA REGIONAL BOMB SQUAD

Pima County Sheriff's Department

1750 E Benson Highway, Tucson, AZ 85714

"Leadership Through Teamwork"



PIMA COUNTY FIREWORKS INSPECTION FORM

This inspection is being conducted pursuant to Pima County Code (PCC) 09.04.050. Its purpose is to assure compliance with NFPA 1123 and PCC 09.04.080. No permit will be recommended for approval unless the display meets the requirements of both standards; a person violating these provisions is guilty of a class three misdemeanor. The "Site Representative" and "Operator's Representative" signing this document assume criminal and civil responsibility for compliance with these provisions.

- YES NO DATE OF INSPECTION: 1 MAY 18
- Launch site is more than (200') two hundred feet from the nearest permanent building, public highway, railroad, or other means of travel. Building is defined as a facility intended for occupancy or inhabitation. (09.04.080)
- Site plan submitted to inspecting authority (NFPA 1123 5.1.2.1)
- Site Plan includes dimensions of display, location of discharge site, spectator area, parking area, fall-out area, and associated distances (Attach Site Plan) (NFPA 1123 5.1.2.2)
- Minimum radius of display site equals 70 feet per inch shell diameter (NFPA 1123 5.1.3.1)
- Distance exemption required Reason: NONE (NFPA 1123 5.1.4.6)
- Launch site is more than (50') fifty feet from the nearest above ground telephone or telegraph line, tree or other overhead obstruction, or one hundred feet from a high-tension wire (09.04.080)
- Launch site is more than five hundred feet from a school, theater, church, hospital, or similar institution (09.04.080)
- Spectator site is more than (200') two hundred feet from the point at which the fireworks are to be discharged (09.04.080)
- Only authorized persons and those in actual charge of the display shall be allowed inside these lines or barriers during the unloading, preparation, firing and clean-up period of fireworks (09.04.080)
- Mortar rack set to be designed at as near vertical as possible (09.04.080)
- Fireworks display will be stopped during any storm or wind in which the wind reaches a velocity of more than ten miles per hour (09.04.080)
- All fireworks, articles and items at places of display shall be stored in a manner and in a place secure from fire, accidental discharge, and theft or other potential hazards, and in a manner approved by the governmental agency having jurisdiction. Storage method: TUBS/CANS/REELS (09.04.080)
- Any fireworks that remain unfired after the display is concluded shall be immediately disposed of or removed in a manner safe for the particular type of fireworks (09.04.080)
- Debris from the discharged fireworks will be properly disposed of by the operator before operator leaves the premises (09.04.080)
- Upon conclusion of the display the operator shall make a complete and thorough search for any unfired fireworks or pieces which have failed to fire or function and shall dispose of them in a safe manner and contact the bomb squad for assistance if necessary (09.04.080)
- Fire department scheduled for standby. Fire agency and POC: Rivermont F.D. (NFPA 1123 8.1.1)
- Evidence of all site crew meeting NFPA training requirements provided (NFPA 1123 8.1.3.3)
- Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2)
- Operator will conduct display in compliance with the provisions set forth in NFPA 1123 and Pima County Code 9.04
- Permit approved by Sheriff's Department (09.04.050)

MAY 07 10 29 AM '18 PCC/KCF/PD

JG MORRIS #1419
Inspector

JOHN LASHLEY
Site Representative

KEVIN MASSMONT
Operator's Representative

Revised 28 OCT 2012

* INSPECTION SHEET WAS COPIED AND SCHEDULED DUE TO THE OPERATOR BEING OUT OF TOWN... APPROVED PCC MORRIS.

CERTIFICATE OF INSURANCE

ISSUE DATE 4/9/2018

PRODUCER
 PROFESSIONAL PROGRAM INSURANCE BROKERAGE
 371 BEL MARIN KEYS BLVD., SUITE 220
 NOVATO CA, 94949-5662

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER, THIS CERTIFICATE DOES NOT AMEND, EXTEND OR LATER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

INSURER(S) AFFORDING COVERAGE

INSURER A: LLOYD'S OF LONDON

INSURED
 Southwest Fireworks, LLC
 11155 E. Jimson Loco Lane
 Scottsdale, AZ 85262

INSURER B:

INSURER C:

INSURER D:

COVERAGES

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE NAMED INSURED ABOVE FOR THE PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES.

CO LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS	
A	GENERAL LIABILITY CLAIMS MADE GEN'L AGGREGATE LIMIT APPLIES PER POLICY	PY/17-0182	11/03/2017	11/03/2018	EACH ACCIDENT	\$ 5,000,000
					MEDICAL EXP (Any one person)	\$
					FIRE LEGAL LIABILITY	\$ 50,000
					GENERAL AGGREGATE	\$ 5,000,000
					PRODUCTS-COMP/OPS AGG	\$
	AUTOMOBILE LIABILITY — ANY AUTO — ANY OWNED AUTOS — SCHEDULED AUTOS HIRED AUTOS NON-OWNED AUTOS				COMBINED SINGLE LIMIT (Ea accident)	\$
					BODILY INJURY (Per person)	\$
					BODILY INJURY (Per accident)	\$
					PROPERTY DAMAGE (Per accident)	\$
	EXCESS LIABILITY FOLLOWING FORM				EACH ACCIDENT	\$
					AGGREGATE	\$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY				WC STATUTORY LIMITS	\$
					E.L. EACH ACCIDENT	\$
					E.L. DISEASE-EA EMPLOYEE	\$
					E.L. DISEASE-POLICY LIMIT	\$
	OTHER					

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/EXCLUSIONS ADDED BY ENDORSEMENT/SPECIAL PROVISIONS

Tucson Speedway; John Lashau as Speedway Owner; Southwest Fair Commission Inc. and Pima County are Additional Insured as respects the Class B and Class C Aerial Fireworks Display on 06/30/2018 (RD: 07/01/2018) located at Tucson Speedway, Tucson, AZ.


CERTIFICATE HOLDER

Tucson Speedway
 11955 S. Harrison
 Tucson, AZ 85747

CANCELLATION


SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE



Certificate of Fitness for Pyrotechnics

City of Phoenix Fire Department



KEVIN MASSALONE


Outdoor:

Theatrical:

Employed by: **SOUTHWEST FIREWORKS**

Card #: **1701607**

Expires: **5/1/2020**



NOT A FIRE DEPT EMPLOYEE

Tucson Speedway 4th of July Fireworks Display
(6/30/18)

Product List:

20- 1.4g multishot cakes
72- 1.75" 1.4g shells
70- 2.5" 1.3g display shells
60- 3.0" 1.3g display shells

Display Description:

17-18 minutes

1st body of display, 6-7 minutes of shells: (half 1.75", 25-2.5", 20-3.0")

Middle break-up ~2 minutes, (6-8 cakes)


2nd body of display, 6-7 minutes: (half 1.75", 25-2.5", 20-3.0")

Ramp-up to finale: ~2.5 minutes, (12-14 cakes)

~15 seconds of finale: (2 chains each of 2.5" and 3.0")

APR 11 18 AM 02:19 PC CLK/CRD

AR3



APR 11 11 18 PM 02/18 PC CLK OF RD

AFS