



# Pima County Clerk of the Board

Robin Brigode

Mary Jo Furphy  
Deputy Clerk

Administration Division  
130 W. Congress, 5<sup>th</sup> Floor  
Tucson, AZ 85701  
Phone: (520)724-8449 • Fax: (520) 222-0448

Document and Micrographics Mgt. Division  
1640 East Benson Highway  
Tucson, Arizona 85714  
Phone: (520) 351-8454 • Fax: (520) 351-8456

May 6, 2014

Mr. Rich Mueller  
Mountian View High School  
9101 N. Thornydale Road  
Tucson, AZ 85742

RE: Fireworks Display  
Applicant: Mountian View High School  
Date: May 21, 2014  
Location: Crook Tree Golf Course

Dear Mr. Mueller:

Notice is hereby given that the above-referenced application for a fireworks permit is scheduled to be heard before the Pima County Board of Supervisors on Tuesday, May 13, 2014, at approximately 9:00 a.m. or thereafter, to be held at the following location:

Pima County Administration Building  
Board of Supervisors Hearing Room  
130 W. Congress, 1st Floor  
Tucson, AZ 85701


If you have any questions pertaining to this matter, please contact this office at (520)724-8449.

Sincerely,

A handwritten signature in cursive script that reads "Robin Brigode".

Robin Brigode  
Clerk of the Board

c: Sheriff's Department-Explosives Division  
Fireworks Productions of AZ



# Pima County Clerk of the Board

Robin Brigode

Mary Jo Furphy  
Deputy Clerk

Administration Division  
130 W. Congress, 5<sup>th</sup> Floor  
Tucson, AZ 85701  
Phone: (520)724-8449 • Fax: (520) 222-0448

Document and Micrographics Mgt. Division  
1640 East Benson Highway  
Tucson, Arizona 85714  
Phone: (520) 351-8454 • Fax: (520) 351-8456

## PIMA COUNTY APPLICATION FOR FIREWORKS DISPLAY INSPECTION/PERMIT

Persons applying for a fireworks display permit in Pima County are required to undergo a display site inspection conducted by the Pima Regional Bomb Squad. This inspection is used to make a recommendation to the Board of Supervisors regarding the approval or denial of your permit. Inspectors will be checking for compliance with Pima County Code 9.04 and the National Fire Protection Association Code 1123: Code for Fireworks Display. The local fire district and or the state fire marshal may conduct an independent inspection which has the authority to override permit approval.

**NOTE:** The Display Operator and Site Manager should be selected as individuals with authority to supervise the event. These parties must be willing to accept civil/criminal responsibility for assuring compliance with provisions and safety regarding this display. A violation of Pima County Code 9.04 is a class 3 misdemeanor.

ORGANIZATION/APPLICANT: Mountain View High School

MAILING ADDRESS: 3901 W. Linda Vista Blvd, Tucson 85742

LOCATION/ADDRESS OF DISPLAY: 9101 N. Thorny Dale Rd, Tucson 85742

SITE MANAGER: Rich Mueller Phone #: 520-744-3366

DATE AND TIME OF DISPLAY: May 21, 2014 @ approx. 9:30p

PRODUCTION COMPANY: Fireworks Productions of AZ

DISPLAY OPERATOR: Kevin Luckenbill Phone #: 520-405-0329

Submit this completed application to the **Pima County Clerk of the Board** with the following:

- Pima County Permit for Fireworks Display* form completed with organization/display information
- Written shot sheet including display list and mortar diameters
- Site plan diagram including dimensions of display, location of discharge site, spectator area, parking area, fall-out area and associated distances per NFPA 1123 5.1.2.2.
- Evidence that all persons participating in the display have received training as required under NFPA 1123 8.1.3.3
- Evidence of insurance/bonding

A Pima Regional Bomb Squad representative will contact you to schedule a site inspection.

BT  
APR 21 14 PM 01:17 PC CLK OF BD



**PIMA COUNTY PERMIT FOR FIREWORKS DISPLAY**

ORGANIZATION: Mountain View High School

ADDRESS: 3901 W. Linda Vista Blvd, Tucson AZ 85742

LOCATION OF DISPLAY: Crook Tree Golf Course

DATE AND TIME OF DISPLAY: May 21, 2014 at Approximately 9:30pm

PRODUCTION COMPANY: Fireworks Productions of Arizona

Pursuant to Pima County Code 9.04.050, the Pima County Sheriff's Department has conducted a site inspection and recommends approval of the Permit for Fireworks Display. Conformance to the provisions on the attached *Pima County Fireworks Inspection Form* is required.

\_\_\_\_\_  
Pima County Sheriff

=====

The Pima County Board of Supervisors approves the Permit for Fireworks Display for the location, date and time specified above. In the event a fire emergency is declared, adherence to any restriction(s) set forth in that declaration is required.

Dated this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

\_\_\_\_\_  
Chairman, Pima County Board of Supervisors

ATTEST

\_\_\_\_\_  
CLERK OF THE BOARD

This permit is not transferable or assignable, must have the executed *Pima County Fireworks Inspection Form* attached and must be available for inspection prior to, during and after the fireworks display.

BT  
APR 21 14 PM 02:21 PC CLK OF BD



# PIMA REGIONAL BOMB SQUAD

Pima County Sheriff's Department  
1750 E Benson Highway, Tucson, AZ 85714  
"Leadership Through Teamwork"



## PIMA COUNTY FIREWORKS INSPECTION FORM

This inspection is being conducted pursuant to Pima County Code (PCC) 09.04.050. Its purpose is to assure compliance with NFPA 1123 and PCC 09.04.080. No permit will be recommended for approval unless the display meets the requirements of both standards; a person violating these provisions is guilty of a class three misdemeanor. The "Site Representative" and "Operator's Representative" signing this document assume criminal and civil responsibility for compliance with these provisions.

- |                                     |                          |                                                                                                                                                                                                                                                                                                           |
|-------------------------------------|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| YES                                 | NO                       | DATE OF INSPECTION: <u>2 MAY 14</u>                                                                                                                                                                                                                                                                       |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Launch site is more than (200') two hundred feet from the nearest permanent building, public highway, railroad, or other means of travel. Building is defined as a facility intended for occupancy or inhabitation. (09.04.080)                                                                           |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Site plan submitted to inspecting authority (NFPA 1123 5.1.2.1)                                                                                                                                                                                                                                           |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Site Plan includes dimensions of display, location of discharge site, spectator area, parking area, fall-out area, and associated distances (Attach Site Plan) (NFPA 1123 5.1.2.2)                                                                                                                        |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Minimum radius of display site equals 70 feet per inch shell diameter (NFPA 1123 5.1.3.1)                                                                                                                                                                                                                 |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Distance exemption required Reason: <u>N/A</u> (NFPA 1123 5.1.4.6)                                                                                                                                                                                                                                        |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Launch site is more than (50') fifty feet from the nearest above ground telephone or telegraph line, tree or other overhead obstruction, or one hundred feet from a high-tension wire (09.04.080)                                                                                                         |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Launch site is more than five hundred feet from a school, theater, church, hospital, or similar institution (09.04.080)                                                                                                                                                                                   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Spectator site is more than (200') two hundred feet from the point at which the fireworks are to be discharged (09.04.080)                                                                                                                                                                                |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Only authorized persons and those in actual charge of the display shall be allowed inside these lines or barriers during the unloading, preparation, firing and clean-up period of fireworks (09.04.080)                                                                                                  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Mortar rack set to be designed at as near vertical as possible (09.04.080)                                                                                                                                                                                                                                |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Fireworks display will be stopped during any storm or wind in which the wind reaches a velocity of more than ten miles per hour (09.04.080)                                                                                                                                                               |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | All fireworks, articles and items at places of display shall be stored in a manner and in a place secure from fire, accidental discharge, and theft or other potential hazards, and in a manner approved by the governmental agency having jurisdiction. Storage method: <u>SPACKED TUBES</u> (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Any fireworks that remain unfired after the display is concluded shall be immediately disposed of or removed in a manner safe for the particular type of fireworks (09.04.080)                                                                                                                            |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Debris from the discharged fireworks will be properly disposed of by the operator before operator leaves the premises (09.04.080)                                                                                                                                                                         |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Upon conclusion of the display the operator shall make a complete and thorough search for any unfired fireworks or pieces which have failed to fire or function and shall dispose of them in a safe manner and contact the bomb squad for assistance if necessary (09.04.080)                             |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Fire department scheduled for standby. Fire agency and POC: <u>NWFD</u> (NFPA 1123 8.1.1)                                                                                                                                                                                                                 |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Evidence of all site crew meeting NFPA training requirements provided (NFPA 1123 8.1.3.3)                                                                                                                                                                                                                 |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2)                                                                                                                                                                                |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Operator will conduct display in compliance with the provisions set forth in NFPA 1123 and Pima County Code 9.04                                                                                                                                                                                          |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Permit approved by Sheriff's Department (09.04.050)                                                                                                                                                                                                                                                       |

Inspector

*[Signature]*

Site Representative

*[Signature]*

Operator's Representative

*[Signature]*

MAY 06 14 PM 01:03 PCC CLK OF BID

APR 21 14 PM 02:21 PCC CLK OF BID

**MERCHANTS**  
**BONDING COMPANY**

2100 FLEUR DRIVE • DES MOINES, IOWA 50321-1158  
(515) 243-8171 • (515) 243-3854 FAX

**FIREWORKS DISPLAY BOND**

Bond No. AZ 423905

KNOW ALL PERSONS BY THESE PRESENTS, that we

FIREWORKS PRODUCTIONS OF ARIZONA LTD

as Principal, and MERCHANTS BONDING COMPANY (MUTUAL), a corporation organized under the laws of the State of Iowa, with its home office in the City of Des Moines, Iowa, and duly authorized and licensed to do business in the State of Arizona, as Surety, are firmly bound unto PIMA COUNTY

State of Arizona  
in the sum of One Thousand Dollars DOLLARS (\$\$1,000.00) lawful money of the United States, to the payment of which sum, well and truly to be made, the Principal and Surety bind themselves, their and each of their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the above bounden Principal FIREWORKS PRODUCTIONS OF ARIZONA LTD desires to have a permit for Fireworks Display and in order to have such display it is necessary for said FIREWORKS PRODUCTIONS OF ARIZONA LTD

to execute a surety bond in the amount of One Thousand Dollars Dollars (\$ \$1,000.00) conditioned for the payment of all damages which may be caused to persons or property by reason of the permitted display as provided in Chapter 46, Arizona Legislative Session Laws of 1941.

NOW, THEREFORE, if the said FIREWORKS PRODUCTIONS OF ARIZONA LTD well and truly observe, carry out, perform and comply with all requirements, terms and provisions of the Ordinances of the Board of Supervisors of PIMA County, State of Arizona, conditioned for the payment of all damages which may be caused to persons or property by reason of the permitted display as provided in Chapter 46, Arizona Legislative Session Laws of 1941, for a period from 12:01 A.M. May 7, 2014 to 12:01 A.M. May 7, 2015 then this obligation to be void, and of no effect.

SIGNED, sealed and dated this 1st day of March, 2014.

FIREWORKS PRODUCTIONS OF ARIZONA LTD

Principal

MERCHANTS BONDING COMPANY (MUTUAL)

By

Dan Lengeling  
Attorney-in-fact

BT  
APR 21 14 PM 02:21 PC CLK OF BD





**MOUNTAIN VIEW  
HIGH SCHOOL  
TUCSON**

**Wednesday, May 21, 2014**

**2 minute display**

**Total Aerial Shells 100**



**As the Commencement ends, the night is filled for 2 minutes by brilliantly colored shells. Finally, in a grand burst of thunderous celebration, shells rocket skyward to conclude the evening's festivities.**

**Graduation Conclusion - Opening:**

*Mountain View High School's Graduation celebration begins with an impressive series of powerful booms and brilliant color to celebrate the Class of 2014.*

**14 - 3" Color Shells**

**Aerial Display:**

*An exciting assortment of brilliantly-colored shells, including Chrysanthemums, Waves, Crowns, Peonies, Diadems, and Crossettes in gorgeous Reds, Yellows, Blues, Greens, Silvers, and Golds.*

Your Aerial Display will contain a total of **58** aerial.


**3" - 58** Chinese Fancy's & Specials

**GRANDE FINALE:**

*Mountain View High School's Graduation celebration ends in spectacular excitement as multiple styles of brilliantly-colored shells, rocket skyward glowing and glowing in breath-taking Blues, Golds, Greens, Silvers, Yellows, Purples and Red.*

Your Grande Finale consists of **28** - 3" aerial shells.

BT  
APR 21 14PM 02:21 PC CLK OF BD



Site Map

Maximum Shell Size: 3" Shells

Fireworks Productions of Arizona

480-948-0090 BT info@fireworksaz.com

APR 21 14PM 02/21 PC CLK OF BD