



Melissa Manriquez
Deputy Clerk

Pima County Clerk of the Board

Julie Castañeda

Administration Division
130 W. Congress, 1st Floor
Tucson, AZ 85701
Phone: (520)724-8449 • Fax: (520) 222-0448

Management of Information & Records Division
1640 East Benson Highway
Tucson, Arizona 85714
Phone: (520) 351-8454 • Fax: (520) 791-6666

June 8, 2021

David Tibbitt
Ajo/Gibson Volunteer Fire Department
P.O. Box 909
Ajo, AZ 85321

RE: Fireworks Display
Applicant: Ajo/Gibson Volunteer Fire Department
Date: July 4, 2021 at 6:00 p.m.
Location: Freeport Slag Dump

Dear Mr. Tibbitt:

Notice is hereby given that the above-referenced application for a fireworks permit is scheduled to be heard before the Pima County Board of Supervisors on Tuesday, June 22, 2021, at approximately 9:00 a.m. or thereafter, and will be held virtually.

You may attend this hearing virtually by calling this office to request remote access.

If you have any questions pertaining to this matter, please contact this office at (520)724-8449.

Sincerely,

A handwritten signature in black ink, appearing to read "Castañeda", is written over a horizontal line.

Julie Castañeda
Clerk of the Board

c: Sheriff's Department-Explosives Division
Fireworks Productions of Arizona



Pima County Clerk of the Board

Julie Castañeda

Melissa Manriquez
Deputy Clerk

Administration Division
130 W. Congress, 5th Floor
Tucson, AZ 85701
Phone: (520)724-8449 • Fax: (520) 222-0448

Management of Information & Records Division
1640 East Benson Highway
Tucson, Arizona 85714
Phone: (520) 351-8454 • Fax: (520) 791-6666

PIMA COUNTY APPLICATION FOR FIREWORKS DISPLAY INSPECTION/PERMIT

Persons applying for a fireworks display permit in Pima County are required to undergo a display site inspection conducted by the Pima Regional Bomb Squad. This inspection is used to make a recommendation to the Board of Supervisors regarding the approval or denial of your permit. Inspectors will be checking for compliance with Pima County Code 9.04 and the National Fire Protection Association Code 1123: Code for Fireworks Display. The local fire district and or the state fire marshal may conduct an independent inspection which has the authority to override permit approval.

NOTE: The Display Operator and Site Manager should be selected as individuals with authority to supervise the event. These parties must be willing to accept civil/criminal responsibility for assuring compliance with provisions and safety regarding this display. A violation of Pima County Code 9.04 is a class 3 misdemeanor.

ORGANIZATION/APPLICANT: AWO/Gibson Vol. Fire Dept.
MAILING ADDRESS: P.O. Box 909 ASD, AZ. 85321
LOCATION/ADDRESS OF DISPLAY: Freemont Shag Dump
SITE MANAGER: DAVID TIBBATT Phone #: 602-399-9382
DATE AND TIME OF DISPLAY: July 4th 2021 @ Approx. 18:00
ALTERNATE DISPLAY DATE(S)/TIME* July 5th to July 11, 2021
*(Alternate display date(s) must be within 7 days of the date selected above)
PRODUCTION COMPANY: Fire Works Productions of Arizona
DISPLAY OPERATOR: AWO/Gibson Vol. F.D. Phone #: 602-399-9382

Submit this completed application to the **Pima County Clerk of the Board** with the following:

- ☒ Pima County Permit for Fireworks Display form completed with organization/display information
- ☒ Written shot sheet including display list and mortar diameters
- ☒ Site plan diagram including dimensions of display, location of discharge site, spectator area, parking area, fall-out area and associated distances per NFPA 1123 5.1.2.2.
- ☒ Evidence that all persons participating in the display have received training as required under NFPA 1123 8.1.3.3
- ☒ Evidence of insurance/bonding (Alternative display date(s) requested above must be listed on the Certificate of Liability Insurance.)

A Pima Regional Bomb Squad representative will contact you to schedule a site inspection.

Revised January 2017

JUN0721PM024J PCC/KCF-PD



PIMA COUNTY PERMIT FOR FIREWORKS DISPLAY

ORGANIZATION: ASO/GIBSON Vol. F.D.
ADDRESS: 400 TALADRO / P.O. Box 909 Ajo, Az. 85321
LOCATION OF DISPLAY: Freemont Slag Dump
DATE AND TIME OF DISPLAY: July 4th 2021 @ Approx. 18:00 hrs.
ALTERNATIVE DISPLAY DATE(S)/TIME: July 5th - July 11th, 2021
PRODUCTION COMPANY: Fire Works Production of Arizona

Pursuant to Pima County Code 9.04.050, the Pima County Sheriff's Department has conducted a site inspection and recommends approval of the Permit for Fireworks Display. Conformance to the provisions on the attached *Pima County Fireworks Inspection Form* is required.

Jose L. Gonzalez
Pima County Sheriff *Constable*

The Pima County Board of Supervisors approves the Permit for Fireworks Display for the location, date and time, or alternative date(s) and time, specified above. In the event a fire emergency is declared, adherence to any restriction(s) set forth in that declaration is required.

Dated this _____ day of _____, 20____.

Chairman, Pima County Board of Supervisors

ATTEST

CLERK OF THE BOARD

This permit is not transferable or assignable, must have the executed *Pima County Fireworks Inspection Form* attached and must be available for inspection prior to, during and after the fireworks display.



PIMA REGIONAL BOMB SQUAD

Pima County Sheriff's Department

1750 E Benson Highway, Tucson, AZ 85714

"Leadership Through Teamwork"



PIMA COUNTY FIREWORKS INSPECTION FORM

This inspection is being conducted pursuant to Pima County Code (PCC) 09.04.050. Its purpose is to assure compliance with NFPA 1123 and PCC 09.04.080. No permit will be recommended for approval unless the display meets the requirements of both standards; a person violating these provisions is guilty of a class three misdemeanor. The "Site Representative" and "Operator's Representative" signing this document assume criminal and civil responsibility for compliance with these provisions.

- | YES | NO | DATE OF INSPECTION: <u>6-3-21</u> |
|-------------------------------------|-------------------------------------|--|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Launch site is more than (200') two hundred feet from the nearest permanent building, public highway, railroad, or other means of travel. Building is defined as a facility intended for occupancy or habitation. (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Site plan submitted to inspecting authority (NFPA 1123 5.1.2.1) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Site Plan includes dimensions of display, location of discharge site, spectator area, parking area, fall-out area, and associated distances (Attach Site Plan) (NFPA 1123 5.1.2.2) |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Minimum radius of display site equals 70 feet per inch shell diameter (NFPA 1123 5.1.3.1) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Distance exemption required Reason: _____ (NFPA 1123 5.1.4.6) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Launch site is more than (50') fifty feet from the nearest above ground telephone or telegraph line, tree or other overhead obstruction, or one hundred feet from a high-tension wire (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Launch site is more than five hundred feet from a school, theater, church, hospital, or similar institution (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Spectator site is more than (200') two hundred feet from the point at which the fireworks are to be discharged (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Only authorized persons and those in actual charge of the display shall be allowed inside these lines or barriers during the unloading, preparation, firing and clean-up period of fireworks (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Mortar rack set to be designed at as near vertical as possible (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Fireworks display will be stopped during any storm or wind in which the wind reaches a velocity of more than ten miles per hour (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | All fireworks, articles and items at places of display shall be stored in a manner and in a place secure from fire, accidental discharge, and theft or other potential hazards, and in a manner approved by the governmental agency having jurisdiction. Storage method: _____ (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Any fireworks that remain unfired after the display is concluded shall be immediately disposed of or removed in a manner safe for the particular type of fireworks (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Debris from the discharged fireworks will be properly disposed of by the operator before operator leaves the premises (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Upon conclusion of the display the operator shall make a complete and thorough search for any unfired fireworks or pieces which have failed to fire or function and shall dispose of them in a safe manner and contact the bomb squad for assistance if necessary (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Fire department scheduled for standby. Fire agency and POC: _____ (NFPA 1123 8.1.1) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Evidence of all site crew meeting NFPA training requirements provided (NFPA 1123 8.1.3.3) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Operator will conduct display in compliance with the provisions set forth in NFPA 1123 and Pima County Code 9.04 |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Permit approved by Sheriff's Department (09.04.050) |

Jose L. Gonzalez
Inspector

6-3-21

Alan J. Tibbitt
Site Representative

6-3-21

Alan J. Tibbitt 6-3-21
Operator's Representative



AWCARP

WORKERS COMPENSATION
AND
EMPLOYERS LIABILITY POLICY

CHANGE DOCUMENT WC 99 99 98 (A)

POLICY NUMBER: (6JUB-5N24706-1-21)

CHANGE EFFECTIVE DATE: 01-01-21

NCCI CO CODE: 13579

INSURER: TRAVELERS PROPERTY CASUALTY COMPANY OF AMERICA

INSURED'S NAME: AJO / GIBSON VOLUNTEER FIRE
DEPARTMENT

This change is issued by the Company or Companies that issued the policy and forms a part of the policy. It is agreed that the policy is amended as follows:

An absence of an entry in the premium spaces below means that the premium adjustment, if any, will be made at time of audit.

ADDITIONAL PREMIUM	\$	RETURN PREMIUM	\$
ADDITIONAL NON-PREMIUM	\$	RETURN NON-PREMIUM	\$

THIS POLICY ENDORSEMENT WAS PROCESSED DUE TO A CHANGE MANDATED BY THE STATE.

THE POLICY CHANGE DESCRIPTION IS AS FOLLOWS:

THE FOLLOWING ENDORSEMENTS ARE ADDED:

WC02060300	AZ AMENDATORY ENDORSEMENT
WC89061400	POLICY INFORMATION PAGE ENDORSEMENT
WC999998 A	CHANGE DOCUMENT
WUNT3A21	SAFETY SERVICE NOTICE



JUN 07 21 PM 02:41 PC CLK CF RD

DATE OF ISSUE: 12-17-20
POL. EFF. DATE: 01-01-21
OFFICE: RMD POOL
PRODUCER:

AM CHANGE NO: 001
POL. EXP. DATE: 01-01-22
893

PAGE 001 OF LAST

78S7B



Ajo-Gibson Volunteer Fire Department
PO Box 909
Ajo, AZ 85321

Chief
David Tibbitt

Captain
Mark Coyle

Lieutenant
JD Allen

Secretary
Sara Coyle

May25,2021

To Whom it may Concern;


All Ajo/Gibson Volunteer Fire Department firefighters have been through the Shooter School that is put on in April of every year (except for last year) by Fire Works Production Of Arizona in Mesa Arizona. If anyone has any question please feel free to contact me on my cell phone @ 602-399-9382

Ajo/Gibson Volunteer Fire Dept.
PO Box 909
Ajo, AZ 85321

Respectfully,
Chief David Tibbitt

JUN 07 2021 PM 02:41 PCC CLKF HP

EXHIBIT A



AJO FIRE DEPARTMENT

July 4, 2021

Total Aerial Effects 265



Set Piece:

1 – 4' x 8' American Flag

Opening:

Your show begins with an impressive series of powerful booms and flashing white light to excite and thrill the audience.

1 - 3" Titanium Salutes

Aerial Display:

A large assortment of brilliantly-colored shells, including Chrysanthemums, Rings, Various Shapes, Waves, Crowns, Peonies, Strobes, Rings, Brocade Crowns, Diadems, and Crossettes in gorgeous Reds, Yellows, Blues, Greens, Silvers, and Golds.

Your Aerial Display will contain a total of 226 Aerial shells.

- 3" - **10** Titanium Salutes
- 3" - **108** Chinese Fancy's & Specials
- 4" - **72** Chinese Fancy's & Specials
- 5" - **20** Chinese Fancy's & Specials
- 6" - **12** Chinese Fancy's & Specials
- 8" - **4** Chinese Fancy's & Specials

GRANDE FINALE:

Your celebration will close in spectacular excitement as multiple styles of brilliantly-colored shells, rocket skyward growing and glowing in breath-taking Blues, Golds, Greens, Silvers, Yellows, Purples and Red.

Your Grande Finale consists of 38 Aerial shells:


Your Grande Finale: 28 - 3" shells, 8 - 4" shells and 2 - 6" shells.

Designed for Ajo Fire Department by: Fireworks Productions of Arizona

JUN 07 21 PM 02:41 PCD KDF HD



Google Maps



Imagery ©2021 CNES / Airbus, Maxar Technologies, U.S. Geological Survey, USDA Farm Service Agency, Map data ©2021 500 ft

JUN0721PM0241PCCLKCF RD

