



Pima County Clerk of the Board

Julie Castañeda

Melissa Manriquez
Deputy Clerk

Administration Division
130 W. Congress, 5th Floor
Tucson, AZ 85701
Phone: (520) 724-8449 • Fax: (520) 222-0448

Management of Information & Records Division
1640 East Benson Highway
Tucson, Arizona 85714
Phone: (520) 351-8454 • Fax: (520) 791-6666

August 28, 2019

Danithza Castro
Skyline Country Club
5200 E. Saint Andrew Drive
Tucson, AZ 85718

RE: Fireworks Display
Applicant: Skyline Country Club
Date: September 27, 2019 at 9:30 p.m.
Location: 5200 E. Saint Andrew Drive

Dear Ms. Castro:

Notice is hereby given that the above-referenced application for a fireworks permit is scheduled to be heard before the Pima County Board of Supervisors on Tuesday, September 17, 2019, at approximately 9:00 a.m. or thereafter, to be held at the following location:

Pima County Administration Building
Board of Supervisors Hearing Room
130 W. Congress, 1st Floor
Tucson, AZ 85701

If you have any questions pertaining to this matter, please contact this office at (520) 724-8449.

Sincerely,

Julie Castañeda
Clerk of the Board

c: Sheriff's Department-Explosives Division
Fireworks Productions of Arizona



Melissa Manriquez
Deputy Clerk

Pima County Clerk of the Board

Julie Castañeda

Administration Division
130 W. Congress, 5th Floor
Tucson, AZ 85701
Phone: (520) 724-8449 • Fax: (520) 222-0448

Document and Micrographics Mgt. Division
1640 East Benson Highway
Tucson, Arizona 85714
Phone: (520) 351-8454 • Fax: (520) 791-6666

PIMA COUNTY APPLICATION FOR FIREWORKS DISPLAY INSPECTION/PERMIT

Persons applying for a fireworks display permit in Pima County are required to undergo a display site inspection conducted by the Pima Regional Bomb Squad. This inspection is used to make a recommendation to the Board of Supervisors regarding the approval or denial of your permit. Inspectors will be checking for compliance with Pima County Code 9.04 and the National Fire Protection Association Code 1123: Code for Fireworks Display. The local fire district and or the state fire marshal may conduct an independent inspection which has the authority to override permit approval.

NOTE: The Display Operator and Site Manager should be selected as individuals with authority to supervise the event. These parties must be willing to accept civil/criminal responsibility for assuring compliance with provisions and safety regarding this display. A violation of Pima County Code 9.04 is a class 3 misdemeanor.

ORGANIZATION/APPLICANT: Skyline Country Club

MAILING ADDRESS: 5200 E Saint Andrew Dr. Tucson AZ 85718

LOCATION/ADDRESS OF DISPLAY: 5200 E Saint Andrew Dr. Tucson AZ 85718 **911 - 0160**

SITE MANAGER: Danithza Castro Phone #: 520-71-0160

DATE AND TIME OF DISPLAY: September 27, 2019 @ approx. 9:30pm

ALTERNATE DISPLAY DATE(s)/TIME* none

*(Alternate display date(s) must be within 7 days of the date selected above)

PRODUCTION COMPANY: Fireworks Productions of Arizona

DISPLAY OPERATOR: Troy Finley Phone #: 520-991-0150

Submit this completed application to the **Pima County Clerk of the Board** with the following:

- Pima County Permit for Fireworks Display* form completed with organization/display information
- Written shot sheet including display list and mortar diameters
- Site plan diagram including dimensions of display, location of discharge site, spectator area, parking area, fall-out area and associated distances per NFPA 1123 5.1.2.2.
- Evidence that all persons participating in the display have received training as required under NFPA 1123 8.1.3.3
- Evidence of insurance/bonding (Alternative display date(s) requested above must be listed on the Certificate of Liability Insurance.)

A Pima Regional Bomb Squad representative will contact you to schedule a site inspection.



PIMA COUNTY PERMIT FOR FIREWORKS DISPLAY

ORGANIZATION:

Skyline Country Club

ADDRESS:

5200 E Saint Andrew Dr. Tucson AZ 85718

LOCATION OF DISPLAY:

5200 E Saint Andrew Dr. Tucson AZ 85718

DATE AND TIME OF DISPLAY:

September 27, 2019 @ approx. 9:30pm

ALTERNATIVE DISPLAY DATE(s)/TIME:

none

PRODUCTION COMPANY:

Fireworks Productions of Arizona

Pursuant to Pima County Code 9.04.050, the Pima County Sheriff's Department has conducted a site inspection and recommends approval of the Permit for Fireworks Display. Conformance to the provisions on the attached *Pima County Fireworks Inspection Form* is required.

A handwritten signature of the Pima County Sheriff is written over a horizontal line.

Pima County Sheriff

=====

The Pima County Board of Supervisors approves the Permit for Fireworks Display for the location, date and time, or alternative date(s) and time, specified above. In the event a fire emergency is declared, adherence to any restriction(s) set forth in that declaration is required.

Dated this _____ day of _____, 20_____.

Chairman, Pima County Board of Supervisors

ATTEST

CLERK OF THE BOARD

This permit is not transferable or assignable, must have the executed *Pima County Fireworks Inspection Form* attached and must be available for inspection prior to, during and after the fireworks display.

8/25/2019 10:25:56 PC CLK/KFB
John



PIMA REGIONAL BOMB SQUAD

Pima County Sheriff's Department
1750 E Benson Highway, Tucson, AZ 85714
"Leadership Through Teamwork"



PIMA COUNTY FIREWORKS INSPECTION FORM

This inspection is being conducted pursuant to Pima County Code (PCC) 09.04.050. Its purpose is to assure compliance with NFPA 1123 and PCC 09.04.080. No permit will be recommended for approval unless the display meets the requirements of both standards; a person violating these provisions is guilty of a class three misdemeanor. The "Site Representative" and "Operator's Representative" signing this document assume criminal and civil responsibility for compliance with these provisions.

YES NO

DATE OF INSPECTION: 21 AUG

Launch site is more than (200') two hundred feet from the nearest permanent building, public highway, railroad, or other means of travel. Building is defined as a facility intended for occupancy or inhabitation. (09.04.080)

Site plan submitted to inspecting authority (NFPA 1123 5.1.2.1)

Site Plan includes dimensions of display, location of discharge site, spectator area, parking area, fall-out area, and associated distances (Attach Site Plan) (NFPA 1123 5.1.2.2)

Minimum radius of display site equals 70 feet per inch shell diameter (NFPA 1123 5.1.3.1)

Distance exemption required Reason: Measure Cancer Bazaar (NFPA 1123 5.1.4.6)

Launch site is more than (50') fifty feet from the nearest above ground telephone or telegraph line, tree or other overhead obstruction, or one hundred feet from a high-tension wire (09.04.080)

Launch site is more than five hundred feet from a school, theater, church, hospital, or similar institution (09.04.080)

Spectator site is more than (200') two hundred feet from the point at which the fireworks are to be discharged (09.04.080)

Only authorized persons and those in actual charge of the display shall be allowed inside these lines or barriers during the unloading, preparation, firing and clean-up period of fireworks (09.04.080)

Mortar rack set to be designed at as near vertical as possible (09.04.080)

Fireworks display will be stopped during any storm or wind in which the wind reaches a velocity of more than ten miles per hour (09.04.080)

All fireworks, articles and items at places of display shall be stored in a manner and in a place secure from fire, accidental discharge, and theft or other potential hazards, and in a manner approved by the governmental agency having jurisdiction. Storage method: TUBES (09.04.080)

Any fireworks that remain unfired after the display is concluded shall be immediately disposed of or removed in a manner safe for the particular type of fireworks (09.04.080)

Debris from the discharged fireworks will be properly disposed of by the operator before operator leaves the premises (09.04.080)

Upon conclusion of the display the operator shall make a complete and thorough search for any unfired fireworks or pieces which have failed to fire or function and shall dispose of them in a safe manner and contact the bomb squad for assistance if necessary (09.04.080)

Fire department scheduled for standby. Fire agency and POC: Reynal Mexico FD (NFPA 1123 8.1.1)

Evidence of all site crew meeting NFPA training requirements provided (NFPA 1123 8.1.3.3)

Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2)

Operator will conduct display in compliance with the provisions set forth in NFPA 1123 and Pima County Code 9.04

Permit approved by Sheriff's Department (09.04.050)

Inspector

J. G. Morris #1419

Site Representative

DANITA CASNO

Operator's Representative

Troy Fawcett

Revised 28 OCT 2012

SKYLINE C.C.

MERCHANTS
BONDING COMPANY™

MERCHANTS BONDING COMPANY (MUTUAL) P.O. BOX 14498, DES MOINES, IA 50306-3498
PHONE: (800) 678-8171 FAX: (515) 243-3854

FIREWORKS DISPLAY BOND

Bond No. AZ 423905

KNOW ALL PERSONS BY THESE PRESENTS, that we

FIREWORKS PRODUCTIONS OF ARIZONA LTD

as Principal, and MERCHANTS BONDING COMPANY (MUTUAL), a corporation organized under the laws of the State of Iowa, and duly authorized and licensed to do business in the State of Arizona, as Surety, are firmly bound unto Pima County

State of Arizona
in the sum of One Thousand Dollars DOLLARS (\$\$1,000.00)
lawful money of the United States, to the payment of which sum, well and truly to be made, the Principal and Surety bind themselves, their and each of their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the above bounden Principal FIREWORKS PRODUCTIONS OF ARIZONA LTD desires to have a permit for Fireworks Display and in order to have such display it is necessary for said FIREWORKS PRODUCTIONS OF ARIZONA LTD


to execute a surety bond in the amount of One Thousand Dollars
Dollars (\$ 1,000.00) conditioned for the payment of all damages which may be caused to persons or property by reason of the permitted display as provided in Chapter 46, Arizona Legislative Session Laws of 1941.

NOW, THEREFORE, if the said FIREWORKS PRODUCTIONS OF ARIZONA LTD well and truly observe, carry out, perform and comply with all requirements, terms and provisions of the Ordinances of the Board of Supervisors of Pima County, State of Arizona, conditioned for the payment of all damages which may be caused to persons or property by reason of the permitted display as provided in Chapter 46, Arizona Legislative Session Laws of 1941, for a period from 12:01 A.M. May 7, 2019 to 12:01 A.M. May 7, 2020 then this obligation to be void, and of no effect.


SIGNED, sealed and dated this 29th day of March, 2019.

FIREWORKS PRODUCTIONS OF ARIZONA LTD

Principal



MERCHANTS BONDING COMPANY (MUTUAL)

By 
Attorney-in-fact Lori Bogart

ARIZONA STATE FIREWORKS PERMIT
Lori Bogart



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
7/18/2019

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFRS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER The Partners Group Ltd 11225 SE 6th St., Suite 110 Bellevue WA 98004	CONTACT NAME: Cheril Cruden PHONE (A/C, No. Ext): 425-455-5640 E-MAIL: ccruden@tpgrp.com	FAX (A/C, No): 425-455-6727
	INSURER(S) AFFORDING COVERAGE INSURER A: T.H.E. Insurance Company	NAIC # 12866
INSURED FPA, LTD Fireworks Productions of Arizona 17034 S. 54th Street Chandler AZ 85226	INSURER B: Travelers Property & Casualty Co of America	
	INSURER C:	
	INSURER D:	
	INSURER E:	
	INSURER F:	

COVERAGE

CERTIFICATE NUMBER: 1301032598

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSR	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS		
A	GENERAL LIABILITY		Y	CPP010586202	10/9/2018	10/9/2019	EACH OCCURRENCE	\$ 1,000,000	
	X COMMERCIAL GENERAL LIABILITY						DAMAGE TO RENTED PREMISES (EA occurrence)	\$ 500,000	
							MED EXP (Any one person)	\$ /A	
	X \$2000 Deductible						PERSONAL & ADV INJURY	\$ 1,000,000	
							GENERAL AGGREGATE	\$ 10,000,000	
							PRODUCTS - COMP/OP AGG	\$ 2,000,000	
								\$	
	GEN'L AGGREGATE LIMIT APPLIES PER:								
	POLICY X PROJECT								
	LOC								
A	AUTOMOBILE LIABILITY			CPP010586202	10/9/2018	10/9/2019	COMBINED SINGLE LIMIT (EA accident)	\$ 1,000,000	
	ANY AUTO						BODILY INJURY (Per person)	\$	
	ALL OWNED AUTOS	X					BODILY INJURY (Per accident)	\$	
	X HIRED AUTOS	X					PROPERTY DAMAGE (Per accident)	\$	
								\$	
A	X UMBRELLA LIAB	X	OCCUR	ELP001232902	10/9/2018	10/9/2019	EACH OCCURRENCE	\$ 9000000 GL Only	
	EXCESS LIAB		CLAIMS-MADE				AGGREGATE	\$ 9000000 GL Only	
	DED		RETENTION\$					\$	
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY	Y / N	N / A	1K643590UB ~ Arizona	10/9/2018	10/9/2019	X WC STATUTORY LIMITS	OTHR-	
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED?						E.L. EACH ACCIDENT	\$ 1,000,000	
	(Mandatory in NH)						E.L. DISEASE - EA EMPLOYEE	\$ 1,000,000	
	If yes, describe under DESCRIPTION OF OPERATIONS below						E.L. DISEASE - POLICY LIMIT	\$ 1,000,000	
A	Auto Excess Liability - Occurrenc			ELP001291100	10/9/2018	10/9/2019	Each Occ/Agg.	4,000,000	
A	Auto Excess Liability - Occurrenc			ELP001291200	10/9/2018	10/9/2019	Each Occ/Agg.	5,000,000	

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

The following are included as Additional Insured on General Liability as their interest may appear as respects operations performed by or on behalf of the Named Insured, as required by written contract.

Date of Display: September 27, 2019

Location of Display: Skyline Country Club, Tucson, AZ

Additional Insured(s): Pima County; City of Tucson; Skyline Country Club Management, L. P.; Rural Metro Fire Department.

CERTIFICATE HOLDER


CANCELLATION

Skyline Country Club
5200 E. St. Andrews Drive
Tucson AZ 85718

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

EXHIBIT A



**Skyline Country Club
Borane Wedding**

Friday, September 27, 2019



4 – 5 minutes

Total Aerial Effects 200

Total Aerial Shells 100

Total Effects in Basin 100

Opening:

This wedding display begins with a beautiful burst of fiery color to excite and thrill your guests.

7 - 3" Color Shells

Aerial Display:

A large assortment of brilliantly-colored shells, including Chrysanthemums, Waves, Crowns, Peonies, Strobes, Brocade Crowns, Diadems, and Crossettes in gorgeous Reds, Yellows, Blues, Greens, Silvers, and Golds.

Your Aerial Display will contain a total of **72** aerial shells and **100** basin effects.

1 ½" - 1 FPA Premier Specialty Basin


3" - 72 Chinese Fancy's & Specials

Grande Finale:

Your celebration will close in spectacular excitement as multiple styles of brilliantly-colored shells, rocket skyward growing and glowing in breath-taking Blues, Golds, Greens, Silvers, Yellows, Purples and Red.

Your Grande Finale consists of **21 – 3" aerial shells.**

PLG12219PM0225PC1LK0FHD
JULY





Site Map

Fireworks Productions of Arizona

Maximum Shell Size: 3" Aerial

480-948-0090

AUG 12 19 PM0226 PC CLK OF BD
info@fireworksaz.com *M/W*

5200 East St Andrews Dr., Tucson 85718



TUCSON FIRE DEPARTMENT
CERTIFIED SHOOTER

Fireworks Pyrotechnics Flame Effects

Name Troy Finley
D O B
Gender Male
Ht 5'9" Weight 200 lbs
Hair Gray Eyes Blue
Issued date 05-28-2019
Expires 05-28-2024
Cert# 2019-1



2025 RELEASE UNDER E.O. 14176
Troy Finley





Fire Marshal