



Melissa Manriquez
Deputy Clerk

Pima County Clerk of the Board

Julie Castañeda

Administration Division
130 W. Congress, 5th Floor
Tucson, AZ 85701
Phone: (520)724-8449 • Fax: (520) 222-0448

Management of Information & Records Division
1640 East Benson Highway
Tucson, Arizona 85714
Phone: (520) 351-8454 • Fax: (520) 791-6666

August 16, 2018

LeeAnn Perry
Skyline Country Club
5200 E. Saint Andrews Drive
Tucson, AZ 85718

RE: Fireworks Display
Applicant: Skyline Country Club
Date: September 15, 2018 at 9:00 p.m.
Location: 5200 E. Saint Andrews Drive

Dear Ms. Perry:

Notice is hereby given that the above-referenced application for a fireworks permit is scheduled to be heard before the Pima County Board of Supervisors on Tuesday, September 4, 2018, at approximately 9:00 a.m. or thereafter, to be held at the following location:

Pima County Administration Building
Board of Supervisors Hearing Room
130 W. Congress, 1st Floor
Tucson, AZ 85701

If you have any questions pertaining to this matter, please contact this office at (520)724-8449.

Sincerely,

A handwritten signature in cursive script, appearing to read "Julie Castañeda".

Julie Castañeda
Clerk of the Board

c: Sheriff's Department-Explosives Division
Fireworks Productions of Arizona



Pima County Clerk of the Board

Julie Castañeda

Melissa Manriquez
Deputy Clerk

Administration Division
130 W. Congress, 5th Floor
Tucson, AZ 85701
Phone: (520)724-8449 • Fax: (520) 222-0448

Document and Micrographics Mgt. Division
1640 East Benson Highway
Tucson, Arizona 85714
Phone: (520) 351-8454 • Fax: (520) 791-6666

PIMA COUNTY APPLICATION FOR FIREWORKS DISPLAY INSPECTION/PERMIT

Persons applying for a fireworks display permit in Pima County are required to undergo a display site inspection conducted by the Pima Regional Bomb Squad. This inspection is used to make a recommendation to the Board of Supervisors regarding the approval or denial of your permit. Inspectors will be checking for compliance with Pima County Code 9.04 and the National Fire Protection Association Code 1123: Code for Fireworks Display. The local fire district and or the state fire marshal may conduct an independent inspection which has the authority to override permit approval.

NOTE: The Display Operator and Site Manager should be selected as individuals with authority to supervise the event. These parties must be willing to accept civil/criminal responsibility for assuring compliance with provisions and safety regarding this display. A violation of Pima County Code 9.04 is a class 3 misdemeanor.

ORGANIZATION/APPLICANT: Skyline Country Club

MAILING ADDRESS: 5200 E Saint Andrew Dr. Tucson AZ 85718

LOCATION/ADDRESS OF DISPLAY: 5200 E Saint Andrew Dr. Tucson AZ 85718

SITE MANAGER: LeeAnn Perry Phone #: 520-245-9808

DATE AND TIME OF DISPLAY: September 15, 2018 @ approx. 9:00pm

ALTERNATE DISPLAY DATE(S)/TIME* none

*(Alternate display date(s) must be within 7 days of the date selected above)

PRODUCTION COMPANY: Fireworks Productions of Arizona

DISPLAY OPERATOR: Troy Finley Phone #: 520-991-0150

Submit this completed application to the **Pima County Clerk of the Board** with the following:

- Pima County Permit for Fireworks Display* form completed with organization/display information
- Written shot sheet including display list and mortar diameters
- Site plan diagram including dimensions of display, location of discharge site, spectator area, parking area, fall-out area and associated distances per NFPA 1123 5.1.2.2.
- Evidence that all persons participating in the display have received training as required under NFPA 1123 8.1.3.3
- Evidence of insurance/bonding (Alternative display date(s) requested above must be listed on the Certificate of Liability Insurance.)

A Pima Regional Bomb Squad representative will contact you to schedule a site inspection.

JUL 27 10AM 1123 PCLKFB

AGS



PIMA COUNTY PERMIT FOR FIREWORKS DISPLAY

ORGANIZATION: Skyline Country Club

ADDRESS: 5200 E Saint Andrew Dr. Tucson AZ 85718

LOCATION OF DISPLAY: 5200 E Saint Andrew Dr. Tucson AZ 85718

DATE AND TIME OF DISPLAY: September 15, 2018 @ approx. 9:00pm

ALTERNATIVE DISPLAY DATE(S)/TIME: none

PRODUCTION COMPANY: Fireworks Productions of Arizona

Pursuant to Pima County Code 9.04.050, the Pima County Sheriff's Department has conducted a site inspection and recommends approval of the Permit for Fireworks Display. Conformance to the provisions on the attached *Pima County Fireworks Inspection Form* is required.

Pima County Sheriff

=====

The Pima County Board of Supervisors approves the Permit for Fireworks Display for the location, date and time, or alternative date(s) and time, specified above. In the event a fire emergency is declared, adherence to any restriction(s) set forth in that declaration is required.

Dated this _____ day of _____, 20_____.

Chairman, Pima County Board of Supervisors

ATTEST

CLERK OF THE BOARD

This permit is not transferable or assignable, must have the executed *Pima County Fireworks Inspection Form* attached and must be available for inspection prior to, during and after the fireworks display.

20180915 PIMA COUNTY PERMIT FOR FIREWORKS DISPLAY

AFS



PIMA REGIONAL BOMB SQUAD

Pima County Sheriff's Department
1750 E Benson Highway, Tucson, AZ 85714
"Leadership Through Teamwork"



PIMA COUNTY FIREWORKS INSPECTION FORM

This inspection is being conducted pursuant to Pima County Code (PCC) 09.04.050. Its purpose is to assure compliance with NFPA 1123 and PCC 09.04.080. No permit will be recommended for approval unless the display meets the requirements of both standards; a person violating these provisions is guilty of a class three misdemeanor. The "Site Representative" and "Operator's Representative" signing this document assume criminal and civil responsibility for compliance with these provisions.

- | | | |
|---|-----------------------------|---|
| <input checked="" type="checkbox"/> YES | <input type="checkbox"/> NO | DATE OF INSPECTION: <u>16 AUG 18</u> |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Launch site is more than (200') two hundred feet from the nearest permanent building, public highway, railroad, or other means of travel. Building is defined as a facility intended for occupancy or inhabitation. (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Site plan submitted to inspecting authority (NFPA 1123 5.1.2.1) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Site Plan includes dimensions of display, location of discharge site, spectator area, parking area, fall-out area, and associated distances (Attach Site Plan) (NFPA 1123 5.1.2.2) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Minimum radius of display site equals 70 feet per inch shell diameter (NFPA 1123 5.1.3.1) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Distance exemption required Reason: <u>CANT BARN - UNDEEP...</u> (NFPA 1123 5.1.4.6) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Launch site is more than (50') fifty feet from the nearest above ground telephone or telegraph line, tree or other overhead obstruction, or one hundred feet from a high-tension wire (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Launch site is more than five hundred feet from a school, theater, church, hospital, or similar institution (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Spectator site is more than (200') two hundred feet from the point at which the fireworks are to be discharged (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Only authorized persons and those in actual charge of the display shall be allowed inside these lines or barriers during the unloading, preparation, firing and clean-up period of fireworks (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Mortar rack set to be designed at as near vertical as possible (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Fireworks display will be stopped during any storm or wind in which the wind reaches a velocity of more than ten miles per hour (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | All fireworks, articles and items at places of display shall be stored in a manner and in a place secure from fire, accidental discharge, and theft or other potential hazards, and in a manner approved by the governmental agency having jurisdiction. Storage method: <u>RACKS / TUBES</u> (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Any fireworks that remain unfired after the display is concluded shall be immediately disposed of or removed in a manner safe for the particular type of fireworks (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Debris from the discharged fireworks will be properly disposed of by the operator before operator leaves the premises (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Upon conclusion of the display the operator shall make a complete and thorough search for any unfired fireworks or pieces which have failed to fire or function and shall dispose of them in a safe manner and contact the bomb squad for assistance if necessary (09.04.080) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Fire department scheduled for standby. Fire agency and POC: <u>RURAL METRO FD</u> (NFPA 1123 8.1.1) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Evidence of all site crew meeting NFPA training requirements provided (NFPA 1123 8.1.3.3) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Operator will conduct display in compliance with the provisions set forth in NFPA 1123 and Pima County Code 9.04 |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Permit approved by Sheriff's Department (09.04.050) |

AUG 16 10 00 PM '18

AFB

JUL 27 10 11 22 PM '18

AFB

JG Morris
Inspector

Gene Miller
Site Representative

Troy Finley
Operator's Representative

JG MORRIS

LEEANN PERCY
Gene Miller

TROY FINLEY

Revised 28 OCT 2012

SKYLINE C.C.

MERCHANTS
BONDING COMPANYTM

MERCHANTS BONDING COMPANY (MUTUAL) P.O. BOX 14498, DES MOINES, IA 50306-3498
PHONE: (800) 678-8171 FAX: (515) 243-3854

FIREWORKS DISPLAY BOND

Bond No. AZ 423905

KNOW ALL PERSONS BY THESE PRESENTS, that we

FIREWORKS PRODUCTIONS OF ARIZONA LTD

as Principal, and MERCHANTS BONDING COMPANY (MUTUAL), a corporation organized under the laws of the State of Iowa, and duly authorized and licensed to do business in the State of Arizona, as Surety, are firmly bound unto Pima County

State of Arizona
in the sum of One Thousand Dollars DOLLARS (\$\$1,000.00) lawful money of the United States, to the payment of which sum, well and truly to be made, the Principal and Surety bind themselves, their and each of their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the above bounden Principal FIREWORKS PRODUCTIONS OF ARIZONA LTD desires to have a permit for Fireworks Display and in order to have such display it is necessary for said FIREWORKS PRODUCTIONS OF ARIZONA LTD

to execute a surety bond in the amount of One Thousand Dollars Dollars (\$ \$1,000.00) conditioned for the payment of all damages which may be caused to persons or property by reason of the permitted display as provided in Chapter 46, Arizona Legislative Session Laws of 1941.

NOW, THEREFORE, if the said FIREWORKS PRODUCTIONS OF ARIZONA LTD well and truly observe, carry out, perform and comply with all requirements, terms and provisions of the Ordinances of the Board of Supervisors of Pima County County, State of Arizona, conditioned for the payment of all damages which may be caused to persons or property by reason of the permitted display as provided in Chapter 46, Arizona Legislative Session Laws of 1941, for a period from 12:01 A.M. May 7, 2018 to 12:01 A.M. May 7, 2019 then this obligation to be void, and of no effect.

SIGNED, sealed and dated this 20th day of March, 2018.

FIREWORKS PRODUCTIONS OF ARIZONA LTD
Principal

MERCHANTS BONDING COMPANY (MUTUAL)

By Debi Williams
Attorney-in-fact Debi Williams



Tucson Certified Shooter
Troy Finley
 Head Pyrotechnician
520-991-0150



TUCSON FIRE DEPARTMENT
 CERTIFIED SHOOTER

Fireworks Pyrotechnics Flame Effects

Name Troy Morris Finley
 D.O.B.
 Gender Male
 Ht 5'9" Weight 200
 Hair Brown Eyes Brown
 Issued Date 05/28/2014
 Expires 05/28/2019
 Cert #



[Handwritten signature]
 TUCSON
 FIRE
 DEPT.




[Handwritten signature]

Captain

AFS

EXHIBIT A




**Skyline Country Club
The Diaz Wedding**

Saturday, September 15, 2018

4 – 5 minutes

Total Aerial Effects 200



Total Aerial Shells 100

Total Effects in Basin 100

Opening:

This wedding display begins with a beautiful burst of fiery color to excite and thrill your guests.

7 - 3" Color Shells

Aerial Display:

A large assortment of brilliantly-colored shells, including Chrysanthemums, Waves, Crowns, Peonies, Strobes, Brocade Crowns, Diadems, and Crossettes in gorgeous Reds, Yellows, Blues, Greens, Silvers, and Golds.

Your Aerial Display will contain a total of **72** aerial shells and **100** basin effects.


1 ½" - 1 FPA Premier Specialty Basin

3" - 72 Chinese Fancy's & Specials

Grande Finale:

Your celebration will close in spectacular excitement as multiple styles of brilliantly-colored shells, rocket skyward growing and glowing in breath-taking Blues, Golds, Greens, Silvers, Yellows, Purples and Red.

Your Grande Finale consists of **21** – 3" aerial shells.



JUL 27 10 11 AM '18 PCC/KDF/BD
AFS



Site Map

Maximum Shell Size: **3" Aerial**

5200 East St. Andrews Dr., Tucson 85718

Fireworks Productions of Arizona

480-948-0090

info@fireworksaz.com