



BOARD OF SUPERVISORS AGENDA ITEM REPORT  
AWARDS / CONTRACTS / GRANTS

Award    Contract    Grant

Requested Board Meeting Date: January 7, 2025

\* = Mandatory, information must be provided

or Procurement Director Award:

**\*Contractor/Vendor Name/Grantor (DBA):**

RWC International LLC DBA RWC Group (Headquarters: Phoenix, AZ)

**\*Project Title/Description:**

International Heavy Trucks

**\*Purpose:**

Award: Supplier Contract No. SC2400002399. The Supplier Contract is for an initial term of one (1) year in the annual award amount of \$1,450,000.00 (including sales tax) and includes four (4) one-year renewal options. Administering Department: Fleet Services.

**\*Procurement Method:**

Pursuant to Pima County Procurement Code 11.12.050, Sole source procurement, award of Requisition No. RQ2400007851 is recommended to RWC International LLC DBA RWC Group, which has accepted the terms of County's Offer Agreement.

RQID: 2400007851

Attachment: Supplier Contract.

**\*Program Goals/Predicted Outcomes:**

To establish a Supplier Contract to purchase International Heavy Trucks.

**\*Public Benefit:**

Acquiring the various heavy-duty trucks will enable the County to provide quality service and programs for the public.

**\*Metrics Available to Measure Performance:**

Department will monitor on-time delivery and billing to ensure contract compliance.

**\*Retroactive:**

No

TO: COB 12/20/2024  
VERSION: 0  
46 PAGES

THE APPLICABLE SECTION(S) BELOW MUST BE COMPLETED

Click or tap the boxes to enter text. If not applicable, indicate "N/A". Make sure to complete mandatory (\*) fields

Contract / Award Information

Document Type: SC Department Code: PO Contract Number (i.e., 15-123): SC2400002399
Commencement Date: 01/14/2025 Termination Date: 01/13/2026 Prior Contract Number (Synergen/CMS): N/A
Expense Amount \$ 1,450,000.00 \* Revenue Amount: \$ N/A

\*Funding Source(s) required: Fleet Services Ops

Funding from General Fund? Yes No If Yes \$ N/A %

Contract is fully or partially funded with Federal Funds? Yes No

If Yes, is the Contract to a vendor or subrecipient?

Were insurance or indemnity clauses modified? Yes No
If Yes, attach Risk's approval.

Vendor is using a Social Security Number? Yes No
If Yes, attach the required form per Administrative Procedure 22-10.

Amendment / Revised Award Information

Document Type: Department Code: Contract Number (i.e., 15-123):

Amendment No.: AMS Version No.:

Commencement Date: New Termination Date:

Prior Contract No. (Synergen/CMS):

Expense Revenue Increase Decrease

Amount This Amendment: \$

Is there revenue included? Yes No If Yes \$

\*Funding Source(s) required:

Funding from General Fund? Yes No If Yes \$ %

Grant/Amendment Information (for grants acceptance and awards)

Award Amendment

Document Type: Department Code: Grant Number (i.e., 15-123):

Commencement Date: Termination Date: Amendment Number:

Match Amount: \$ Revenue Amount: \$

\*All Funding Source(s) required:

\*Match funding from General Fund? Yes No If Yes \$ %

\*Match funding from other sources? Yes No If Yes \$ %

\*Funding Source:

\*If Federal funds are received, is funding coming directly from the Federal government or passed through other organization(s)?

Contact: Procurement Officer: Maria Julia Canizales Digitally signed by Maria Julia Canizales Date: 2024.12.17 14:39:30 -07'00' Acting Division Manager: Troy McMaster Digitally signed by Troy McMaster DN: cn=Troy McMaster, o=Prime County, ou=Procurement, email=troy.mcmaster@prime.gov, c=US Date: 2024.12.17 14:39:21 -07'00'

Department: Procurement Director: Terri Spencer Digitally signed by Terri Spencer DN: cn=Terri Spencer, o=Prime County Procurement Department, ou=Procurement Director, email=terri.spencer@prime.gov, c=US Date: 2024.12.17 14:39:28 -07'00' Telephone: 520-724-8167

Department Director Signature: Ray Ochotorena Digitally signed by Ray Ochotorena Date: 2024.12.18 13:18:33 -07'00'

Deputy County Administrator Signature: Date: 12-18-2024

County Administrator Signature: Date: 12/19/2024

**PIMA COUNTY**

Pima County Procurement Department  
 150 W. Congress St. 5th Fl  
 Tucson AZ 85701

**Supplier Contract**

Contract Number	SC2400002399
Contract Start Date	01-14-2025
Contract End Date	01-13-2026
Payment Type	Warrant/Check
Buyer	Maria Canizales
Phone Number	
Email	

Page

1 of 1

<b>Supplier:</b>	<b>Contract Name:</b>
<b>RWC International LLC</b> RWC Group  3220 E Irvington Rd Tucson, AZ 85714 United States of America	International Heavy Trucks

<b>Supplier Contact and Payment Terms:</b>	<b>Shipping Method</b>	<b>Delivery Type</b>	<b>FOB</b>
<b>Phone:</b> +1 (520) 6206066 <b>Email:</b> vmoreno@rwcinternational.com <b>Terms:</b> Net 30 <b>Days:</b>	Vendor Method	Standard Ground	FOB Ship Pt, Freight Prepaid
	<b>Currency</b>	<b>NTE Amount</b>	<b>Used Amount</b>
	USD	1,450,000.00	0.00

**Contract/Amendment Description:**

The Supplier Contract is for an initial term of one (1) year in the annual award amount of \$1,450,000.00 (including sales tax) and includes four (4) one-year renewal options.

Attachment: Offer Agreement.

<b>Catalog Items:</b>					
Line #	Item Description	UOM	Unit Price	Stock Code	MPN/VPN
1	Dump Truck- 2026 HX620 SBA (HX620)	Each	223,330.69		
2	Tractor - 2026 HX520 SFA (HX520)	Each	196,109.42		
3	Water Truck- 2026 HX620 SBA (HX620)	Each	260,539.97		

This Supplier Contract incorporates the attached documents, and by reference all instructions, Standard Terms and Conditions, Special Terms and Conditions, and requirements that are included in or referenced by the solicitation documents used to establish this contract. All transactions and conduct are required to conform to these documents.

## OFFER AGREEMENT

### 1. PURPOSE

This contract establishes a system-generated form Supplier Contract ("SC") for Contractor to provide Pima County ("County") with various types of International Heavy Trucks on an "as required basis" by issue of Delivery Order ("DO").

### 2. CONTRACT TERM, RENEWALS, EXTENSIONS and REVISIONS

The SC will document the commencement date of the contract and will be for a one (1) year period with four (4) one-year renewal options that the parties may exercise as follows: County will issue contract extensions, renewals, or revisions to Contractor with a revised SC document. Contractor must object in writing to the proposed revisions, terms, conditions, scope modifications and/or specifications within ten (10) calendar days of issuance by County. If Contractor does not notify county of any objections within that timeframe, the revision(s) will be binding on the parties.

### 3. CONTRACTOR MINIMUM QUALIFICATIONS

The Contractor certifies that it is competent, willing, and responsible for performing the services or providing the products in accordance with the requirements of this contract.

**Contractor will check appropriate response below and provide requested documents. Failure to check appropriate response and provide copies of requested documents may cause the offer to be rejected and deemed non-responsive:**

### 4. PRODUCT OR SERVICE SPECIFICATIONS & SCOPE OF WORK

Supplier to provide County with various types of International Heavy Trucks.

#### 4.1. General Specifications

- 4.1.1. Supplier must provide completed truck that meets current Federal and State Emission Standards, if applicable, Occupational Safety and Health Administration (OSHA) and Arizona Department of Transportation (ADOT) regulations.
- 4.1.2. Supplier must provide any required certifications or proof of conformity to ADOT and OSHA requirements, if applicable.
- 4.1.3. Completed truck offered must be manufactured or assembled in the United States.
- 4.1.4. Supplier must provide completed truck that is the manufacturer's current model in production at the time of delivery and must be new and unused. (Demonstration models not acceptable).
- 4.1.5. Supplier guarantees delivery within the best possible lead-time after issue date of order, unless otherwise justified or approved by County.

#### 4.2. Item Specifications

- 4.2.1. The truck chassis must be an International model with the optional truck body. Example of truck body installation include 4,000-gallon water tank, 12-14-yard dump body or tractor fifth wheel with or without wet kit. Refer to Attachments for specifications:
  - Attachment A - Specification for Tractor
  - Attachment B - Specifications for Water Truck
  - Attachment C - Specifications for Dump Truck
- 4.2.2. All equipment must be models of current production, latest design and technology, new and unused unless otherwise specified. The successful Offeror must provide manufacturer and Offeror documentation, including and not limited to the following not later than fourteen (14) days after request by County and at no additional cost: warranty; caution-informational warnings; recommended maintenance schedule and process; recommended spare parts list; operating, technical and maintenance manuals including drawings, if appropriate; product brochures; and safety data sheets (SDS).

#### 4.3. Training:

Supplier will provide authorized trained personnel to train County personnel on the operation and service of the completed truck at no additional cost. Fleet Services will contact Supplier to schedule training within thirty (30) days of receipt of truck.

**4.4. Warranty:**

Supplier's warranty will be a minimum of five (5) years or 5,000 hours for both parts and labor. Warranty repair and replacement will be performed at no additional cost to County. Once Contractor is notified of a breakdown, the contractor must acknowledge notification within four (4) hours unless other arrangements have been made with Fleet Services.

**5. SUSTAINABILITY**

In accordance with Board of Supervisors Resolution 2007-84, Pima County values and highly encourages contractors to utilize sustainable practices. Please **CHECK** any of the following that your business incorporates:

- Waste prevention/reduction or material recycling/reuse.
- Alternative energy/fuels (such as solar/wind energy; biodiesel; alternative fuels; hybrid vehicles) in your program's preparation, transportation, and demonstration.
- Environmentally preferable materials (such as recycled materials; locally produced/manufactured products).
- Sustainable practices that lessen impact on non-renewable resources and global climate change (such as reduction in water/energy/paper use; minimization of hazardous materials; use of compressed/flexible work schedules).
- Other practices which coincide with County's definition of sustainable practices (such as alternative modes of transportation; transportation minimization; life-cycle costs; product/packaging "take back" practices; preference to firms located with Pima County).

**6. OFFER ACCEPTANCE & ORDER RELEASES**

County will accept offer and execute this contract by issuing an SC (recurring requirements) to be effective on the document's date of issue without further action by either party. The SC will include the term of the contract.

Pursuant to the executed SC, County departments requiring the goods or services described herein will issue a DO to the Contractor. County will furnish the DO to Contractor via facsimile, e-mail or telephone. **If County gives the order verbally, the County Department issuing the order will transmit a confirming order document to Contractor within five (5) workdays of the date it gives the verbal order.**

**Contractor must not supply materials or services that are not specified on the SC and are not documented or authorized by a DO at the time of provision. County accepts no responsibility for control of or payment for materials or services not documented by a County DO.**

Contractor will establish, monitor, and manage an effective contract administration process that assures compliance with all requirements of this contract. In particular, Contractor will not provide goods or services in excess of the executed contract items, item quantity, item amount, or contract amount without prior written authorization by contract amendment that County has properly executed and issued. Any items Contractor provides in excess of those stated in the contract are at Contractor's own risk. Contractor will decline verbal requests to deliver items in excess of the contract and will report all such requests in writing to County's Procurement Department within one (1) workday of the request. The report must include the name of the requesting individual and the nature of the request.

**7. ACCEPTANCE OF GOODS & SERVICES**

The County Department designated on the issued order PO or DO will accept goods and services only in accordance with this contract. Such acceptance is a prerequisite to the commencement of payment terms.

**8. COMPENSATION & PAYMENT**

The SC will establish the contractual unit pricing and Not-to-Exceed Amount ("NTE Amount"). The NTE Amount represents the funding appropriated by County for this contract, and neither the NTE Amount nor unit pricing can be altered without amendment. **Contractor will not accept orders or provide services or products that cumulatively exceed the contract amount.**

**8.1. Unit Prices (Net 30-day Payment Terms)**

Contractor's unit prices must include all incidentals and associated costs required to comply with and satisfy all requirements of this contract, which includes the Offer Agreement and the Standard Terms and Conditions. County will make no payments for items not in the contract and Contractor will not invoice them.

Quantities in this solicitation are estimates only. County may increase or decrease quantities and amounts. County makes no guarantee regarding actual orders for items or quantities during the term of the contract. County is not responsible for Contractor inventory or order commitment.

Unless the parties otherwise agree in writing, all pricing will be F.O.B. Destination & Freight Prepaid Not Billed ("F.O.B. Destination"). Contractor will deliver and unload products or services at the destination(s) that the delivery article of this contract or accepted Order indicates. The offered Unit Price must include all freight costs. Although an order may not fully include State and City sales tax, County will pay such taxes as are **DIRECTLY** applicable to County and Contractor invoices such taxes as a separate line item. Contractor must not include such taxes in the item unit price.

**8.2. Price Warranty and Trade-In Allowance**

Contractor will give County the benefit of any price reduction before actual time of shipment. Parties may negotiate a fair and equitable trade-in allowance value for County surplus property to be applied through either a discounted purchase price or account credit. The trade-in value must be stated on a written price quote prior to County making a purchase, or on a credit memo invoice for a prior purchase. Trade-In property will be itemized on the quote or invoice by description, model/part number, quantity and guaranteed trade-in value. County will coordinate and document the delivery of surplus trade-in property to Contractor. Award of contract constitutes disposition authority to trade-in surplus property pursuant to Board of Supervisors' Policy D.29.11, Surplus Personal Property.

**8.3. Price Escalation**

All unit prices shall consider/provide for current economic and market conditions and include compensation for Contractor to implement and actively conduct cost and price control. No additional compensation shall be paid to Contractor to reimburse efforts to implement and conduct cost and price controls. **Prices shall remain fixed for the initial contract term, after which Contractor may submit no more than one (1) written Price Escalation Request ("PER") per term.** The PER must be submitted not later than 90 days prior to the contract renewal date and must clearly demonstrate justification for the increase in price, such as continued and significant changes in economic and/or market conditions justifying any requested price escalation. The PER must reference/cite any source materials used to form the basis of the proposed justification but must not include historical information prior to the initial contract term. County will research Bureau of Labor Statistics (BLS) Producer Price Index (PPI) and/or other related indicators or sources and conduct an analysis to determine 1) if the submitted justification and evidence are sufficient, 2) the requested price escalation is fair and reasonable, and 3) if approving the PER is in the County's best interest. County reserves the right to negotiate, accept or reject the PER, or terminate and re-solicit the contract.

**8.4. Living Wage**

All pricing will conform to Pima County's Living Wage Ordinance 2002-1 if applicable, including required annual adjustments of the wage.

**8.5. Additional Items and/or Services**

This following section is for items that Contractor did not list or price above but are within the scope of this contract. Contractor may provide these items under this contract. Contractor will submit Master Price List (MPL) documents, compact disc (CD) or USB flash drive and file names or identify website address, identifying all other items offered pursuant to this contract. The MPL or website address specifically designed for County must include the supplier's/manufacture's or retail price list and the discount percentage off utilized to get to include Discounted Unit Price being offered to County i.e.  $\text{Manufacturer's List Price} - (\text{List price} \times \text{Discount } \%) = \text{Discounted Unit Price}$ . The resulting Unit Prices must be of similar discount off List Prices for those items specifically included above. Item Unit Prices above will govern in case of conflict with the Master Price List.

List MPL Document by Title, MPL Media & Filenames or MPL Internet Address and Title(s)	Qty of Pages	Dated	Percentage Discount (Mfr. List Price - (List price x Discount %) = Discounted Unit Price)
19-0000000000000000144			
parts contract for Discount			

The parties may negotiate and establish unit pricing in writing under the contract for items included in the scope of the contract that does not have previously listed unit pricing.

**8.6. Standard Payment Term**

Net 30, effective from the date of valid invoice document and does not commence until the later of 1) the receiving County Department receives goods or services into County's payment system or 2) County Financial Operations receives and verifies Contractor's invoice.

**8.7. Optional Early Payment Discount Term**

Pima County Administrative Procedure No. 22-35 Section 2.2.4 describes County's practice regarding discounts for early payment. Contractor offers the following discounts to those prices to be used for all orders issued pursuant to this contract. County will utilize the existing payment code that best matches that offered and does not exceed the offered discount percentage. Payment days cannot be less than ten (10) calendar days. Contractor will submit valid invoice document consistent with the associated PO or DO to County's Finance Department at least seven (7) calendar days prior to the date on which the discounted payment is due. If desired, for any order issued pursuant with this contract, Contractor may offer early payment discounts that exceed this Early Payment Discount.

Optional Early Payment Discount: N/A % if payment tendered within 30 Days as indicated above.

**8.8. Invoicing**

Contractor will submit Request(s) for Payment or Invoices to the location and entity identified by County's PO or DO document.

All invoice documents will reference County's PO or DO number under which the services or products were ordered. Contractor must utilize the item description, precise unit price, AND unit of measure included in County's order document for ALL Invoice line items. County may return invoices that include line items or unit prices that do not match those documented by County's order to Contractor unprocessed for correction.

Contractor will provide detailed documentation in support of payment requests, which should be consistent with and not exceed County's PO or DO document. Contractor will bill County within one (1) month after the date on which Contractor's right to payment accrues ("Payment Accrual Date"), which, unless this contract specifically provides otherwise, is the date Contractor delivers goods, performs services or incurs costs. Invoices must assign each billed amount to an appropriate line item of County's order and document each Payment Accrual Date. County may refuse to pay any amount that Contractor bills in which does not conform to County's PO or DO document. County will refuse to pay any amount that Contractor bills more than six (6) months after the Payment Accrual Date, pursuant to A.R.S. § 11-622(C).

**9. SUPPLIER RECORD MAINTENANCE**

**9.1. Pima County Supplier Record**

Contractor must establish and maintain a complete Pima County Supplier record, which includes the provision of a properly completed and executed "Request for Taxpayer Identification Number and Certification" document (Form W-9). The record must be registered with a valid and monitored email address for Contractor. In the event of any change that renders the information on that record inaccurate Contractor must update the record within ten (10) calendar days of the change and prior to the submission of any invoice or request for payment. Contractor must register through [vendors@pima.gov](mailto:vendors@pima.gov).

**9.2. BidNet Vendor Record**

Contractor must establish and maintain an active BidNet Vendor record, The record must be registered with a valid and monitored email address for Contractor. Use of BidNet by Contractor may be governed by terms and conditions as determined by BidNet, and County is not a party to any agreement formed by Contractor's use of the BidNet platform.

**10. DELIVERY**

"On-Time" delivery is an essential part of the consideration that Contractor is to provide to County under the contract. Contractor will make delivery in accordance with the Standard Terms and Conditions and to the location(s) on the PO or DO document.

Delivery Location: Fleet Services Department  
1291 S. Mission Road  
Tucson, AZ 85713

Contractor guarantees delivery within the best possible lead-time after issue date of order unless otherwise justified or approved by County.

## 11. TAXES, FEES, EXPENSES

Pursuant to IRS Publication 510, County is exempt from federal excise taxes for goods. County is subject to State and City sales tax. County will pay no separate charges for delivery, drayage, express, parcel post, packing, insurance, license fees, permits, costs of bonds, surcharges, or bid preparation unless the contract expressly includes such charges and the solicitation documents itemize them.

## 12. OTHER DOCUMENTS

Contractor and County are entering into this contract have relied upon information provided or referenced by Pima County Solicitation No. SS-2400007851 including the SS, Offer Agreement, Standard Terms and Conditions, Solicitation Amendments, Contractor's Bid Offer, documents submitted by Contractor or References to satisfy Minimum Qualifications and any other information and documents that Contractor has submitted in its response to County's Solicitation. The Contract incorporates these documents as though set forth in full herein, to the extent not inconsistent with the provisions of this contract.

## 13. INSURANCE

The Insurance Requirements herein are minimum requirements for this contract and in no way limit the indemnity covenants contained in this contract. Contractor's insurance shall be placed with companies licensed in the State of Arizona and the insureds shall have an "A.M. Best" rating of not less than A- VII, unless otherwise approved by County. County in no way warrants that the minimum insurer rating is sufficient to protect Contractor from potential insurer insolvency.

### 13.1. Minimum Scope and Limits of Insurance

Contractor will procure and maintain at its own expense, until all contractual obligations have been discharged, the insurance coverage with limits of liability not less than stated below. County in no way warrants that the minimum insurance limits contained herein are sufficient to protect Contractor from liabilities that arise out of the performance of the work under this contract. If necessary, Contractor may obtain commercial umbrella or excess insurance to satisfy County's Insurance Requirements.

#### 13.1.1. Commercial General Liability (CGL)

Occurrence Form with limits of \$2,000,000 Each Occurrence and \$2,000,000 General Aggregate. Policy shall include cover for liability arising from premises, operations, independent contractors, personal injury, bodily injury, property damage, broad form contractual liability coverage, personal and advertising injury and products – completed operations.

#### 13.1.2. Business Automobile Liability

Bodily Injury and Property Damage for any owned, leased, hired, and/or non-owned automobiles assigned to or used in the performance of this contract with a Combined Single Limit (CSL) of \$1,000,000 Each Accident.

#### 13.1.3. Workers' Compensation (WC) and Employers' Liability

Statutory requirements and benefits for Workers' Compensation. In Arizona, WC coverage is compulsory for employers of one or more employees. Employers' Liability coverage with limits of \$1,000,000 each accident and \$1,000,000 each person - disease.

### 13.2. Additional Insurance Requirements

The policies shall include, or be endorsed to include, as required by this contract, the following provisions:

#### 13.2.1. Claims-Made Insurance Coverage

If any part of the Required Insurance is written on a claims-made basis, any policy retroactive date must precede the effective date of this contract, and Contractor must maintain such coverage for a period of not less than three (3) years following contract expiration, termination or cancellation.

#### 13.2.2. Additional Insured Endorsement

The General Liability, Business Automobile, policies must each be endorsed to include Pima County and all its related special districts, elected officials, officers, agents, employees and volunteers (collectively "County and its Agents") as additional insureds with respect to vicarious liability arising out of the activities performed by or on behalf of the Contractor. The full policy limits and scope of protection must apply to County and its Agents as an additional insured, even if they exceed the Insurance Requirements.



**13.2.3. Subrogation Endorsement**

The General Liability, Business Automobile Liability, Workers' Compensation Policies shall each contain a waiver of subrogation endorsement in favor of County, and its departments, districts, officials, agents, and employees for losses arising from work performed by or on behalf of the Contractor.

**13.2.4. Primary Insurance Endorsement**

Contractor's policies shall stipulate that the insurance afforded Contractor shall be primary and that any insurance carried by County, its agents, officials, or employees shall be excess and not contributory insurance. The Required Insurance policies may not obligate County to pay any portion of Contractor's deductible or Self Insurance Retention (SIR).

13.2.5. Insurance provided by Contractor shall not limit Contractor's liability assumed under the indemnification provisions of this Contract.

**13.2.6. Subcontractors**

Contractor must either (a) include all subcontractors as additional insureds under its Required Insurance policies, or (b) require each subcontractor to separately meet all Insurance Requirements and verify that each subcontractor has done so, Contractor must furnish, if requested by County, appropriate insurance certificates for each subcontractor. Contractor must obtain County's approval of any subcontractor request to modify the Insurance Requirements as to that subcontractor.

**13.3. Notice of Cancellation**

Each Required Insurance policy must provide, and certificates specify, that County will receive not less than thirty (30) days advance written notice of any policy cancellation, except 10-days prior notice is sufficient when the cancellation is for non-payment of a premium. Notice must be mailed, emailed, hand-delivered or sent via facsimile transmission to County's Contracting Representative, and must include the project or contract number and project description.

**13.4. Verification of Coverage**

Contractor shall furnish County with certificates of insurance (valid ACORD form or equivalent approved by County) as required by this contract. An authorized representative of the insurer shall sign the certificates. Each certificate must include:

- County's tracking number for this contract, which is shown on the first page of the contract, and a project description, in the body of the Certificate.
- A notation of policy deductibles or SIRs relating to the specific policy; and
- Certificates must specify that the appropriate policies are endorsed to include additional insured and subrogation waiver endorsements for County and its Agents. Note: Contractors for larger projects must provide actual copies of the additional insured and subrogation endorsements.

13.4.1. All certificates and endorsements, as required by this contract, are to be received and approved by County before, and be in effect not less than 15 days prior to, commencement of work. A renewal certificate must be provided to County not less than 15 days prior to the policy's expiration date to include actual copies of the additional insured and waiver of subrogation endorsements. Failure to maintain the insurance coverages or policies as required by this contract, or to provide evidence of renewal, is a material breach of contract.

13.4.2. All certificates required by this contract shall be sent directly to the appropriate County Department. The Certificate of Insurance shall include County's project or contract number and project description on the certificate. County may require complete copies of all insurance policies required by this contract at any time.

**13.5. Approval and Modifications**

County's Risk Manager may approve a modification of the Insurance Requirements without the necessity of a formal contract amendment, but the approval must be in writing. County's failure to obtain a required insurance certificate or endorsement, County's failure to object to a non-complying insurance certificate or endorsement, or County's receipt of any other information from the Contractor, its insurance broker(s) and/or insurer(s), do not constitute a waiver of any of the Insurance Requirements.

14. PERFORMANCE BOND Not applicable to this contract.

15. ACKNOWLEDGEMENT OF SOLICITATION AMENDMENTS

Contractor must acknowledge in the table below to have read all published solicitation amendments and must ensure they are submitting all amended pages of the solicitation (if any) with their response:

Amendment #	Date	Amendment #	Date	Amendment #	Date
N/A	11.25.24				

16. SMALL BUSINESS ENTERPRISE (SBE) CERTIFICATION Not applicable to this contract.

The Remainder of this Page is Intentionally Left Blank.

17. BID/OFFER CERTIFICATION

CONTRACTOR LEGAL NAME: RWC International LLC

BUSINESS ALSO KNOWN AS: RWC Group

MAILING ADDRESS: 3220 E. Irvington Rd

CITY/STATE/ZIP: Tucson, AZ 85714

REMIT TO ADDRESS: 600 N. 75th Ave

CITY/STATE/ZIP: Phoenix, AZ 85043

CONTACT PERSON NAME/TITLE: Mary Wilson Government Truck Specialist

PHONE: 602-350-1458 FAX: 602-307-1051

CONTACT PERSON EMAIL ADDRESS: mwilson@rwcgroup.com

EMAIL ADDRESS FOR ORDERS & CONTRACTS: Same

CORPORATE HEADQUARTERS ADDRESS: 600 N. 75th Ave Phoenix, AZ 85043

WEBSITE: www.rwcgroup.com

By signing and submitting the Offer Agreement, the undersigned certifies that they are legally authorized to represent and bind Contractor to legal agreements, that all information submitted is accurate and complete, that Contractor has reviewed the County's Procurement website for solicitation amendments and has incorporated all such amendments to its offer, that Contractor is qualified and willing to provide the items requested, and that Contractor will comply with all requirements of the contract. The Unit Pricing includes all costs incidental to the provision of the items in compliance with the contract; no additional payment will be made. County may deem conditional offers that modify the solicitation requirements not 'responsive' and County may not evaluate them. Contractor's submission of a signed Offer Agreement will constitute a firm offer and upon the issuance of an SC document issued by County's Procurement Director or authorized designee will form a binding contract that will require Contractor to provide the goods or services and materials described in this contract. The undersigned hereby offers to furnish the goods or services in compliance with all terms, conditions, and specifications in this Offer Agreement.

SIGNATURE: Mary Wilson DATE: 11.25.2024

Mary Wilson Government Truck Specialist  
PRINTED NAME & TITLE OF AUTHORIZED CONTRACTOR REPRESENTATIVE EXECUTING OFFER

PHONE AND EMAIL: 602-350-1458 mwilson@rwcgroup.com

County Attorney Contract Approval "As to Form".

## PIMA COUNTY STANDARD TERMS AND CONDITIONS

### 1. WARRANTY

Contractor warrants goods or services to be satisfactory and free from defects. Contractor also warrants that all products and services provided under this contract are non-infringing.

### 2. PACKING

Contractor will make no extra charges for packaging or packing material. Contractor is responsible for safe packaging conforming to carrier's requirements.

### 3. DELIVERY

On-time delivery of goods and services is an essential part of the consideration that County will receive.

Contractor must provide a guaranteed delivery date, or interval period from order release date to delivery if the Price proposal document requires it. Upon receipt of notification of delivery delay, County may cancel the order or extend delivery times at no cost to County. Any extension of delivery times will not be valid unless an authorized representative of County extends it to Contractor in writing.

To mitigate or prevent damages from delayed delivery, County may require Contractor to deliver additional quantity utilizing express modes of transport, or overtime, all costs to be Contractor's responsibility. County may cancel any delinquent order, procure from an alternate source, or refuse receipt of or return delayed deliveries at no cost to County. County may cancel any order or refuse delivery upon default by Contractor concerning time, cost, or manner of delivery. Contractor is not responsible for unforeseen delivery delays caused by fires, strikes, acts of God, or other causes beyond Contractor's control, provided that Contractor provides County immediate notice of delay.

### 4. SPECIFICATION CHANGES

County may make changes in the specifications, services, or terms and conditions of an order. If such changes cause an increase or decrease in the amount due under an order or in time required for performance, County will make an acceptable adjustment and will modify the order in writing. No verbal agreement for adjustment is acceptable. Nothing in this clause reduces Contractor's responsibility to proceed without delay in the delivery or performance of an order.

### 5. INSPECTION

County may inspect or test all goods and services at place of manufacture, destination, or both. Contractor will hold goods failing to meet specifications of the order or contract at Contractor's risk and County may return such goods to Contractor and Contractor will be responsible for costs for transportation, unpacking, inspection, repacking, reshipping, restocking or other like expenses. In lieu of return of nonconforming supplies, County may waive any nonconformity, receive the delivery, and treat the defect(s) as a warranty item, but any waiver of any condition will not apply to subsequent shipments or deliveries.

### 6. ACCEPTANCE OF MATERIALS AND SERVICES

County will not execute an acceptance or authorize payment for any service, equipment or component prior to delivery and verification that the delivery meets all specification requirements.

### 7. RIGHTS AND REMEDIES OF COUNTY FOR DEFAULT

If Contractor furnishes items that do not conform to the contract requirements, or to the sample that Contractor submitted, County may reject the items. Contractor must then reclaim and remove the items, without expense to County. Contractor must also immediately replace all rejected items with conforming items. Should Contractor fail, neglect, or refuse immediately to do so, County may purchase in the open market a corresponding quantity of any such items and deduct from any monies due or that may become due to Contractor the difference between the price named in the SC or PO and the actual cost to County.

If Contractor fails to make prompt delivery of any item, County may purchase the item in the open market and invoke the reimbursement condition above apply, except when delivery is delayed by fire, strike, freight embargo, or acts of God or of the government. If County cancels an SC, PO or associated order, either in whole or in part, by reason of the default or breach by Contractor, Contractor will pay for any loss or damage sustained by County in procuring any items which Contractor was obligated to supply. These remedies are not exclusive and are in addition to any other rights and remedies provided by law or under the contract.

### 8. FRAUD AND COLLUSION

Contractor certifies that no officer or employee of County or of any subdivision thereof has aided or assisted Contractor in securing or attempting to secure a contract to furnish labor, materials or supplies at a higher price than that proposed

by any other Contractor. Contractor also certifies that it is not aware of any County employee 1) favoring one Contractor over another by giving or withholding information or by willfully misleading a Offeror in regard to the character of the material or supplies called for or the conditions under which the proposed work is to be done; 2) knowingly accepting materials or supplies of a quality inferior to those called for by any contract; or 4) directly or indirectly having a financial interest in the proposal or resulting contract. Additionally, during the conduct of business with County, Contractor will not knowingly certify, or induce others to certify, to a greater amount of labor performed than has been actually performed, or to the receipt of a greater amount or different kind of material or supplies that has been actually received. If County finds at any time that Contractor has in presenting any proposal(s) colluded with any other party or parties for the purpose of preventing any other proposal being made, then County will terminate any contract so awarded and that person or entity will be liable for all damages that County sustains.

**9. COOPERATIVE USE OF RESULTING CONTRACT**

As allowed by law, County has entered into cooperative procurement agreements that enable other public agencies to utilize County's contracts. Those public agencies may contact Contractor with requests to provide services and products pursuant to the pricing, terms and conditions in the SC, or PO. A public agency and Contractor may make minor adjustments by written agreement to the contract to accommodate additional cost or other factors not present in the contract and required to satisfy particular public agency code or functional requirements and within the intended scope of the solicitation and resulting contract. The parties to the cooperative procurement will negotiate and transact any such usage in accordance with procurement rules, regulations and requirements. Contractor will hold harmless County, its officers, employees, and agents from and against all liability, including without limitation payment and performance associated with any cooperative agreement with another public agency. Contractor may view a list of agencies that are authorized to use County contracts at the Procurement Department Internet home page: <http://www.pima.gov/procure>, under the Vendor Information tab, by selecting the link titled County Cooperative Agreements – Authorized Agencies.

**10. INTELLECTUAL PROPERTY INDEMNITY**

Contractor will indemnify, defend and hold County, its officers, agents, and employees harmless from liability of any kind, including costs and expenses, for infringement or use of any copyrighted composition, secret process, patented or unpatented invention, article or appliance furnished or used in connection with the contract and any SC, PO, and associated orders. County may require Contractor to furnish a bond or other indemnification to County against any and all loss, damage, costs, expenses, claims and liability for patent or copyright infringement.

**11. INDEMNIFICATION**

Contractor will indemnify, defend, and hold harmless County, its officers, employees, and agents from and against any and all suits, actions, legal administrative proceedings, claims or demands and costs, including attorney's fees arising out of any act, omission, fault or negligence by Contractor, its agents, employees or anyone under its direction or control or on its behalf in connection with performance of the contract and any SC, PO or associated orders. Contractor will indemnify, defend and hold County harmless from any claim of infringement arising from services provided under this contract or from the provision, license, transfer or use for their intended purpose of any products provided under this Contract.

**12. UNFAIR COMPETITION AND OTHER LAWS**

Responses must comply with Arizona trade and commerce laws (Title 44 A.R.S.) and all other applicable County, State, and Federal laws and regulations.

**13. COMPLIANCE WITH LAWS**

Contractor will comply with all federal, state, and local laws, rules, regulations, standards and Executive Orders, without limitation. In the event any services that Contractor provides under this contract require a license issued by the Arizona Registrar of Contractors ("ROC"), Contractor certifies that a Contractor licensed by ROC to perform those services in Arizona will provide such services. The laws and regulations of the State of Arizona govern the interpretation and construction of this contract, and the rights, performance and disputes of and between the parties. Any action relating to this Contract must be filed and maintained in a court of the State of Arizona in Pima County.

**14. ASSIGNMENT**

Contractor may not assign its rights to the contract, in whole or in part, without prior written approval of County. County may withhold approval at its sole discretion, provided that County will not unreasonably withhold such approval.

**15. CANCELLATION FOR CONFLICT OF INTEREST**

This contract is subject to cancellation pursuant to A.R.S. §§ 38-506 and 38-511, the pertinent provisions of which are incorporated into this Contract by reference.

**16. NON-DISCRIMINATION**

Contractor agrees to comply with all provisions and requirements of Arizona Executive Order 2009-09 which is hereby incorporated into this contract as if set forth in full herein including flow down of all provisions and requirements to any subcontractors. During the performance of this contract, Contractor must not discriminate against any employee, client or any other individual in any way because of that person's age, race, creed, color, religion, sex, disability or national origin.

**17. NON-APPROPRIATION OF FUNDS**

County may cancel this contract if for any reason County's Board of Supervisors does not appropriate funds for the stated purpose of maintaining the contract. In the event of such cancellation, County has no further obligation, other than payment for services or goods that County has already received.

**18. PUBLIC RECORDS**

Disclosure. Pursuant to A.R.S. § 39-121 et seq., and A.R.S. § 34-603(H) in the case of construction or Architectural and Engineering services procured under A.R.S. Title 34, Chapter 6, all documents submitted in response to the solicitation resulting in award of this Contract, including, but not limited to, pricing schedules, product specifications, work plans, and any supporting documents, are public records. As such, those documents are subject to release and/or review by the general public upon request, including competitors.

Records Marked Confidential; Notice and Protective Order. If Contractor reasonably believes that some of those records contain proprietary, trade-secret or otherwise-confidential information, Contractor must prominently mark those records "CONFIDENTIAL." In the event a public-records request is submitted to County for records marked CONFIDENTIAL, County will notify Contractor of the request as soon as reasonably possible. County will release the records 10 business days after the date of that notice, unless Contractor has, within that period, secured an appropriate order from a court of competent jurisdiction, enjoining the release of the records. County will not, under any circumstances, be responsible for securing such an order, nor will County be in any way financially responsible for any costs associated with securing such an order.

Contractor agrees to waive confidentiality of any price terms.

**19. CUSTOM TOOLING, DOCUMENTATION AND TRANSITIONAL SUPPORT**

Costs to develop all tooling and documentation, such as and not limited to dies, molds, jigs, fixtures, artwork, film, patterns, digital files, work instructions, drawings, etc. necessary to provide the contracted services or products and unique to the services or products supplied to County are included in the agreed upon Unit Price unless the contract specifically states otherwise. Such tools and documentation are the property of County and will be marked, as is practical, as the "Property of Pima County" and County so requests, Contractor will deliver a copy of the tooling and documentation to County within twenty (20) days of acceptance by County of the first article sample, or not later than ten (10) days of termination of the contract associated with their development, without additional cost to County. Contractor also agrees to act in good faith to facilitate the transition of work to a subsequent Contractor if and as reasonably requested by County at no additional cost. Should exceptional circumstances be present that may justify an additional charge, Contractor may submit said justification and proposed cost and negotiate an agreement acceptable to both Contractor and County, but Contractor may not withhold any requested tooling, document or support as described above that would delay the orderly, efficient and prompt transition of work. Should conduct by Contractor result in additional costs to County, Contractor will reimburse County for said actual and incremental costs provided that County has given Contractor reasonable time to respond to County's requests for support.

**20. AMERICANS WITH DISABILITIES ACT**

Contractor will comply with all applicable provisions of the Americans with Disabilities Act (public law 101-336, 42 USC 12101-12213) and all applicable federal regulations under the act, including 28 CFR parts 35 and 36.

**21. NON-EXCLUSIVE AGREEMENT**

Contractor understands that this Contract is nonexclusive and is for the sole convenience of County. County may obtain like services from other sources for any reason.

**22. TERMINATION**

County may terminate any contract and any SC, PO, DO or issued NORFA, in whole or in part, at any time for any reason or no reason, without penalty or recourse, when in the best interests of County. Upon receipt of written notice, Contractor will immediately cease all work as directed by the notice, notify all subcontractors of the effective date of termination, and take appropriate actions to minimize further costs to County. In the event of termination under this paragraph, all documents, data, and reports prepared by Contractor under the contract become the property of County

and Contractor must promptly deliver them to County. Contractor is entitled to receive just and equitable compensation for work in progress, work completed, and materials accepted by County before the effective date of the termination.

**23. ORDER OF PRECEDENCE – CONFLICTING DOCUMENTS**

In the event of inconsistencies between contract documents, the following is the order of precedence, superior to subordinate, that will apply to resolve the inconsistency: SC or PO; DO; Offer Agreement; these standard terms and conditions; any Contractor terms (Terms of Sale; End User Licenses Agreement; Service Agreement; etc.) attached to an SC, PO, or DO, if applicable; any other solicitation documents.

**24. INDEPENDENT CONTRACTOR**

Contractor is an independent contractor. Contractor and Contractor officer's, agents or employees are not considered employees of County and are not entitled to receive any employment-related fringe benefits under County's Merit System. Contractor is responsible for paying all federal, state and local taxes associated with the compensation received pursuant to this Contract and will indemnify and hold County harmless from any and all liability which County may incur because of Contractor's failure to pay such taxes.

**25. BOOK AND RECORDS**

Contractor will keep and maintain proper and complete books, records and accounts, which will be open at all reasonable times for inspection and audit by duly authorized representatives of County. In addition, Contractor will retain all records relating to this contract at least five (5) years after its termination or cancellation or, if later, until any related pending proceeding or litigation has been closed.

**26. COUNTERPARTS**

The parties may execute the SC or PO that County awards pursuant to this solicitation in any number of counterparts, and each counterpart is considered an original, and together such counterparts constitute one and the same instrument. For the purposes of the SC and PO, the signed offer of Contractor and the system-generated SC or other agreement document signed by County are each an original and together constitute a binding SC, if all other requirements for execution are present.

**27. AUTHORITY TO CONTRACT**

Contractor warrants its right and power to enter into the SC or PO. If any court or administrative agency determines that County does not have authority to enter into the SC or PO, County is not liable to Contractor or any third party by reason of such determination or by reason of the SC or PO.

**28. FULL AND COMPLETE PERFORMANCE**

The failure of either party to insist on one or more instances upon the full and complete performance with any of the terms or conditions of the contract and any SC, PO, or DO to be performed on the part of the other, or to take any action permitted as a result thereof, is not a waiver or relinquishment of the right to insist upon full and complete performance of the same, or any other covenant or condition, either in the past or in the future. The acceptance by either party of sums less than may be due and owing it at any time is not an accord and satisfaction.

**29. SUBCONTRACTORS**

Contractor is fully responsible for all acts and omissions of any subcontractor and of persons directly or indirectly employed by any subcontractor, and of persons for whose acts Contractor may be liable to the same extent that Contractor is responsible for the acts and omissions of persons that it directly employs. Nothing in this contract creates any obligation on the part of County to pay or see to the payment of any money due any subcontractor, except as may be required by law.

**30. SEVERABILITY**

Each provision of this contract stands alone, and any provision of this contract that a court finds to be prohibited by law is ineffective to the extent of such prohibition without invalidating the remainder of this contract.

**31. LEGAL ARIZONA WORKERS ACT COMPLIANCE**

For the procurement of services in the State of Arizona, Contractor hereby warrants that it will at all times during the term of this contract comply with all federal immigration laws applicable to Contractor's employment of its employees, and with the requirements of A.R.S. §§ 41-4401 and 23-214 (A) (together the "State and Federal Immigration Laws"). Contractor will further ensure that each subcontractor who performs any work for Contractor under this contract likewise complies with the State and Federal Immigration Laws.

County has the right at any time to inspect the books and records of Contractor and any subcontractor in order to verify such party's compliance with the State and Federal Immigration Laws.

Any breach of Contractor's or any subcontractor's warranty of compliance with the State and Federal Immigration Laws, or of any other provision of this section, is a material breach of this Contract subjecting Contractor to penalties up to and including suspension or termination of this Contract. If the breach is by a subcontractor, and the subcontract is suspended or terminated as a result, Contractor will take such steps as may be necessary to either self-perform the services that would have been provided under the subcontract or retain a replacement subcontractor as soon as possible so as not to delay project completion.

Contractor will advise each subcontractor of County's rights, and the subcontractor's obligations, under this Section by including a provision in each subcontract substantially in the following form:

"Subcontractor hereby warrants that it will at all times during the term of this contract comply with all federal immigration laws applicable to Subcontractor's employees, and with the requirements of A.R.S. § 23-214 (A). Subcontractor further agrees that County may inspect the Subcontractor's books and records to ensure that Subcontractor is in compliance with these requirements. Any breach of this paragraph by Subcontractor is a material breach of this contract subjecting Subcontractor to penalties up to and including suspension or termination of this contract."

Any additional costs attributable directly or indirectly to remedial action under this Section is the responsibility of Contractor. In the event that remedial action under this Section results in delay to one or more tasks on the critical path of Contractor's approved construction or critical milestones schedule, such period of delay will be excusable delay for which Contractor is entitled to an extension of time, but not costs.

**32. CONTROL OF DATA PROVIDED BY COUNTY**

For those projects and contracts where County has provided data to enable the Contractor to provide contracted services or products, unless County otherwise specifies and agrees in writing, Contractor will treat, control and limit access to said information as confidential and will under no circumstances release any data provided by County during the term of this contract and thereafter, including but not limited to personal identifying information as defined by A.R.S. § 44-1373, and Contractor is further prohibited from selling such data directly or through a third party. Upon termination or completion of the contract, Contractor will either return all such data to County or will destroy such data and confirm destruction in writing in a timely manner not to exceed sixty (60) calendar days.

**33. ISRAEL BOYCOTT CERTIFICATION**

Pursuant to A.R.S. § 35-393.01, if Contractor engages in for-profit activity and has ten (10) or more employees, and if this Contract has a value of \$100,000.00 or more, Contractor certifies it is not currently engaged in, and agrees for the duration of this Contract to not engage in, a boycott of goods or services from Israel. This certification does not apply to a boycott prohibited by 50 U.S.C. § 4842 or a regulation issued pursuant to 50 U.S.C. § 4842.

**34. FORCED LABOR OF ETHNIC UYGHURS**

Pursuant to A.R.S. § 35-394 if Contractor engages in for-profit activity and has 10 or more employees, Contractor certifies it is not currently using, and agrees for the duration of this Contract to not use (1) the forced labor of ethnic Uyghurs in the People's Republic of China; (2) any goods or services produced by the forced labor of ethnic Uyghurs in the People's Republic of China; and (3) any contractors, subcontractors or suppliers that use the forced labor or any goods or services produced by the forced labor of ethnic Uyghurs in the People's Republic of China. If Contractor becomes aware during the term of the Contract that the Company is not in compliance with A.R.S. § 35-394, Contractor must notify the County within five business days and provide a written certification to County regarding compliance within one hundred eighty days.

**35. HEAT INJURY AND ILLNESS PREVENTION AND SAFETY PLAN.**

Pursuant to Pima County Procurement Code 11.40.030, Contractor hereby warrants that if Contractor's employees perform work in an outdoor environment under this Contract, Contractor will keep on file a written Heat Injury and Illness Prevention and Safety Plan. At County's request, Contractor will provide a copy of this plan and documentation of heat safety and mitigation efforts implemented by Contractor to prevent heat-related illnesses and injuries in the workplace. Contractor will post a copy of the Heat Injury and Illness Prevention and Safety Plan where it is accessible to employees. Contractor will further ensure that each subcontractor who performs any work for Contractor under this Contract complies with this provision.

**36. ENTIRE AGREEMENT**

This document constitutes the entire agreement between the parties pertaining to the subject matter it addresses, and this Contract supersedes all prior or contemporaneous agreements and understandings, oral or written.

**END OF PIMA COUNTY STANDARD TERMS AND CONDITIONS**



**Attachment A - Specifications for Tractor (10 Pages)**



# **Hx520 SFA**

**Sales Proposal For:**  
**PIMA COUNTY**

**Presented By:**  
**RWC Group**

# Attachment A - Specifications for Tractor (continued)

INTERNATIONAL

October 23, 2024

Prepared For:  
PIMA COUNTY  
Leonard Boswell  
1291 S Mission Rd.  
Tucson, AZ 85713-1310  
(520)622 - 6767  
Reference ID: Contract

Presented By:  
RWC Group  
Mary R Wilson  
3220 E Irvington Rd  
TUCSON AZ 85714 -  
(520)622-6767

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

## Model Profile 2026 HX520 SFA (HX520)

**AXLE CONFIG:** 6X4  
**APPLICATION:** Low-Boy Tractor  
**MISSION:** Requested GCWR: 80000. Calc. GCWR: 125000. Calc. GVWR: 53200  
Calc. Start / Grade Ability: 22.36% / 1.90% @ 55 MPH  
Calc. Geared Speed: 88.8 MPH

**DIMENSION:** Wheelbase: 201.00, CA: 111.00, Axle to Frame: 57.00  
**ENGINE, DIESEL:** {Cummins X15 450V} Productivity Series, EPA 2024, 450HP @ 1900 RPM, 1750 lb-ft Torque @ 900 RPM, 2000 RPM Governed Speed, 461 Peak HP (Max)

**TRANSMISSION, AUTOMATIC:** {Allison 4500 RDS} 6th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway

**CLUTCH:** Omit Item (Clutch & Control)  
**AXLE, FRONT NON-DRIVING:** {Meritor MFS-13-143A} Wide Track, I-Beam Type, 13,200-lb Capacity  
**AXLE, REAR, TANDEM:** {Meritor MT-40-14X-4DER-P} Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends Gear Ratio: 4.11

**CAB:** Conventional, Day Cab  
**TIRE, FRONT:** (2) 11R22.5 Load Range H AH37 (HANKOOK), 499 rev/mile, 75 MPH, All-Position  
**TIRE, REAR:** (8) 11R22.5 Load Range H HDR2+ (CONTINENTAL), 491 rev/mile, 75 MPH, Drive  
**SUSPENSION, REAR, TANDEM:** {Hendrickson HMX EX 400} Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings

**PAINT:** Cab schematic 100LY  
Location 1: 9219, Winter White (Std)  
Chassis schematic N/A

## Attachment A - Specifications for Tractor (continued)

INTERNATIONAL

### Vehicle Specifications 2026 HX520 SFA (HX520)

October 23, 2024

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)
HX52000	Base Chassis, Model HX520 SFA with 201.00 Wheelbase, 111.00 CA, and 57.00 Axle to Frame.	8886/7472	16358

#### AXLE CONFIGURATION

1AND	AXLE CONFIGURATION 6x4 <u>Notes</u> : Pricing may change if axle configuration is changed.	91/257	348
------	--	--------	-----

#### ENGINE

12EWX	ENGINE, DIESEL {Cummins X15 450V} Productivity Series, EPA 2024, 450HP @ 1900 RPM, 1750 lb-ft Torque @ 900 RPM, 2000 RPM Governed Speed, 461 Peak HP (Max)	0/0	0
12VJT	EMISSION, CALENDAR YEAR {Cummins X15} EPA, OBD and GHG Certified for Calendar Year 2024	0/0	0
12XCS	CARB EMISSION WARR COMPLIANCE Does Not Comply with CARB Emission Warranty	0/0	0
12WZE	CARB IDLE COMPLIANCE Does Not Comply with California Clean Air Idle Regulations	0/0	0
12WVG	EPA IDLE COMPLIANCE Low NOx Idle Engine, Complies with EPA Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood	0/0	0
10UAV	VEHICLE REGISTRATION IDENTITY ID for Non CARB Omnibus/Non ACT Adopting State or Exempt Vehicle << Contains non-mitigated legacy engine & must be registered outside the States of CA/MA/OR unless exempt. You may be held liable under CA/MA/OR law for failure to properly register/otherwise failing to follow CA/MA/OR law>> <u>Notes</u> : CANNOT BE REGISTERED IN CA, MA, OR. For vehicles that will be registered in States other than CA, MA, OR.	0/0	0
12XBC	RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 SqIn, with 806 SqIn Charge Air Cooler <u>Includes</u> : RADIATOR HOSES Premium, Rubber	0/0	0
12THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon	0/0	0
12VCB	AIR CLEANER Dual Element, with Pre-Cleaner, Engine Mounted	0/0	0
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	0/0	0
12VGU	ENGINE CONTROL, REMOTE MOUNTED for X15 Engines	0/0	0
12WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	0/0	0
12WCX	HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type	0/0	0
12WYZ	RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System	0/0	0

#### TRANSMISSION

13BEK	TRANSMISSION, AUTOMATIC {Allison 4500 RDS} 6th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway	154/94	248
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223	0/0	0

Proposal's vehicle specification is incomplete.  
WARNING: Do Not Distribute.

## Attachment A - Specifications for Tractor (continued)

INTERNATIONAL

### Vehicle Specifications 2026 HX520 SFA (HX520)

October 23, 2024

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)
13WVV	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released	0/0	0
13WCU	OIL COOLER, TRANSMISSION (Modine) Remote Mounted; Not for use with Retarder, for Automatic Transmission	0/0	0
13WDN	PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes 2 Independent Illuminated Latched Switches, 2 Electric/Air Solenoids, Piping and Wiring	0/0	0
13WYU	SHIFT CONTROL PARAMETERS (Allison) 3000 or 4000 Series Transmissions, Performance Programming	0/0	0
13WLM	TRANSMISSION OIL Synthetic; 63 thru 76 Pints	0/0	0
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission	1/0	1
<b>CLUTCH</b>			
11001	CLUTCH Omit Item (Clutch & Control)	-99/-34	-133
<b>REAR AXLES, SUSPENSIONS</b>			
14GVJ	AXLE, REAR, TANDEM (Meritor MT-40-14X-4DER-P) Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends . Gear Ratio: 4.11	0/11	11
14UMV	SUSPENSION, REAR, TANDEM (Hendrickson HMX EX 400) Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	0/0	0
14WBV	SHOCK ABSORBERS, REAR (4) for Hendrickson HMX Suspension Only, Mounted from Frame to Beam	0/31	31
14WCR	TRANSVERSE TORQUE RODS (Hendrickson) TRAAX Rod, Transverse Only	0/-8	-8
<b>FRONT AXLES</b>			
2ASG	AXLE, FRONT NON-DRIVING (Meritor MFS-13-143A) Wide Track, I-Beam Type, 13,200-lb Capacity	60/0	60
<b>FRONT SUSPENSIONS</b>			
3ADD	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 14,000-lb Capacity, with Shock Absorbers	13/0	13
<b>CABS, COWLS, BODIES</b>			
16030	CAB Conventional, Day Cab <u>Includes</u> : CAB REAR SUSPENSION Air : CLEARANCE/MARKER LIGHTS (5) LED Roof Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CONSOLE, CENTER Includes Two Cup Holders and One Additional Storage Area : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : COURTESY LIGHT (2) Driver and Passenger Door Mounted : DOME LIGHT, CAB Rectangular, Door and Instrument Panel Mounted Switch Activated, Timed Theater Dimming, Center Mounted, Integral to Console : FLOOR COVERING Rubber, Black : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (4) "B" Pillar and Door Mounted, Two Each Side	0/0	0

## Attachment A - Specifications for Tractor (continued)

INTERNATIONAL

### Vehicle Specifications 2026 HX520 SFA (HX520)

October 23, 2024

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)
16ZHZ	: READING LIGHT, CAB Located in Overhead Console : STORAGE POCKET, DOOR (2) Full Length, Driver and Passenger Door ACCESS, CAB AND FRAME Aluminum, Self-Cleaning, Open and Serrated Design, Driver & Passenger Sides, Two Steps per Door; Left Side Frame Access Step, Includes One Deck Plate and Grab Handle, for use with Day Cab, Extended Cab or Steeper Cab	-15/51	36
16BAM	AIR CONDITIONER with Integral Heater and Defroster <u>Includes</u>	0/0	0
16XCM	: HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps	0/0	0
16VKK	CAB DOOR LOCKS Power, Driver Side Only; Non-Locking When Door Open	0/0	0
16GEG	CAB INTERIOR TRIM Diamond, for Day Cab	0/0	0
	GAUGE CLUSTER Premium Level; English with English Electronic Speedometer <u>Includes</u>	0/0	0
	: GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/ Refill for		
	: GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure		
	: WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)		
16HKC	GAUGE, AIR CLEANER RESTRICTION (Filter-Minder) Under Hood Cleaner Mounted with Internal Switch, with Text Message in Cluster	0/0	0
16SDC	GRAB HANDLE, EXTERIOR (2) Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left and Right Side at B-Pillar	6/0	6
16XJP	INSTRUMENT PANEL Wing Panel	0/0	0
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0
16SNL	MIRRORS (2) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width <u>Notes</u>	0/0	0
	: Mirror Dimensions are Rounded to the Nearest 0.5"		
16SNW	MIRROR, CONVEX, LOOK DOWN Right Side, Black, 6" x 10.5"	3/0	3
16XRX	MODESTY PANEL Painted	0/0	0
16VVA	MONITOR, TIRE PRESSURE System Gives Warning that Tire Pressure is Below Set Pressure, Monitors Tire Pressure of Each Tire with Temperature Compensation, Data Displayed in the LCD of the Cluster, for 6x2, 6x4 and 6x6 Axle Configurations, Does Not Include Lift Axles or Spare Wheels	0/0	0
16LWM	SEAT, DRIVER (ISRI) Series 400, Air Suspension, High Back, Mordura, Double Chamber Lumbar, Heat, Inboard Armrest, Suspension Cover, Fore/Aft Isolator, Cushion Extension, Seat Tilt, Memory Quickdown	0/0	0
16SRR	SEAT, PASSENGER (ISRI) Series 400, Air Suspension, High Back, Mordura, Double Chamber Lumbar, Heat, Inboard Armrest, Suspension Cover, Fore/Aft Isolator, Cushion Extension, Seat Tilt, Memory Quickdown	56/31	87
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	0/0	0
<b>FRAMES</b>			
1CGC	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL	4/27	31
1LPG	BUMPER, FRONT Gull Wing, Aluminum, Stainless Steel Clad, Heavy Duty	0/0	0
1616	FRAME RAILS WITH TAPERED REAR	0/-7	-7
1WRW	TOW HOOK, FRONT (2) Frame Mounted; 80,000-lb. Total Capacity	15/0	15
1WX	WHEELBASE RANGE 169" (430cm) Through and Including 209" (530cm)	-31/31	0

## Attachment A - Specifications for Tractor (continued)

INTERNATIONAL

Vehicle Specifications  
2026 HX520 SFA (HX520)

October 23, 2024

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)
<b>BRAKES</b>			
4092	BRAKE SYSTEM, AIR Dual System for Tractor Applications <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : GLAD HANDS (2) One for Service and One for Emergency; Trailer Hoses from Cab : HAND CONTROL VALVE, AIR Mounted in Instrument Panel : PARKING BRAKE CONTROL Yellow and Red Knobs, Located on Instrument Panel : PARKING BRAKE VALVE Combination Valve for Tractor and Trailer : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for Forward Rear Axle : TRACTOR PROTECTION VALVE	19/-3	16
4AZY	AIR BRAKE ABS {Bendix AntiLock Brake System} 6-Channel (6 Sensor/6 Modulator) Electronic Stability Program, with Automatic Traction Control	0/0	0
4GBM	BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake	1/0	1
4XDP	BRAKES, FRONT {Meritor 16.5X5 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 5", 14,700-lb Capacity	-23/0	-23
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn	4/0	4
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic	14/0	14
4WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes	10/0	10
4XDR	BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle	0/104	104
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqIn Spring Brake	0/14	14
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic	0/32	32
4WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes	0/20	20
4XEE	PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type	0/30	30
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM	0/0	0
4EDM	AIR DRYER {Bendix AD-HF} with Heater, Includes Pressure Protection Circuits, Safety Valve, Integral Purge Tank, Governor Pressure Settings 110 psi Cut-In/130 psi Cut-Out, Integrated PuraGuard Coalescing Filtration	0/0	0
4VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	0/0	0
4VKK	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Back of Cab, Perpendicular to Rail	0/0	0
4WXZ	DRAIN VALVE {Bendix DV-2} (2) Automatic, with Heater, for Air Tank	1/0	1
4808	HOSE TENDER Slide Bar with Single Spring Bracket, Bar Extended 4" from Cab	10/5	15
4XBJ	TRAILER HOSES AND CABLES {Phillips} Straight, 3 IN 1, Rubber Hose, 15' Working Length, Aluminum Glad Hands with Rubber Seals and Hand Holds, Lighting Cable with Quick Change Plug	9/6	15
<b>STEERING</b>			
5PSA	STEERING GEAR {Sheppard M100} Power	0/0	0
5710	STEERING COLUMN Tilting and Telescoping	0/0	0
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	0/0	0
<b>DRIVELINES</b>			
6DGU	DRIVELINE SYSTEM {Dana Spicer} SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4	0/0	0
<b>EXHAUST SYSTEMS</b>			
7BLY	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side	0/0	0
7BES	AFTERTREATMENT COVER Polished Aluminum	9/2	11

## Attachment A - Specifications for Tractor (continued)

INTERNATIONAL

### Vehicle Specifications 2026 HX520 SFA (HX520)

October 23, 2024

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)
7SAP	ENGINE COMPRESSION BRAKE (Cummins) Interbrake For Cummins Signature/ISX/X15 Engines; Furnished with Engine	0/0	0
7WDM	EXHAUST HEIGHT 10'	0/0	0
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum	11/9	20
7WZY	SWITCH, FOR EXHAUST 2 Position, Lighted & Latching, On/Off Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in On Position	2/0	2
7WAZ	TAIL PIPE (1) Turnback Type	-9/-4	-13
<b>ELECTRICAL SYSTEMS</b>			
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment <u>Includes</u> : HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted	0/0	0
8GXJ	ALTERNATOR (Leece-Neville AV1160P2013) Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount	0/0	0
8RPP	ANTENNA Shark Fin, Roof Mounted	1/0	1
8WDG	BACK-UP ALARM (Preco 1059) Electronic; Solid State, Dual Function, 112 dBA	0/1	1
8VUK	BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab	0/0	0
8MSG	BATTERY SYSTEM (Fleetrite) Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud	0/0	0
8ACE	BEACON LIGHT WIRING for (2) Customer Installed Beacons, Includes 2-Way Switch	0/0	0
8HAA	BODY BUILDER WIRING To Rear of Frame, with Stop, Tail, Turn, and Marker Lights Circuits, Ignition Controlled Auxiliary Feed and Ground, Less Trailer Socket	2/0	2
8RJW	CB RADIO Omit Power Feeds, Power Source and Wiring	0/0	0
8REA	2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness	2/0	2
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	0/0	0
8518	CIGAR LIGHTER Includes Ash Cup	1/0	1
8WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	0/0	0
8XKC	HEADLIGHTS Halogen, with Daytime Running Lights, Automatic Twilight Controlled	0/0	0
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn On if Windshield Wipers are Turned On	0/0	0
8653	HORN, AIR Single, Located Under Cab	0/0	0
8VAY	HORN, ELECTRIC Disc Style	0/0	0
8WBW	JUMP START STUD 12V, Remote Mounted	2/0	2
8XGN	LIGHT, WORK (2) LED, Pedestal Mounted, Back of Cab in Upper Cab Corners, with Switch on Instrument Panel	6/2	8
8WCK	POWER SOURCE, TERMINAL TYPE 2-Post	0/0	0
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	3/0	3
8RMV	SPEAKERS (2) 6.5" Dual Cone Mounted in Doors	0/0	0
8WTL	STARTING MOTOR (Delco Remy 39MT) 12 Volt, Gear Reduced, with Thermal Over-Crank Protection	1/0	1

## Attachment A - Specifications for Tractor (continued)

INTERNATIONAL

Vehicle Specifications  
2026 HX520 SFA (HX520)

October 23, 2024

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
8WEZ	TURN SIGNAL SWITCH Self-Canceling	0/0	0
<b>FRONT END</b>			
9ASE	FRONT END Tilting, Composite	0/0	0
9WAC	BUG SCREEN Mounted Behind Grille	5/0	5
9585	FENDER EXTENSIONS Rubber	13/0	13
9HCN	GRILLE Chrome Vertical Accent Bars, with Black Mesh	0/0	0
9AAB	LOGOS EXTERIOR Model Badges	0/0	0
9AAE	LOGOS EXTERIOR, ENGINE Badges	0/0	0
<b>SPEEDOMETER, TOOLS, MISC</b>			
10AGB	COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360	0/0	0
10HYU	FIFTH WHEEL, STATIONARY {Holland FW35-S10504-3L} 6.75" Above Top of Frame, Left Hand Release	0/474	474
810000	FIFTH WHEEL LOCATION On Rear Axle Centerline	0/0	0
10WPU	MUD FLAP HOLDER Spring Loaded, Bright Finish, 45-Degree End, with Red and White Reflective Tape, Less Flaps	-5/25	20
10WSX	MUD FLAPS, REAR Black Poly, with International Logo, Less Holders	-3/13	10
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	0/0	0
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0
10SLV	PROMOTIONAL PACKAGE Government Silver Package	0/0	0
10WCY	SAFETY TRIANGLES	5/1	6
<b>FUEL TANKS</b>			
15SHC	FUEL TANK Non-Polished Aluminum, 24" Dia, 100 US Gal (379L), Mounted Left Side, Under Cab	36/18	54
15WEY	DEF TANK 10.8 US Gal (41L) Capacity, Frame Mounted Outside Left Rail, Under Cab	0/0	0
15LNA	FUEL HEATER PLUMBING {Cummins} Plumbing for Thermal Recirculation Valve (TRV) Mounted to Cummins X15 Engines, Thermostatically Controlled	0/0	0
15LPU	FUEL/WATER SEPARATOR {Racor 6600} Pre-Filter and Filter Base, Includes Water-in-Fuel Sensor	-3/0	-3
<b>WHEELS, TIRES - FRONT</b>			
27DUK	WHEELS, FRONT {Accuride 29169} DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	22/0	22
7382135809	(2) TIRE, FRONT 11R22.5 Load Range H AH37 (HANKOOK), 499 rev/mile, 75 MPH, All-Position	-18/0	-18
<b>WHEELS, TIRES - REAR</b>			
28DUK	WHEELS, REAR {Accuride 29169} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	0/88	88
7382135444	(8) TIRE, REAR 11R22.5 Load Range H HDR2+ (CONTINENTAL), 491 rev/mile, 75 MPH, Drive	0/40	40
<b>WHEELS MISC OPTIONS</b>			
29WLK	WHEEL BEARING, FRONT, LUBE {EmGard FE-75W-90} Synthetic Oil Cab schematic 100LY	0/0	0



# Attachment A - Specifications for Tractor (continued)

INTERNATIONAL

Vehicle Specifications  
2026 HX520 SFA (HX520)

October 23, 2024

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
	Location 1: 9219, Winter White (Std) Chassis schematic N/A		
	<b>Services Section:</b>		
<b>WARRANTY</b>			
40132	WARRANTY Standard for HX520, HX620, Effective with Vehicles Built January 1, 2021 or Later, CTS-2015B	0/0	0
40YLN	SRV CONT, EXT CUMMINS ENG/AFTR {Cummins} To 60-Month/200,000 Miles (320,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment	0/0	0
40TWJ	SRV CONTRACT, EXT ALLISON XMSN {Allison} To 60-Month/Unlimited Miles/ km, for Allison 4500 RDS with P&D or Beverage Vocations (ST09-ST13)	0/0	0
	<b>Total Component Weight:</b>	<b>9272/8833</b> (lbs)	<b>18105</b> (lbs)
		(lbs)	(lbs)
RWC Body Shop	Butt plate, wet kit, air hose in cab, keys (4) tool box, headache rack, fire ext.	0/0	0
	<b>Total Goods Purchased:</b>	<b>0/0</b>	<b>0</b>

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

# Attachment A - Specifications for Tractor (continued)

INTERNATIONAL

## Financial Summary 2026 HX520 SFA (HX520)

October 23, 2024

<u>Description</u>	(US DOLLAR)	<u>Price</u>
Total Factory List Price Including Options:		\$310,206.00
Total Goods Purchased:		\$19,292.00
Freight Charge	\$3,100.00	
Total Freight:		\$3,100.00
Total Factory List Price Including Freight:		\$332,598.00
Less Customer Allowance:		(\$136,488.58)
Total Vehicle Price:		\$196,109.42
Total Sale Price:		\$196,109.42
Total Per Vehicle Sales Price:		\$196,109.42
Total Net Sales Excluding Taxes:		\$196,109.42
Pima County Sales Tax	\$11,962.67	
Tire Tax (10)	\$20.00	
Total Taxes:		\$11,982.67
Net Sales Price:		\$208,092.09

**Attachment B - Specifications for Water Truck (12 Pages)**



# **Hx620 SBA**

**Sales Proposal For:**  
**PIMA COUNTY**

**Presented By:**  
**RWC Group**

## Attachment B - Specifications for Water Truck (continued)

INTERNATIONAL

October 23, 2024

**Prepared For:**  
PIMA COUNTY  
Robert Charlton  
1291 S Mission Rd.  
Tucson, AZ 85713-1310  
(520)622 - 6767  
Reference ID: CONTRACT

**Presented By:**  
RWC Group  
Mary R Wilson  
3220 E Irvington Rd  
TUCSON AZ 85714 -  
(520)622-6767

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

### Model Profile 2026 HX620 SBA (HX620)

<b>AXLE CONFIG:</b>	6X4
<b>APPLICATION:</b>	Water Truck
<b>MISSION:</b>	Requested GVWR: 58000. Calc. GVWR: 58000. Calc. GCWR: 125000 Calc. Start / Grade Ability: 36.31% / 3.06% @ 55 MPH Calc. Geared Speed: 78.8 MPH
<b>DIMENSION:</b>	Wheelbase: 211.00, CA: 142.00, Axle to Frame: 75.00
<b>ENGINE, DIESEL:</b>	{Cummins X15 450V} Productivity Series, EPA 2024, 450HP @ 1900 RPM, 1650 lb-ft Torque @ 900 RPM, 2000 RPM Governed Speed, 461 Peak HP (Max)
<b>TRANSMISSION, AUTOMATIC:</b>	{Allison 4500 RDS} 6th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway
<b>CLUTCH:</b>	Omit Item (Clutch & Control)
<b>AXLE, FRONT NON-DRIVING:</b>	{Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity
<b>AXLE, REAR, TANDEM:</b>	{Meritor MT-40-14X-4DER-P} Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends Gear Ratio: 4.63
<b>CAB:</b>	Conventional, Day Cab
<b>TIRE, FRONT:</b>	(2) 315/80R22.5 Load Range L HAU 3 WT (CONTINENTAL), 480 rev/mile, 68 MPH, All-Position
<b>TIRE, REAR:</b>	(8) 11R22.5 Load Range H HDR2+ (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
<b>SUSPENSION, REAR, TANDEM:</b>	{Hendrickson HMX EX 400} Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings
<b>PAINT:</b>	Cab schematic 100LZ Location 1: 9219, Winter White (Std) Chassis schematic N/A

## Attachment B - Specifications for Water Truck (continued)

INTERNATIONAL

### Vehicle Specifications 2026 HX620 SBA (HX620)

October 23, 2024

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)
HX62000	Base Chassis, Model HX620 SBA with 211.00 Wheelbase, 142.00 CA, and 75.00 Axle to Frame.	9356/8680	16036

#### AXLE CONFIGURATION

1AND	AXLE CONFIGURATION 6x4 <u>Notes</u> : Pricing may change if axle configuration is changed.	0/0	0
------	--	-----	---

#### ENGINE

12EWW	ENGINE, DIESEL {Cummins X15 450V} Productivity Series, EPA 2024, 450HP @ 1900 RPM, 1650 lb-ft Torque @ 900 RPM, 2000 RPM Governed Speed, 461 Peak HP (Max)	595/38	633
12VJT	EMISSION, CALENDAR YEAR {Cummins X15} EPA, OBD and GHG Certified for Calendar Year 2024	0/0	0
12XCS	CARB EMISSION WARR COMPLIANCE Does Not Comply with CARB Emission Warranty	0/0	0
12WZE	CARB IDLE COMPLIANCE Does Not Comply with California Clean Air Idle Regulations	0/0	0
12WWG	EPA IDLE COMPLIANCE Low NOx Idle Engine, Complies with EPA Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood	0/0	0
10UAV	VEHICLE REGISTRATION IDENTITY ID for Non CARB Omnibus/Non ACT Adopting State or Exempt Vehicle << Contains non-mitigated legacy engine & must be registered outside the States of CA/MA/OR unless exempt. You may be held liable under CA/MA/OR law for failure to properly register/otherwise failing to follow CA/MA/OR law>> <u>Notes</u> : CANNOT BE REGISTERED IN CA, MA, OR. For vehicles that will be registered in States other than CA, MA, OR.	0/0	0
12XBC	RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 SqIn, with 806 SqIn Charge Air Cooler <u>Includes</u> : RADIATOR HOSES Premium, Rubber	0/0	0
12THT	FAN DRIVE {Horton Drivemaster} Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon	0/0	0
12VCB	AIR CLEANER Dual Element, with Pre-Cleaner, Engine Mounted	0/0	0
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	0/0	0
12VGU	ENGINE CONTROL, REMOTE MOUNTED for X15 Engines	0/0	0
12WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	0/0	0
12WCX	HOSE CLAMPS, RADIATOR HOSES {Gates} Shrink Band Type	0/0	0
12WYZ	RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System	0/0	0

#### TRANSMISSION

13BEK	TRANSMISSION, AUTOMATIC (Allison 4500 RDS) 6th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway	294/77	371
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223	0/0	0

## Attachment B - Specifications for Water Truck (continued)

INTERNATIONAL

Vehicle Specifications  
2026 HX620 SBA (HX620)

October 23, 2024

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
13WV	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released	0/0	0
13WCU	OIL COOLER, TRANSMISSION (Modine) Remote Mounted; Not for use with Retarder, for Automatic Transmission	42/-6	36
13WDN	PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes 2 Independent Illuminated Latched Switches, 2 Electric/Air Solenoids, Piping and Wiring	0/0	0
13WYU	SHIFT CONTROL PARAMETERS (Allison) 3000 or 4000 Series Transmissions, Performance Programming	0/0	0
13WLM	TRANSMISSION OIL Synthetic; 63 thru 76 Pints	0/0	0
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission	1/0	1
<b>CLUTCH</b>			
11001	CLUTCH Omit Item (Clutch & Control)	-115/-19	-134
<b>REAR AXLES, SUSPENSIONS</b>			
14GVJ	AXLE, REAR, TANDEM (Meritor MT-40-14X-4DER-P) Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends. Gear Ratio: 4.63	0/11	11
14UMV	SUSPENSION, REAR, TANDEM (Hendrickson HMX EX 400) Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	0/0	0
14WBV	SHOCK ABSORBERS, REAR (4) for Hendrickson HMX Suspension Only, Mounted from Frame to Beam	0/31	31
14WCR	TRANSVERSE TORQUE RODS (Hendrickson) TRAAX Rod, Transverse Only	0/-8	-8
<b>FRONT AXLES</b>			
2ARZ	AXLE, FRONT NON-DRIVING (Meritor MFS-18-133A) Wide Track, I-Beam Type, 18,000-lb Capacity	126/0	126
<b>FRONT SUSPENSIONS</b>			
3ACR	SUSPENSION, FRONT, SPRING Multileaf, Shackle Type, 18,000-lb Capacity, Less Shock Absorbers	75/0	75
<b>CABS, COWLS, BODIES</b>			
16030	CAB Conventional, Day Cab <u>Includes</u> : CAB REAR SUSPENSION Air : CLEARANCE/MARKER LIGHTS (5) LED Roof Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CONSOLE, CENTER Includes Two Cup Holders and One Additional Storage Area : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : COURTESY LIGHT (2) Driver and Passenger Door Mounted : DOME LIGHT, CAB Rectangular, Door and Instrument Panel Mounted Switch Activated, Timed Theater Dimming, Center Mounted, Integral to Console : FLOOR COVERING Rubber, Black : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (4) "B" Pillar and Door Mounted, Two Each Side	0/0	0

## Attachment B - Specifications for Water Truck (continued)

INTERNATIONAL

### Vehicle Specifications 2026 HX620 SBA (HX620)

October 23, 2024

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
16ZJA	: READING LIGHT, CAB Located in Overhead Console : STORAGE POCKET, DOOR (2) Full Length, Driver and Passenger Door ACCESS, CAB Aluminum, Self-Cleaning, Open and Serrated Design, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab, Extended Cab or Sleeper Cab	6/1	7
16BAM	AIR CONDITIONER with Integral Heater and Defroster <u>Includes</u>	0/0	0
16VVB	: HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps CAB INTERIOR TRIM Diamond Elite, for Day Cab <u>Includes</u>	0/0	0
16GEG	: DOOR TRIM, INTERIOR Bright Handle : INSTRUMENT PANEL TRIM Black with Woodgrain Accent, Black Gauges with Chrome Bezels : SUN VISOR (4) Padded Vinyl, 2 Moveable (Front-to-Side) Primary Visors and 2 Flip-down Auxillary Visors; Vanity Mirrors and Toll Ticket Straps Driver and Passenger Sides GAUGE CLUSTER Premium Level; English with English Electronic Speedometer <u>Includes</u>	0/0	0
16HKC	: GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/ Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary) GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} Under Hood Cleaner Mounted with Internal Switch, with Text Message in Cluster	0/0	0
16SDC	GRAB HANDLE, EXTERIOR (2) Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left and Right Side at B-Pillar	6/0	6
16XJP	INSTRUMENT PANEL Wing Panel	0/0	0
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0
16STM	MIRRORS (2) Aero Pedestal, Power Adjust, Heated, Black Heads and Arms, 6" x 14" Flat Glass, Includes 6" x 6" Convex Mirrors, for 102" Load Width	0/0	0
16SNW	MIRROR, CONVEX, LOOK DOWN Right Side, Black, 6" x 10.5"	3/0	3
16XRX	MODESTY PANEL Painted	0/0	0
16VLV	MONITOR, TIRE PRESSURE Omit	-10/-1	-11
16LWU	SEAT, DRIVER {ISRI} Series 500, Air Suspension, High Back, Synthetic Leather, Adjustable Bolsters, Double Chamber Lumbar, Heat, Ventilation, Inboard Armrest, Adjustable Shocks, Suspension Cover, Fore/Aft Isolator, Cushion Extension, Seat Tilt, Memory Quickdown	0/0	0
16SRX	SEAT, PASSENGER {ISRI} Series 500, Air Suspension, High Back, Synthetic Leather, Adjustable Bolsters, Double Chamber Lumbar, Heat, Ventilation, Inboard Armrest, Adjustable Shocks, Suspension Cover, Fore/Aft Isolator, Cushion Extension, Seat Tilt, Memory Quickdown	66/21	87
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	0/0	0
16XDD	WINDOW, REAR Polycarbonate Plastic Window, Shatter Resistant	-4/-1	-5
<b>FRAMES</b>			
1CGC	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL	74/210	284
1LRB	BUMPER, FRONT Contoured, Steel, Painted, Heavy Duty, for HX	0/0	0
1AMS	CROSSMEMBER, FRAME TIE for Heavy Duty	52/4	56

## Attachment B - Specifications for Water Truck (continued)

INTERNATIONAL

**Vehicle Specifications**  
2026 HX620 SBA (HX620)

October 23, 2024

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
1652	CROSSMEMBER, REAR Relocated to End of Frame	-7/72	65
1SAP	CROSSMEMBER, REAR, AF (1) 5-Piece	-19/84	65
1WRW	TOW HOOK, FRONT (2) Frame Mounted; 80,000-lb. Total Capacity	15/0	15
1WXL	WHEELBASE RANGE 191" (485cm) Through and Including 236" (600cm)	105/-105	0

### BRAKES

4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE SR-7 with relay valve for 6x4/8x6	0/0	0
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System	0/0	0
4GBM	BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake	1/0	1
4XDT	BRAKES, FRONT {Meritor 16.5X6 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 23,000-lb Capacity	33/0	33
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 Sqn	4/0	4
4LAG	SLACK ADJUSTERS, FRONT {Gunite} Automatic	14/0	14
4WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes	10/0	10
4XDR	BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle	0/104	104
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Sqn Spring Brake	0/14	14
4LGG	SLACK ADJUSTERS, REAR {Gunite} Automatic	0/28	28
4WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes	0/20	20
4XEE	PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type	0/30	30
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM	0/0	0
4EDM	AIR DRYER {Bendix AD-HF} with Heater, Includes Pressure Protection Circuits, Safety Valve, Integral Purge Tank, Governor Pressure Settings 110 psi Cut-In/130 psi Cut-Out, Integrated PuraGuard Coalescing Filtration	0/0	0
4VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	0/0	0
4WZJ	AIR TANK LOCATION (2) : One Mounted Under Each Rail, Front of Rear Suspension, Parallel to Rail	0/0	0
4WXZ	DRAIN VALVE {Bendix DV-2} (2) Automatic, with Heater, for Air Tank	1/0	1
4619	TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck	2/0	2

### STEERING

5PTB	STEERING GEAR (2) {Sheppard M100/M80} Dual Power	108/-12	96
5710	STEERING COLUMN Tilting and Telescoping	0/0	0
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	0/0	0

### DRIVELINES

6DGX	DRIVELINE SYSTEM {Dana Spicer} Service Free SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4	2/5	7
------	--	-----	---

### EXHAUST SYSTEMS

7BLY	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side	0/0	0
7BES	AFTERTREATMENT COVER Polished Aluminum	8/3	11



## Attachment B - Specifications for Water Truck (continued)

INTERNATIONAL

### Vehicle Specifications 2026 HX620 SBA (HX620)

October 23, 2024

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)
7SAP	ENGINE COMPRESSION BRAKE (Cummins) Interbrake For Cummins Signature/ISX/X15 Engines; Furnished with Engine	0/0	0
7WDM	EXHAUST HEIGHT 10'	0/0	0
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum	13/7	20
7WAZ	TAIL PIPE (1) Turnback Type	-10/-3	-13

### ELECTRICAL SYSTEMS

8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment <u>Includes</u> : HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted	0/0	0
8GXJ	ALTERNATOR (Leece-Neville AVI160P2013) Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount	0/0	0
8RPP	ANTENNA Shark Fin, Roof Mounted	1/0	1
8VUK	BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab	0/0	0
8MSG	BATTERY SYSTEM (Fleetrite) Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud	0/0	0
8ACE	BEACON LIGHT WIRING for (2) Customer Installed Beacons, Includes 2-Way Switch	0/0	0
8HAB	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	3/0	3
8RJW	CB RADIO Omit Power Feeds, Power Source and Wiring	0/0	0
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	0/0	0
8518	CIGAR LIGHTER Includes Ash Cup	1/0	1
8WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	0/0	0
8XKC	HEADLIGHTS Halogen, with Daytime Running Lights, Automatic Twilight Controlled	0/0	0
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn On if Windshield Wipers are Turned On	0/0	0
8653	HORN, AIR Single, Located Under Cab	0/0	0
8VAY	HORN, ELECTRIC Disc Style	0/0	0
8WBW	JUMP START STUD 12V, Remote Mounted	2/0	2
8XGN	LIGHT, WORK (2) LED, Pedestal Mounted, Back of Cab in Upper Cab Corners, with Switch on Instrument Panel	6/2	8
8WCK	POWER SOURCE, TERMINAL TYPE 2-Post	0/0	0
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	3/0	3
8RMV	SPEAKERS (2) 6.5" Dual Cone Mounted in Doors	0/0	0
8WTL	STARTING MOTOR (Delco Remy 39MT) 12 Volt, Gear Reduced, with Thermal Over-Crank Protection	1/0	1
8TKC	STOP, TURN, TAIL & B/U LIGHTS (Truck Lite) Super 44, with LED Lights for Stop, Turn and Tail Lights, Truck Lite Super 40 Lamps for Backup Lights, Less Power Module, Includes Incandescent License Plate Light, with Separate Rear Reflectors, Less Rubber Mount	-1/9	8

## Attachment B - Specifications for Water Truck (continued)

INTERNATIONAL

### Vehicle Specifications 2026 HX620 SBA (HX620)

October 23, 2024

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)
8TME	TRAILER CONNECTION SOCKET {Phillips} 7-Way, Mounted at Rear of Frame, Wired for Turn Signals Independent of Stop, Compatible with Trailers with Amber or Side Turn Lamps	0/0	0
8WEZ	TURN SIGNAL SWITCH Self-Canceling	0/0	0
<b>FRONT END</b>			
9ASE	FRONT END Tilting, Composite	0/0	0
9WAC	BUG SCREEN Mounted Behind Grille	5/0	5
9585	FENDER EXTENSIONS Rubber	18/0	18
9HCL	GRILLE Black Vertical Accent Bars, with Black Mesh	0/0	0
9AAB	LOGOS EXTERIOR Model Badges	0/0	0
9AAE	LOGOS EXTERIOR, ENGINE Badges	0/0	0
<b>SPEEDOMETER, TOOLS, MISC</b>			
10AGB	COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360	0/0	0
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	0/0	0
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0
10SLV	PROMOTIONAL PACKAGE Government Silver Package	0/0	0
10WCY	SAFETY TRIANGLES	5/1	6
<b>FUEL TANKS</b>			
15SHC	FUEL TANK Non-Polished Aluminum, 24" Dia, 100 US Gal (379L), Mounted Left Side, Under Cab	23/31	54
15WEZ	DEF TANK 18 US Gal (68L) Capacity, Frame Mounted Outside Left Rail, Under Cab	-5/0	-5
15LNA	FUEL HEATER PLUMBING {Cummins} Plumbing for Thermal Recirculation Valve (TRV) Mounted to Cummins X15 Engines, Thermostatically Controlled	0/0	0
15LPU	FUEL/WATER SEPARATOR {Racor 6600} Pre-Filter and Filter Base, Includes Water-in-Fuel Sensor	-3/0	-3
<b>WHEELS, TIRES - FRONT</b>			
27DUL	WHEELS, FRONT {Accuride 29300} DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	82/0	82
7792545437	(2) TIRE, FRONT 315/80R22.5 Load Range L HAU 3 WT (CONTINENTAL), 480 rev/mile, 68 MPH, All-Position	62/0	62
<b>WHEELS, TIRES - REAR</b>			
28DUK	WHEELS, REAR {Accuride 29169} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	0/88	88
7382135444	(8) TIRE, REAR 11R22.5 Load Range H HDR2+ (CONTINENTAL), 491 rev/mile, 75 MPH, Drive	0/40	40
<b>WHEELS MISC OPTIONS</b>			
29WLK	WHEEL BEARING, FRONT, LUBE {EmGard FE-75W-90} Synthetic Oil Cab schematic 100LZ Location 1: 9219, Winter White (Std) Chassis schematic N/A	0/0	0

Services Section:

## Attachment B - Specifications for Water Truck (continued)

◀ INTERNATIONAL

Vehicle Specifications  
2026 HX620 SBA (HX620)

October 23, 2024

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
<b>WARRANTY</b>			
40132	WARRANTY Standard for HX520, HX620, Effective with Vehicles Built January 1, 2021 or Later, CTS-2015B	0/0	0
40YLN	SRV CONT, EXT CUMMINS ENG/AFTR (Cummins) To 60-Month/200,000 Miles (320,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment	0/0	0
40TVM	SRV CONTRACT, EXT ALLISON XMSN (Allison) To 60-Month/Unlimited Miles/km, for Allison 4500 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07)	0/0	0
	<b>Total Component Weight:</b>	<b>11050/7456</b> (lbs)	<b>18506</b> (lbs)

## Attachment B - Specifications for Water Truck (continued)

INTERNATIONAL

Vehicle Specifications  
2026 HX620 SBA (HX620)

October 23, 2024

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
1	0011890 4000 Gallon Installed Tank System SA-15SS Stainless Steel (PIMA County) Made in United States of America 1.0000 0.0000 0.0000 EA \$89,750.00 \$89,750.00 NOTE: Estimated Lead time 90 Days ARO Chassis INSTALL Install on Customer Provided Chassis, Transmission 4500-RDS, CA/CT 142", 2025 International HX620 HITCH BUMPER Hitch Plate 5/8" with Holland PH-210RA11 45-Ton Air Cushioned Pintle Hooke Installed 21" Center, Air Glad Hands, D-Rings, Electrical Brake Trailer Connection; H-D Plate MUD FLAPS Anti-Sail W/ Springs; 45D Ends; Reflective Tape BACKUP ALARM Peterson 780 97 DBA Back-Up Alarm TANK 4000 Gallon 6V-15 Vision Tank, Modified Trapezoid TANK DIMENSIONS Tank Model: 6V-15; Length: 15 Feet; Width: 102 Inches; Height: 66 Inches TANK BAFFLES (2) Fitted and Curved 7G 304 2B Fitted and Welded; Heads 7G SS TANK HEADS Fitted and Curved Welded All Seams, 3/16" ASTM A36 TANK BELLYPLATE 3/16" Stainless Steel Full-Length of Tank 60" Width; 100% Full Penetration Welds TANK MANWAY 25" Round Manway Center of Tank, Hinged Non-Sealing Lid TANK LADDER Rear Mounted Ladder with Non-Slip Rungs, Non-Slip from Ladder to Manway TANK FENDERS 12 Gauge Steel Welded to Tank TANK SUBFRAME Heavy Duty 1/4" U-Shaped Cradle Runners Full Length of Tank TANK MOUNTING Solid Heavy Duty Angle 6-Point Mounting Brackets, Front Tank Guides, 3/4" Grade 8 Hardware, Front Springs TANK SKIRTBOARD UnitedBuilt Vulcanized Rubber Wear Pads TANK HYD FILL 2-1/2" Stainless Steel Swing Spout to Manway with Air Gap, Male Camloc TANK WARRANTY UnitedBuilt Standard 5-Year Limited Tank Construction Warranty SCREENING Screen System At All Fill Points PLATFORM Platform and Plumbing for Tucson Water Meter TANK OVERFLOW Overflow Pipe Directed to Miss Truck Members DRAINS 4" NPT Drain and Sump with Anti-Swirl Valve SIGN RACK Rear/ 2 straps Bent 90D at 10" Welded to Tank LIGHTS Standard DOT LED Lighting, (2) Work Lights, Inst County Supplied Bar, (2) Quad Flare Warning Lights Mounted On Rear Head SIGHT GAUGE Front and Rear Clear Flexible PVC Tubing with Brass Hardware EXTERIOR FINISH Sandblasted and Powder Coated white with Zinc Primer ANODES Sacrificial Magnesium Anodes (2) Per Baffle WATER PUMP Berkeley B4ZRKS Self Priming Pump w/ 12" Min Cleara PUMP DRIVE Hot Shift PTO; Commercial 30 Series Hydraulics FRONT SPRAY (2) UTEAV9030 Valves and (2) B/MC Spray Heads SIDE SPRAY (1) UTEAV9030 Valve and (1) B/MC Side Spray Head REAR SPRAY (2) UTEAV9030 Valves and (2) B/MC Spray Heads SPRAYBAR GUARD Front Spray Bar Bumper Protection Installed CONTROL CONSOLE UnitedBuilt Cab Mounted Air Switch Console to Independently Operate Each Spray Valve SUCTION FILL Self Load Plumbing with 3" x 20' Suction Hose and Foot Valve HOSE REEL Stubbed JET VALVE 2" Ball Valve SIGN RACK Sign Racks to Fit 3 Signs From 19-24" Spacing PLUMBING SCH40 Black Pipe with Groove Style Couplings/Fittings PLUMB WARRANTY UnitedBuilt Standard 1-Year Limited Plumbing Warranty DUST BAR Air Rear Bar 3" x 96"; 1/2 Jets On 6" Centers; Detachable End Caps For Cleaning; Manual Override	0/0	0

## Attachment B - Specifications for Water Truck (continued)

INTERNATIONAL

Vehicle Specifications  
2026 HX620 SBA (HX620)

October 23, 2024

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
	<b>Total Body Allied:</b>	<b>0/0</b>	<b>0</b>
Central Dispatch	DELIVERY, DEF, FUEL, DETAIL, FIRE EXT	0/0	0
	<b>Total Goods Purchased:</b>	<b>0/0</b>	<b>0</b>

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

# Attachment B - Specifications for Water Truck (continued)

INTERNATIONAL

## Financial Summary 2026 HX620 SBA (HX620)

October 23, 2024

<u>Description</u>	(US DOLLAR)	<u>Price</u>
Total Factory List Price Including Options:		\$310,447.00
Total Goods Purchased:		\$790.00
Freight Charge	\$3,100.00	
Total Freight:		\$3,100.00
Total Factory List Price Including Freight:		\$314,337.00
Less Customer Allowance:		(\$143,547.03)
Total Vehicle Price:		\$170,789.97
Total Body/Allied Equipment:		\$89,750.00
Total Sale Price:		\$260,539.97
Total Per Vehicle Sales Price:		\$260,539.97
Total Net Sales Excluding Taxes:		\$260,539.97
Tire Tax (10)	\$20.00	
Pima County Sales Tax	\$15,892.94	
Total Taxes:		\$15,912.94
Net Sales Price:		\$276,452.91

**Attachment C - Specifications for Dump Truck (10 Pages)**



# **Hx620 SBA**

Sales Proposal For:  
**PIMA COUNTY**

Presented By:  
**RWC Group**

# Attachment C - Specifications for Dump Truck (continued)

INTERNATIONAL

October 23, 2024

Prepared For:  
PIMA COUNTY  
Leonard Boswell  
1291 S Mission Rd.  
Tucson, AZ 85713-1310  
(520)622 - 6767  
Reference ID: Contract

Presented By:  
RWC Group  
Mary R Wilson  
3220 E Irvington Rd  
TUCSON AZ 85714 -  
(520)622-6767

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

## Model Profile 2026 HX620 SBA (HX620)

AXLE CONFIG:	6X4
APPLICATION:	Construction Dump
MISSION:	Requested GVWR: 58000. Calc. GVWR: 58000. Calc. GCWR: 125000 Calc. Start / Grade Ability: 33.62% / 3.05% @ 55 MPH Calc. Geared Speed: 84.2 MPH
DIMENSION:	Wheelbase: 211.00, CA: 142.00, Axle to Frame: 75.00
ENGINE, DIESEL:	{Cummins X15 450V} Productivity Series, EPA 2024, 450HP @ 1900 RPM, 1750 lb-ft Torque @ 900 RPM, 2000 RPM Governed Speed, 461 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 4500 RDS} 6th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-18-133A} Wide Track, I-Beam Type, 18,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor MT-40-14X-4DER-P} Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends Gear Ratio: 4.33
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 315/80R22.5 Load Range L HAU 3 WT (CONTINENTAL), 480 rev/mile, 68 MPH, All-Position
TIRE, REAR:	(8) 11R22.5 Load Range H HDR2+ (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, TANDEM:	{Hendrickson HMX-EX 400} Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings
PAINT:	Cab schematic 100LZ Location 1: 9219, Winter White (Std) Chassis schematic N/A



## Attachment C - Specifications for Dump Truck (continued)

INTERNATIONAL

### Vehicle Specifications 2026 HX620 SBA (HX620)

October 23, 2024

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)
HX62000	Base Chassis, Model HX620 SBA with 211.00 Wheelbase, 142.00 CA, and 75.00 Axle to Frame.	9356/6680	16036

#### AXLE CONFIGURATION

1AND	AXLE CONFIGURATION 6x4 <u>Notes</u> : Pricing may change if axle configuration is changed.	0/0	0
------	--	-----	---

#### ENGINE

12EWX	ENGINE, DIESEL (Cummins X15 450V) Productivity Series, EPA 2024, 450HP @ 1900 RPM, 1750 lb-ft Torque @ 900 RPM, 2000 RPM Governed Speed, 461 Peak HP (Max)	595/38	633
12VJT	EMISSION, CALENDAR YEAR (Cummins X15) EPA, OBD and GHG Certified for Calendar Year 2024	0/0	0
12XCS	CARB EMISSION WARR COMPLIANCE Does Not Comply with CARB Emission Warranty	0/0	0
12WZE	CARB IDLE COMPLIANCE Does Not Comply with California Clean Air Idle Regulations	0/0	0
12WVG	EPA IDLE COMPLIANCE Low NOx Idle Engine, Complies with EPA Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood	0/0	0
10UAV	VEHICLE REGISTRATION IDENTITY ID for Non CARB Omnibus/Non ACT Adopting State or Exempt Vehicle << Contains non-mitigated legacy engine & must be registered outside the States of CA/MA/OR unless exempt. You may be held liable under CA/MA/OR law for failure to properly register/otherwise failing to follow CA/MA/OR law>> <u>Notes</u> : CANNOT BE REGISTERED IN CA, MA, OR. For vehicles that will be registered in States other than CA, MA, OR.	0/0	0
12XBC	RADIATOR Aluminum, Welded, Down Flow, Front to Back System, 1325 SqIn, with 806 SqIn Charge Air Cooler <u>Includes</u> : RADIATOR HOSES Premium, Rubber	0/0	0
12THT	FAN DRIVE (Horton Drivemaster) Two-Speed Type, Direct Drive, with Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon	0/0	0
12VCB	AIR CLEANER Dual Element, with Pre-Cleaner, Engine Mounted	0/0	0
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	0/0	0
12VGU	ENGINE CONTROL, REMOTE MOUNTED for X15 Engines	0/0	0
12WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted	0/0	0
12WCX	HOSE CLAMPS, RADIATOR HOSES (Gates) Shrink Band Type	0/0	0
12WYZ	RADIATOR DRAIN & FILL FITTING SPECIAL; To Vacuum Out or Fill the Cooling System from the Bottom of Radiator, for Use with Quick-Connect Radiator Drain Tool or Shop Coolant Evacuation-Fill System	0/0	0

#### TRANSMISSION

13BEK	TRANSMISSION, AUTOMATIC (Allison 4500 RDS) 6th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, On/Off Highway	294/77	371
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223	0/0	0

## Attachment C - Specifications for Dump Truck (continued)

INTERNATIONAL

### Vehicle Specifications 2026 HX620 SBA (HX620)

October 23, 2024

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)
13WVV	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released	0/0	0
13WCU	OIL COOLER, TRANSMISSION (Modine) Remote Mounted; Not for use with Retarder, for Automatic Transmission	42/-6	36
13WYU	SHIFT CONTROL PARAMETERS (Allison) 3000 or 4000 Series Transmissions, Performance Programming	0/0	0
13WLM	TRANSMISSION OIL Synthetic; 63 thru 76 Pints	0/0	0
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission	1/0	1

#### CLUTCH

11001	CLUTCH Omit Item (Clutch & Control)	-115/-19	-134
-------	-------------------------------------	----------	------

#### REAR AXLES, SUSPENSIONS

14GVJ	AXLE, REAR, TANDEM (Meritor MT-40-14X-4DER-P) Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .433"(11mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends . Gear Ratio: 4.33	0/11	11
14UMV	SUSPENSION, REAR, TANDEM (Hendrickson HMX EX 400) Walking Beam, 40,000-lb Capacity, 54" Axle Spacing, Rubber Springs, with Transverse Torque Rods, Rubber End Bushings	0/0	0
14WBV	SHOCK ABSORBERS, REAR (4) for Hendrickson HMX Suspension Only, Mounted from Frame to Beam	0/31	31
14WCR	TRANSVERSE TORQUE RODS (Hendrickson) TRAAX Rod, Transverse Only	0/-8	-8

#### FRONT AXLES

2ARZ	AXLE, FRONT NON-DRIVING (Meritor MFS-18-133A) Wide Track, I-Beam Type, 18,000-lb Capacity	126/0	126
------	---	-------	-----

#### FRONT SUSPENSIONS

3ACR	SUSPENSION, FRONT, SPRING Multileaf, Shackle Type, 18,000-lb Capacity, Less Shock Absorbers	75/0	75
------	---	------	----

#### CABS, COWLS, BODIES

16030	<p>CAB Conventional, Day Cab</p> <p><u>Includes</u></p> <ul style="list-style-type: none"> <li>: CAB REAR SUSPENSION Air</li> <li>: CLEARANCE/MARKER LIGHTS (5) LED Roof Mounted</li> <li>: COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window</li> <li>: CONSOLE, CENTER Includes Two Cup Holders and One Additional Storage Area</li> <li>: CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger</li> <li>: COURTESY LIGHT (2) Driver and Passenger Door Mounted</li> <li>: DOME LIGHT, CAB Rectangular, Door and Instrument Panel Mounted Switch Activated, Timed Theater Dimming, Center Mounted, Integral to Console</li> <li>: FLOOR COVERING Rubber, Black</li> <li>: GLASS, ALL WINDOWS Tinted</li> <li>: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side</li> <li>: GRAB HANDLE, CAB INTERIOR (4) "B" Pillar and Door Mounted, Two Each Side</li> <li>: READING LIGHT, CAB Located in Overhead Console</li> <li>: STORAGE POCKET, DOOR (2) Full Length, Driver and Passenger Door</li> </ul>	0/0	0
-------	--	-----	---

## Attachment C - Specifications for Dump Truck (continued)

INTERNATIONAL

### Vehicle Specifications 2026 HX620 SBA (HX620)

October 23, 2024

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
16ZJA	ACCESS, CAB Aluminum, Self-Cleaning, Open and Serrated Design, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab, Extended Cab or Sleeper Cab	6/1	7
16BAM	AIR CONDITIONER with Integral Heater and Defroster <u>Includes</u> : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps	0/0	0
16XCM	CAB DOOR LOCKS Power, Driver Side Only; Non-Locking When Door Open	0/0	0
16VVB	CAB INTERIOR TRIM Diamond Elite, for Day Cab <u>Includes</u> : DOOR TRIM, INTERIOR Bright Handle : INSTRUMENT PANEL TRIM Black with Woodgrain Accent, Black Gauges with Chrome Bezels : SUN VISOR (4) Padded Vinyl, 2 Moveable (Front-to-Side) Primary Visors and 2 Flip-down Auxiliary Visors; Vanity Mirrors and Toll Ticket Straps Driver and Passenger Sides	0/0	0
16GEG	GAUGE CLUSTER Premium Level; English with English Electronic Speedometer <u>Includes</u> : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/ Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure (Primary and Secondary)	0/0	0
16HKC	GAUGE, AIR CLEANER RESTRICTION (Filter-Minder) Under Hood Cleaner Mounted with Internal Switch, with Text Message in Cluster	0/0	0
16SDC	GRAB HANDLE, EXTERIOR (2) Chrome, Towel Bar Type, with Anti-Slip Rubber Inserts, for Cab Entry Mounted Left and Right Side at B-Pillar	6/0	6
16XJP	INSTRUMENT PANEL Wing Panel	0/0	0
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	0/0	0
16STM	MIRRORS (2) Aero Pedestal, Power Adjust, Heated, Black Heads and Arms, 6" x 14" Flat Glass, Includes 6" x 6" Convex Mirrors, for 102" Load Width	0/0	0
16SNW	MIRROR, CONVEX, LOOK DOWN Right Side, Black, 6" x 10.5"	3/0	3
16XRX	MODESTY PANEL Painted	0/0	0
16VLV	MONITOR, TIRE PRESSURE Omit	-10/-1	-11
16LWU	SEAT, DRIVER (ISRI) Series 500, Air Suspension, High Back, Synthetic Leather, Adjustable Bolsters, Double Chamber Lumbar, Heat, Ventilation, Inboard Armrest, Adjustable Shocks, Suspension Cover, Fore/Aft Isolator, Cushion Extension, Seat Tilt, Memory Quickdown	0/0	0
16SRX	SEAT, PASSENGER (ISRI) Series 500, Air Suspension, High Back, Synthetic Leather, Adjustable Bolsters, Double Chamber Lumbar, Heat, Ventilation, Inboard Armrest, Adjustable Shocks, Suspension Cover, Fore/Aft Isolator, Cushion Extension, Seat Tilt, Memory Quickdown	66/21	87
16WJU	WINDOW, POWER (2) and Power Door Locks, Left and Right Doors, Includes Express Down Feature	0/0	0
16XDD	WINDOW, REAR Polycarbonate Plastic Window, Shatter Resistant	-4/-1	-5
<b>FRAMES</b>			
1CGC	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 12.250" x 3.380" x 0.375" (304.8mm x 85.6mm x 9.5mm); 550.0" (13970mm) Maximum OAL	74/210	284
1LRB	BUMPER, FRONT Contoured, Steel, Painted, Heavy Duty, for HX	0/0	0
1AMS	CROSSMEMBER, FRAME TIE for Heavy Duty	52/4	56
1652	CROSSMEMBER, REAR Relocated to End of Frame	-7/72	65

## Attachment C - Specifications for Dump Truck (continued)

INTERNATIONAL

### Vehicle Specifications 2026 HX620 SBA (HX620)

October 23, 2024

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)
1SAP	CROSSMEMBER, REAR, AF (1) 5-Piece	-19/84	65
1WRW	TOW HOOK, FRONT (2) Frame Mounted; 80,000-lb. Total Capacity	15/0	15
1WXL	WHEELBASE RANGE 191" (485cm) Through and Including 236" (600cm)	105/-105	0
<b>BRAKES</b>			
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE SR-7 with relay valve for 6x4/8x6	0/0	0
4AZA	AIR BRAKE ABS (Bendix AntiLock Brake System) 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System	0/0	0
4GBM	BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake	1/0	1
4XDT	BRAKES, FRONT (Meritor 16.5X6 Q-PLUS CAST) Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 6", 23,000-lb Capacity	33/0	33
4EXV	BRAKE CHAMBERS, FRONT AXLE (Bendix) 24 SqIn	4/0	4
4LAG	SLACK ADJUSTERS, FRONT (Gunitite) Automatic	14/0	14
4WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes	10/0	10
4XDR	BRAKES, REAR (Meritor 16.5X7 Q-PLUS CAST) Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle	0/104	104
4EXU	BRAKE CHAMBERS, REAR AXLE (Bendix EverSure) 30/30 SqIn Spring Brake	0/14	14
4LGG	SLACK ADJUSTERS, REAR (Gunitite) Automatic	0/28	28
4WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes	0/20	20
4XEE	PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type	0/30	30
4SPA	AIR COMPRESSOR (Cummins) 18.7 CFM	0/0	0
4EDM	AIR DRYER (Bendix AD-HF) with Heater, Includes Pressure Protection Circuits, Safety Valve, Integral Purge Tank, Governor Pressure Settings 110 psi Cut-In/130 psi Cut-Out, Integrated PuraGuard Coalescing Filtration	0/0	0
4VKC	AIR DRYER LOCATION Mounted Inside Left Rail, Back of Cab	0/0	0
4VKK	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Back of Cab, Perpendicular to Rail	0/0	0
4WXZ	DRAIN VALVE (Bendix DV-2) (2) Automatic, with Heater, for Air Tank	1/0	1
4619	TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck	2/0	2
<b>STEERING</b>			
5PTB	STEERING GEAR (2) (Sheppard M100/M80) Dual Power	108/-12	96
5710	STEERING COLUMN Tilting and Telescoping	0/0	0
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black	0/0	0
<b>DRIVELINES</b>			
6DGU	DRIVELINE SYSTEM (Dana Spicer) SPL250 Main Driveline with SPL170 Interaxle Shaft, for 6x4	2/5	7
<b>EXHAUST SYSTEMS</b>			
7BLY	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Cab Mounted Right Side	0/0	0
7BES	AFTERTREATMENT COVER Polished Aluminum	8/3	11
7SAP	ENGINE COMPRESSION BRAKE (Cummins) Interbrake For Cummins Signature/ISX/X15 Engines; Furnished with Engine	0/0	0

## Attachment C - Specifications for Dump Truck (continued)

INTERNATIONAL

### Vehicle Specifications 2026 HX620 SBA (HX620)

October 23, 2024

Code	Description	F/R Wt (lbs)	Tot Wt (lbs)
7WDM	EXHAUST HEIGHT 10'	0/0	0
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum	13/7	20
7WAZ	TAIL PIPE (1) Turnback Type	-10/-3	-13

### ELECTRICAL SYSTEMS

8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment <u>Includes</u> : HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted	0/0	0
8GXJ	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount	0/0	0
8RPP	ANTENNA Shark Fin, Roof Mounted	1/0	1
8VUK	BATTERY BOX Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Right Side Back of Cab	0/0	0
8MSG	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud	0/0	0
8HAB	BODY BUILDER WIRING Back of Day Cab at Left Frame or Under Sleeper, Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	3/0	3
8RJW	CB RADIO Omit Power Feeds, Power Source and Wiring	0/0	0
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	0/0	0
8518	CIGAR LIGHTER Includes Ash Cup	1/0	1
8WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	0/0	0
8XKC	HEADLIGHTS Halogen, with Daytime Running Lights, Automatic Twilight Controlled	0/0	0
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn On if Windshield Wipers are Turned On	0/0	0
8653	HORN, AIR Single, Located Under Cab	0/0	0
8VAY	HORN, ELECTRIC Disc Style	0/0	0
8WBW	JUMP START STUD 12V, Remote Mounted	2/0	2
8WCK	POWER SOURCE, TERMINAL TYPE 2-Post	0/0	0
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input	3/0	3
8RMV	SPEAKERS (2) 6.5" Dual Cone Mounted in Doors	0/0	0
8WTL	STARTING MOTOR {Delco Remy 39MT} 12 Volt, Gear Reduced, with Thermal Over-Crank Protection	1/0	1
8TKC	STOP, TURN, TAIL & B/U LIGHTS {Truck Lite} Super 44, with LED Lights for Stop, Turn and Tail Lights, Truck Lite Super 40 Lamps for Backup Lights, Less Power Module, Includes Incandescent License Plate Light, with Separate Rear Reflectors, Less Rubber Mount	-1/9	8
8TME	TRAILER CONNECTION SOCKET {Phillips} 7-Way, Mounted at Rear of Frame, Wired for Turn Signals Independent of Stop, Compatible with Trailers with Amber or Side Turn Lamps	0/0	0
8WEZ	TURN SIGNAL SWITCH Self-Canceling	0/0	0

### FRONT END

## Attachment C - Specifications for Dump Truck (continued)

INTERNATIONAL

**Vehicle Specifications**  
2026 HX620 SBA (HX620)

October 23, 2024

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
9ASE	FRONT END Tilting, Composite	0/0	0
9WAC	BUG SCREEN Mounted Behind Grille	5/0	5
9585	FENDER EXTENSIONS Rubber	18/0	18
9HCL	GRILLE Black Vertical Accent Bars, with Black Mesh	0/0	0
9AAB	LOGOS EXTERIOR Model Badges	0/0	0
9AAE	LOGOS EXTERIOR, ENGINE Badges	0/0	0

### SPEEDOMETER, TOOLS, MISC

10AGB	COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360	0/0	0
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100	0/0	0
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	0/0	0
10SLV	PROMOTIONAL PACKAGE Government Silver Package	0/0	0
10WCY	SAFETY TRIANGLES	5/1	6
10XBU	SPECIAL RATING, GVWR Limited to 68,000-lb GVWR	0/0	0

### FUEL TANKS

15SHC	FUEL TANK Non-Polished Aluminum, 24" Dia, 100 US Gal (379L), Mounted Left Side, Under Cab	23/31	54
15WEZ	DEF TANK 18 US Gal (68L) Capacity, Frame Mounted Outside Left Rail, Under Cab	-5/0	-5
15LNA	FUEL HEATER PLUMBING (Cummins) Plumbing for Thermal Recirculation Valve (TRV) Mounted to Cummins X15 Engines, Thermostatically Controlled	0/0	0
15LPX	FUEL/WATER SEPARATOR (Davco 386) 12 VDC Electric Heater, with ESOC Fittings, Includes Water-in-Fuel Sensor	4/0	4

### WHEELS, TIRES - FRONT

27DUL	WHEELS, FRONT (Accuride 29300) DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	82/0	82
7792545437	(2) TIRE, FRONT 315/80R22.5 Load Range L HAU 3 WT (CONTINENTAL), 480 rev/mile, 68 MPH, All-Position	62/0	62

### WHEELS, TIRES - REAR

28DUK	WHEELS, REAR (Accuride 29169) DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs	0/88	88
7382135444	(8) TIRE, REAR 11R22.5 Load Range H HDR2+ (CONTINENTAL), 491 rev/mile, 75 MPH, Drive	0/40	40

### WHEELS MISC OPTIONS

29WLK	WHEEL BEARING, FRONT, LUBE (EmGard FE-75W-90) Synthetic Oil Cab schematic 100LZ Location 1: 9219, Winter White (Std) Chassis schematic N/A	0/0	0
-------	---	-----	---

**Services Section:**

### WARRANTY

40132	WARRANTY Standard for HX520, HX620, Effective with Vehicles Built January 1, 2021 or Later, CTS-2015B	0/0	0
-------	--	-----	---

## Attachment C - Specifications for Dump Truck (continued)

INTERNATIONAL

Vehicle Specifications  
2026 HX620 SBA (HX620)

October 23, 2024

<u>Code</u>	<u>Description</u>	<u>F/R Wt</u> (lbs)	<u>Tot Wt</u> (lbs)
40YLN	SRV CONT, EXT CUMMINS ENG/AFTR (Cummins) To 60-Month/200,000 Miles (320,000 km), Extended Cummins X15 Efficiency or Productivity Series Engine Coverage, Protection Plan 1 and Aftertreatment	0/0	0
40TWM	SRV CONTRACT, EXT ALLISON XMSN (Allison) To 60-Month/Unlimited Miles/ km, for Allison 4500 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07)	0/0	0
	<b>Total Component Weight:</b>	<b>11051/7454</b> (lbs)	<b>18505</b> (lbs)
1	<p>Norwood - BEAU-ROC MODEL RXH "ELLIPTICAL" DUMP BODY (NEEDS USABLE 140" CT MIN)</p> <p>16' LONG, 96" WIDE OD, 84" WIDE ID 13.7 CU YRD CAPACITY                      LONGSILLS: 8" FORMED TRAPAZOIDS W/ 5/8" RUBBER WEAR PADS                      ELLIPTICAL BODY, CROSS MEMBER-LESS DESIGN                      FRONT WALL: 60" TALL, 1/4" HARDOX AR-450 STEEL                      STD DOG-HOUSE STYLE HOIST MOUNT HOIST G3-140-5.3-4 HOIST CYLINDER                      SIDES: 42" TALL, 1/4" HARDOX AR-450                      FLOOR: 1/4" HARDOX AR-450 STEEL                      AIR OPERATED HIGH LIFT TAILGATE: 42" TALL 1/4" HARDOX AR-450                      GATE LATCHES: AIR OPERATED CAB CONTROLLED                      HD TAILGATE HINGE AND LATCH HARDWARE.                      STEEL WELD ON FENDERS COVERS DRIVE AXLES                      STD 1/2 CAB GUARD                      10" SPREAD APRON WITH CHAINS                      LED LIGHTS WITH REFLECTORS TO DOT REQUIREMENT                      HD ANTI SAIL MUDFLAPS IN BACK OF DRIVE TIRES                      HD REAR HINGE ASSEMBLY                      BODY UP SAFETY PROP AND INDICATOR LIGHT. CHASSIS PROVIDER TO SUPPLY BACK UP ALARM                      HOT SHIFT PTO W/ OVERSPEED PROTECTION AND DIRECT MOUNT HYDRAULIC PUMP                      PTO, HOIST &amp; BODY CONTROLS ARE AIR OPERATED IN TOWER MOUNTED IN FLOOR                      FRAME MOUNTED STEEL HYD TANK WITH SHUT OFF VALVES AND SIGHT GLASS                      30 GAL NEW HYD OIL, AND MISC HYD HOSES AS NEEDED                      BODY IS INSTALLED COMPLETE PAINTED WHITE TO MATCH THE CAB</p> <p>ELECTRIC TARP SYSTEM W/ ALUM HOUSING AND STEE; ARMS INSTALLED COMPLETE WITH HD MESH TARP</p> <p>HD REAR HITCH PLATE WITH AIR LOCK PINTLE HITCH, D-RINGS, GLAD HANDS                      AND 7-WAY LIGHT SOCKET INSTALLED COMPLETE</p> <p>ELECTRIC BRAKE CONTROLER AND LIGHT SOCKET WIRED TO REAR HITCH PLATE</p>	0/0	0
	<b>Total Body Allied:</b>	<b>0/0</b> (lbs)	<b>0</b> (lbs)

The weight calculations included in this proposal are an estimate of future vehicle weight. The actual weight as manufactured may be different from the estimated weight. Navistar, Inc. shall not be liable for any consequences resulting from any differences between the estimated weight of a vehicle and the actual weight.

# Attachment C - Specifications for Dump Truck (continued)

INTERNATIONAL

Financial Summary  
2026 HX620 SBA (HX620)

October 23, 2024

<u>Description</u>	(US DOLLAR)	<u>Price</u>
Total Factory List Price Including Options:		\$309,567.00
Freight Charge	\$3,100.00	
Total Freight:		\$3,100.00
Total Factory List Price Including Freight:		\$312,667.00
Less Customer Allowance:		(\$142,366.31)
Total Vehicle Price:		\$170,300.69
Total Body/Allied Equipment:		\$53,030.00
Total Sale Price:		\$223,330.69
Total Per Vehicle Sales Price:		\$223,330.69
Total Net Sales Excluding Taxes:		\$223,330.69
Pima County Sales Tax	\$13,623.17	
Tire Tax (10)	\$20.00	
Total Taxes:		\$13,643.17
Net Sales Price:		\$236,973.86