

III. COMMUNITY MITIGATION PLAN

This section outlines Pima County CWPP priorities for wildland fuels treatments, as well as the recommended methods of treatment and management strategies for mitigating the potential spread of catastrophic wildland fire throughout the community WUIs. This section also presents recommendations for enhanced wildland fire protection capabilities and public education, information, and outreach.

A. Fuel Reduction Priorities

After determining the areas at greatest risk for wildland fire (see Section II of this CWPP), the Core Teams developed a series of proposed actions, including residential treatments; a series of firebreaks appropriate for the wildland fuel types; and fuel mitigation treatments for undeveloped landscape areas (Table 3.1). The Core Teams have proposed wildland fire mitigation projects for at-risk public, tribal trust, and private lands. These proposed actions are recommended to prevent wildfire spread from public lands onto private land and, conversely, to reduce the risk of fires spreading from private land onto public lands by reducing wildland fuels and creating a survivable space around your home to reduce the risk from wildfire (<http://www.firewise.org>; <http://www.fireadapted.org>). A primary goal of the Pima County CWPP is for proposed treatments to be continuous across property boundaries, allowing for the most effective protection from wildfires.

Hazardous fuels reduction recommendations on public lands vary by constituting either a single firebreak in appropriate width and length within the WUI or broader land treatment applications of wildland fuel reduction and habitat restorations within or adjacent to the WUI. Additional firebreaks or hazardous fuels reduction projects may be developed over time and will conform to the types of treatment recommendations developed by the Core Teams. The PCOEM, ASFD, CNF, NPS, USFWS, BLM, tribal and local fire departments and districts, and the Core Teams' participating resource specialists developed firebreak recommendations by vegetative fuel types. These recommendations are based on firebrand movement during the peak fire season under normal seasonal weather conditions in relation to slope, aspect, and fuel type. The recommended land treatments and fuelbreaks will enhance public and firefighter safety, provide for community value protection, enhance restoration of native vegetation, and provide for wildlife habitat needs. Designated wilderness areas and special-status lands within or adjacent to the Pima County CWPP WUI include the Rincon Mountain, Pusch Ridge, the Saguaro Wilderness areas, and the Ironwood Forest National Monument. Wildland fuel mitigation treatments within special-status lands will be conducted by BLM, NPS, and CNF under appropriate wilderness regulations. The Core Teams may recommend fuelbreaks along specific identified private in-holdings adjacent to wilderness boundaries to allow BLM, NPS, and CNF to use appropriate response to wildland fire.

The wildland vegetative fuel and firebreak recommended treatments meet the Pima County CWPP goals of enhancing firefighter and public safety, reducing hazardous wildland fuels on public and private lands; improving fire prevention and suppression; restoring riparian, forest, and rangeland health; involving the community; and expediting project implementation. To prioritize wildland fuel mitigation projects, the Core Teams analyzed wildland fuel hazards, fire history, and community values. This combined risk assessment was compiled in a single community base map depicting areas of low-, moderate-, and high-risk evaluations (see Figures 2.8.a.–2.8.c). These risk areas were further identified and categorized into a total

of 95 wildland treatment management units (TMUs) within 23 sub-WUI designations of the WUI. These treatment units were analyzed and categorized according to potential risk for wildfire with an overall risk value determined for each management unit (Figures 3.1a–3.1c).

The Core Teams described the location of each treatment management unit in the WUI and then assigned recommended treatments for each unit (Table 3.2). The management units listed in Table 3.2 do not always coincide with fire department or fire district boundaries or lie within established fire departments and districts. For example, the Avra Valley community sub-WUI is much larger than the fire district boundary, and some treatment management units are not in any fire department or district or under federal jurisdiction for fire protection; therefore, no fire departments or districts are responsible for those treatment management units.

Private land treatments in the WUI typically occur on small land parcels near power lines, structures, and other obstacles. In many cases, cut trees and slash cannot be piled and burned on small private land parcels, or it is not the preferred slash treatment by the owner of a small residential lot or by the local fire departments. Therefore, the Core Teams recommend that slash from wildland fuel reduction treatments on small residential parcels be removed, whole or chipped, and transported to a disposal site. The Core Teams do not oppose alternative vegetative treatments to achieve wildland vegetative fuel mitigation objectives, such as an experimental grazing program using primary grazers within the WUI, adjacent to state or federal lands. The Core Teams also recommend that fallow agricultural lands be restored through the planting of native vegetation species in accordance with the *National Conservation Practice Standards, Range Planting*, Code 550 (NRCS 2002). The Core Teams also recommend that firebreaks constructed on public and private lands to restrict wildland fire movement be maintained in accordance with the above-mentioned mitigation measures and stipulations on a rotating 2- or 3-year interval, or as deemed necessary to ensure the integrity of the firebreak through removal of fine and light vegetative fuels.

Treatment of wildland fuels within the WUI is expected to generate considerable slash and vegetative waste material. Private individual use of wood products from fuel reduction treatments within the WUI is primarily for fuelwood. Commercial use of the woody material from fuel reduction treatments is also primarily limited to fuelwood, and any commercial value of treatment by-products will not significantly affect land treatment costs. Recent costs of fuels mitigation treatment on BLM lands within the WUI include mesquite grubbing at \$525.00 per acre for stewardship contracting; \$400.00 per acre for service contracting; and \$250.00 to \$350.00 per acre in-house. If wildland fuel modification prescriptions require follow-up pile burning or herbicide application after vegetation treatment, the total cost per acre could include \$21.00 for burning and \$370.00 for foliar herbicide application (BLM, pers. comm. 2013).

Costs for herbicide applications to buffelgrass-invaded sites varies widely based on distance from roads and trails, amount of buffelgrass and size of patches, method used, and other variables. In 2010–2012, costs for FS, BLM, and NPS have ranged from \$30 to \$370 per acre, averaging \$200–\$250 per acre. Small areas treated by private contractors may have a similar range of costs per acre.

Table 3.1. Fuel Modification and Treatment Plans

Treatment No.	1 Developed Private Parcels <2 Acres				2 Undeveloped Private Parcels Or Single-Structure Parcels >2 Acres		3 Grassland Firebreaks		4 Oak/Pinyon/Juniper and Shrublands within the WUI	
Treatment Category	Zone 1 (0–10 feet from structures)	Zone 2 (10–30 feet from structures)	Zone 3 (30–100 feet from structures)	Zone 4 (100–600 feet around home)	Slopes <20%	Streambeds, Channels, and Slopes ≥20%	Slopes <20%	Slopes ≥20%	Landscape Treatment Outside Firebreaks	Firebreaks
Vegetation	<p>Remove ladder fuels by pruning the lower third of trees or shrubs up to a maximum of 10 feet to reduce flammable vegetation.</p> <p>Remove and destroy insect-infested, diseased, and dead trees and shrubs.</p> <p>Grasses and forbs may be cut with a mower to a 4-inch stubble</p> <p>Remove dead plant material from ground; prune tree limbs overhanging roof; remove branches within 10 feet of chimney; remove flammable debris from gutters and roof surfaces.</p> <p>Remove non-irrigated nonnative grasses (especially buffelgrass).</p>	<p>Remove ladder fuels by pruning the lower third of trees or shrubs up to a maximum of 10 feet; remove and destroy insect-infested, diseased, and dead trees.</p> <p>Create separation between trees, tree crowns, and other plants based on fuel type, density, slope, and other topographical features.</p> <p>Reduce continuity of fuels by creating a clear space around brush or planting groups.</p> <p>Grasses and forbs may be cut with a mower to a 4-inch stubble.</p> <p>Remove non-irrigated nonnative grasses (especially buffelgrass).</p> <p>All snags and vegetation that may grow into overhead electrical lines, other ground fuels, ladder fuels, dead trees, and thinning from live trees must be removed.</p>	<p>Remove ladder fuels by pruning the lower third of trees or shrubs up to a maximum of 10 feet; remove and destroy insect-infested, diseased, and dead trees.</p> <p>Maximum density of trees (whichever is greater: 60 square feet of basal area at 80–100 trees/acre or average density of 100 trees/acre).</p> <p>Grasses and forbs may be cut with a mower to a 4-inch stubble.</p> <p>Remove non-irrigated nonnative grasses (especially buffelgrass).</p>	<p>For natural areas, thin selectively and remove highly flammable vegetation.</p> <p>See fuel modification plan (this section) developed to promote forest health, to prevent spread of fire to adjacent property, and to create defensible space with considerations for wildlife and groundwater protection</p> <p>Carefully space trees; choose Firewise plants.^a</p> <p>Remove non-irrigated nonnative grasses (especially buffelgrass).</p>	<p>Remove ladder fuels by pruning the lower third of trees or shrubs up to a maximum of 8 feet; remove and destroy insect-infested, diseased, and dead trees.</p> <p>Maximum density of trees (whichever is greater: 60 square feet of basal area at 80–100 trees/acre or average density of 100 trees/acre)</p> <p>See fuel modification plan (this section) developed to promote riparian health, to prevent spread of fire to adjacent property, and to create defensible space with considerations for wildlife and groundwater protection.</p> <p>Single structure or structures on parcels exceeding 2 acres should include Treatment 1 in proximity to structures and Treatment 2 for remaining acres.</p> <p>See the fuel modification plan (this section) developed to prevent spread of fire to adjacent property and to create defensible space with considerations for wildlife and groundwater protection.</p>	<p>Remove dead, diseased, and dying trees. Fell dead trees away from stream channels with defined bed and banks.</p> <p>Areas should be hand-thinned and hand-piled; inaccessible areas may be treated with periodic Rx.</p> <p>Develop fuel modification plan (this section) for treatments.</p> <p>Remove nonnative grasses (especially, buffelgrass and fountaingrass).</p>	<p>Grassland types may be mechanically treated, including mowing, chopping, or mastication, to reduce or remove vegetation or may be grazed to a stubble height. Ensure that removal of vegetation within a designed firebreak of >1 chain (66 feet) in width and length is sufficient to protect federal, state, or private land values.</p> <p>Fuel reduction treatments within grassland vegetation types may include multiple-entry burns to maintain stand structure and reduce fine fuels. Trees and shrubs >8 inch drc should be thinned to a variable distance of 15–35 feet between trees. Trees and shrubs <8 inches drc should be removed.</p> <p>Mechanical/chemical or grazing treatment may be used to maintain firebreaks on private lands.</p> <p>Remove nonnative grasses (especially buffelgrass, fountaingrass and Lehmann's lovegrass), including winter annual grasses (especially red broom, cheatgrass, and Mediterranean grass).</p>	<p>Same as for slopes <20%. Fuel treatments may require hand-thinning and hand-piling or grazing in steep slopes. Rx may be used to reduce high fire potential (see Treatment 5). Designated firebreaks may be increased to no more than 2 chains in steep slopes where herbaceous (fine fuels) and subshrub species fuel loads increase to pretreatment levels within 3 years.</p> <p>Remove nonnative grasses (especially buffelgrass, fountaingrass and Lehmann's lovegrass), including winter annual grasses (especially red broom, cheatgrass, and Mediterranean grass).</p>	<p>Spacing may be variable with a 20- to 35-foot minimum to promote (1) wildlife habitat while breaking horizontal fuel loading, which allows for patches of closely spaced trees for adequate cover, and (2) other habitat components while incorporating openings to increase herbaceous forage production, to maximize edge effect, and to promote fire-resilient stands. Mechanical thinning and Rx (see Treatment 5) can be used to reduce vegetative fuels and move stands toward potential natural vegetation groups as described in the <i>FRCC Interagency Handbook</i> (FRCC Interagency Working Group 2005a) or grazed to like conditions. All trees >10 inches drc will be targeted as “leave trees” unless removal is necessary to achieve the desired spacing.</p>	<p>Woodland and shrub trees <8 inches drc will be thinned to a spacing of 15 feet between trees, or Rx will be applied to achieve like conditions. Shrub and tree trunks will be severed <4 inches from the ground. Mechanical treatments, such as crushing, chipping, mastication, and Rx, may be used to create open stands that produce flame lengths of ≤4 feet to minimize crown-fire potential and to produce vegetative fuel conditions conducive to suppression action. Herbaceous and subshrub understory may be mechanically treated, including mowing, chopping, and masticating, or grazed to limit fine-fuel loading while protecting soil integrity from rainfall runoff.</p>
Slash/litter	<p>Remove or reduce natural flammable material 2–4 feet above the ground around improvements. Remove vegetation that may grow into overhead electrical lines, ladder fuels, and dead trees. Thinning from live trees must be removed (chipped, etc.). Remove all leaf litter to a depth of 1 inch.</p>	<p>Control soil erosion from small waterflow channels by using rock or noncombustible velocity-reducing structures.</p> <p>Remove all leaf litter to a depth of 1 inch.</p>	<p>Same as Zones 1 and 2.</p>	<p>Slash may be burned, piled and burned, or chipped and removed. Slash from grassland treatments may be burned, removed, masticated, turned, or grazed for like treatment.</p>	<p>All slash, snags, and vegetation that may grow into overhead electrical lines; other ground fuels; ladder fuels; dead trees; and thinning from live trees must be removed, mechanically treated (chipped, etc.), or piled and burned along with existing fuels.</p>	<p>Clean dead and down debris in channels where debris may be mobilized in floods and thus create downstream jams.</p> <p>Some slash and debris can be scattered and retained in small, ephemeral streambeds in which slash can help retain runoff and sediment and provide headcut stabilization.</p>	<p>Slash from grassland treatments may be burned, removed, masticated, or turned (disked).</p>	<p>Same as for slopes <20%; however, slash may be hand-piled and ignited with Rx as the primary slash reduction treatment.</p>	<p>Slash may be burned, piled and burned, or chipped and removed. Slash from grassland treatments may be burned, removed, masticated, or turned.</p>	<p>Slash may be burned, piled and burned, or chipped and removed. Slash from grassland treatments may be burned, removed, masticated, or turned.</p>

Continued

Table 3.1. Fuel Modification and Treatment Plans

Treatment No.	5 Forest Types within or adjacent to the WUI		6 Prescribed Fire	7 Escape and Resource Transportation Corridors (federal and nonfederal lands)		8 Riparian Areas (federal, nonfederal, and private lands)	9 Conditional Suppression Areas (federal and nonfederal lands)	10 Saltcedar Removal (federal and nonfederal lands)
Treatment Category	Thinning	Shaded Fuelbreaks	Federal, State, or Private Lands	Federal, State, or Local Government Where Designated as Escape Route	Federal or State Lands	Firebreaks on Private Lands	Federal, State, or Private Lands	Federal, State, or Private Lands
Vegetation	<p>Lands may be thinned to create vegetation structure, composition, and fuel loadings that support low-intensity surface fire to reduce the impacts of wildfire on communities. Residual stocking levels for private land would be reduced to 20–80 trees per acre (≤60 square feet of basal area/acre).</p> <p>Thinning treatments on Forest Service land will enhance private land treatments, but must comply with the Forest Land Management Plan and other associated rules and regulations.</p> <p>In general, treatments will favor leaving larger trees and removing ladder fuels. Tree spacing should be random with some degree of “clumpiness.”Refer to Treatment 1 for additional guidelines in areas close to structures.</p>	<p>A fuel break is a natural or manmade change to native vegetation which affects fire behavior so that fires burning into them can be more readily controlled. The size and type of fuel break will depend on the vegetation and topography.</p> <p>Fuel break construction on Forest Service land will enhance private land treatments, but must comply with the Forest Land Management Plan and other associated rules and regulations.</p>	<p>Rx will be used as a tool to accomplish specific resource management objectives in accordance with ASLD, ASFD, CNF, and/or BLM standards and guides.</p> <p>Rx on federal land is authorized if part of an approved Rx burn plan. As additional areas within the WUI are identified, Rx may be used as a treatment tool provided that a wildland fire implementation plan is in effect and that all conditions set forth have been met.</p> <p>Rx can occur at low, moderate, and high intensity. High-intensity fire will be used to create openings by removing above ground vegetation.</p>	<p>Reduce fuel loading by thinning trees <10 inches drc. Reduce trees to 15-foot spacing. Shrub and tree trunks will be cut no less than 4 inches from the ground. Stands will be variable across the landscape, such as retention of bands of higher-density vegetation with sufficient understory to maintain functionality of important wildlife movement corridors in areas of low structure density.</p> <p>Mechanical treatments may include chipping, piling and burning, or removal and Rx in the project area.</p> <p>Trees may be left in clumps with fuel ladders removed from below. Dead, diseased, and dying trees of all sizes will be emphasized for removal. Some trees >8 inches drc may be cut to reduce safety hazards or when needed to reach desired 15-foot spacing.</p> <p>Escape and resource transportation corridors may serve as firebreaks in all vegetative types.</p> <p>Firebreaks for each vegetative type, as described in this table, would be implemented at appropriate distance from the centerline of the escape and resource transportation corridors to produce fire-resilient stands and to enhance evacuation and response access.</p> <p>Emphasis will be placed on removing nonnative and flammable species.</p> <p>Grasses and forbs may be cut with a mower to 4-inch stubble.</p>	<p>Riparian treatments will be limited in scope. The majority of riparian areas that fall within the WUI boundary will be avoided unless deemed a fuel hazard.</p> <p>Clearing or cutting of any material by mechanized equipment within 10 feet of any stream on federal land may be prohibited to prevent the risk of accelerating erosion.</p> <p>Treatments may include some overstory removal of deciduous riparian trees and shrubs in areas where encroachment has increased heavy woody fuels (emphasizing removal and control of saltcedar and other invasive trees).</p> <p>Treatments will emphasize nonnative species. Snags >8 inches may be retained. All presettlement trees, including snags, will be targeted for retention.</p> <p>Restricting the removal of the vegetative overstory in the riparian areas to the period of October 15– March 31 will prevent the disturbance of any nesting by neotropical migrant bird species, including the southwestern willow flycatcher. Fuels reduction should occur October 15– March 31 in riparian areas, as long as fire danger is not extreme.</p> <p>Herbicides can be used against nonnative grasses, but it takes about 3 years to break fuel continuity. This is not the best method for zones 1 and 2 unless coupled with mowing or as a follow-up to pulling.</p> <p>Emphasis will be placed on removing species listed in Appendix A.</p>	<p>Private land treatment should use hand tools, chain saws, or mowers. Dead vegetation and slash should be removed. Ladder fuels, including limbs and branches, should be removed up to a maximum of 8 feet aboveground.</p> <p>All mechanized equipment must meet state and local fire-department/district standards. Perform treatments October– March annually. Treatment of annuals may be best when annuals are green.</p> <p>Herbicides can be used against nonnative grasses, but it takes about 3 years to break fuel continuity. This is not the best method for Zones 1 and 2 unless coupled with mowing or as a follow-up to pulling.</p>	<p>This prescription includes lands with desert shrub/scrub vegetative types in which no fuel modification treatments have been identified as necessary to provide protection from wildland fire. The threat from catastrophic wildland fire is low or nonexistent. This includes areas in which fire never played a historical role in developing and maintaining ecosystems. Historically, in these areas, fire return intervals were very long. These are areas in the WUI in which fire could have negative effects unless fuel modifications take place. These include areas in which the use of fire may have ecological, social, or political constraints and areas in which mitigation and suppression are required to prevent direct threats to life or property. Wildland fire growth within these areas will be monitored for private-property, ecological, and cultural threats before initiating suppression. Agency and fire-department/district policy provisions will determine suppression response.</p> <p>Response will be full suppression when firefighter and public safety, property, improvements, or natural resources are threatened</p>	<p>Areas of monotypic saltcedar or in mix with mesquite or other riparian tree species may be treated mechanically or chemically or by controlled burning and reburning to reduce stem density, canopy, and excessive fuel loading. Mechanical removal for saltcedar by cutting below the root collar during November–January is preferred. Mechanical whole-tree extraction has achieved as high as 90% mortality on initial treatments and may be considered a preferred treatment. Low-volume oil-based herbicide applications in late spring through early fall would be considered for controlling small plants (<2 inches drc). Low-volume cut-stump herbicide applications will be considered in combination with mechanical treatment. Preferred phenological stage for burning is peak summer months and postavian breeding months. Black lines and appropriate headfires should be initiated depending on site-specific vegetative and burning conditions. Maintenance, revegetation, restoration, and monitoring should follow as needed for each treatment area.</p> <p>Seedlings can effectively be pulled by hand.</p>
Slash/litter	<p>Refer to Treatment 1 for areas close to structures. In areas away from structures, slash may be piled and burned, chipped and removed or lopped and scattered to a noncompacted thickness of no more than 2 feet deep and be treated later as part of a broadcast burn. Fuelwood and timber harvest are also viable means of removal in all areas.</p>	<p>Slash would be piled and burned or chipped and removed. Fuelwood and timber harvest are also viable means of removal.</p>	<p>Slash, jack piles, and down logs may be burned as appropriate in consideration of local conditions and distance from private property. Pile or Rx can be used to remove fuel from private land as designated. Snags and down woody material may be retained in areas where fire resilience is not compromised.</p>	<p>Snags, slash, and down logs will be removed in proximity to private land. Pile burning or broadcast burning can be used to remove fuel. Snags and down woody material may be retained in areas where fire resilience is not compromised. Vehicle pullouts should be planned in appropriate numbers and locations where vegetation, slope, and terrain permit.</p>	<p>After removal of heavy woody fuels, fine fuels may be maintained by cool-season low-intensity Rx that moves slowly downslope or into prevailing winds to midslope. Large down woody material and snags (≥12 inches) may be retained in riparian areas.</p>	<p>Fuel treatments and woody material removal will occur on existing roads. Cool-season low-intensity Rx may be used for maintenance of fine fuels. Pile or jackpot burning will not occur in ephemeral, intermittent, or perennial stream channels.</p>	<p>Fuel treatments and woody material removal could occur on existing roads. Cool-season low-intensity Rx may be used for maintenance of fine fuels. Pile or jackpot burning will not occur in ephemeral, intermittent, or perennial stream channels.</p>	<p>Created slash will be made available for woody biomass use. If not used for wood-related products, slash will be piled with preexisting fuels and burned, or otherwise used for soil stabilization. Disturbed areas should be immediately revegetated with a native plant community that contains no invasive species and meets other land use objectives, such as wildlife habitat enhancements or recreational-use benefits.</p>

Note: Rx = prescribed fire, drc = diameter at root collar.

^aList of Firewise plants can be found in the Firewise literature listed in Appendix C, Educational Resources.

Table 3.2. Identified Treatment Management Units

Treatment Management Unit	Map ID	Risk Value	Location and Description	Recommended Treatment ^a	Total Acres	Federal Acres	State Trust Acres	Nonfederal Acres	Tribal Acres
Ajo	AJ1	M	Lands on SR 85 north of Ajo at Ajo airport	1,2,3,7,9	1,233	1,233	NA	1	NA
	AJ2	L	Lands on SR85 north of Ajo south of Ajo airport	1,2,3,7,9	2,560	2,145	NA	415	NA
	AJ3	L	Lands within the town of Ajo	1,2,3,7,9	14,396	7,035	32	7,329	NA
	AJ4	H	Lands on SR 85 immediately south of Ajo	1,2,3,7,9	5,771	3,984	NA	1,787	NA
Arivaca-Sasabe			See the <i>Arivaca-Sasabe CWPP</i> for description of the 29 Arivaca and 9 Sasabe treatment management units						
Avra Valley	AV1	L	Lands immediately west of I-10 west of Santa Cruz River	1,2,3,8,9	4,151	NA	NA	4,151	NA
	AV2	M	Central WUI Pinal County south to AV4 and AV3	1,2,3,8,9	16,232	1,894	5,050	9,288	NA
	AV3	M	Central WUI south of AV2 north of AV9	1,2,3,8,9	13,585	45	1,862	11,677	NA
	AV4	M	Central WUI south of AV2 north of AV8	1,2,3,8,9	10,756	1,888	1,821	7,047	NA
	AV5	M	Central WUI Pinal County south to Tohono O'odham boundary	1,2,3,8,9	16,886	11,161	4,476	1,249	NA
	AV6	H	Northeast WUI bordering Tohono O'odham and Pinal County	1,2,3,8,9	28,854	16,287	4,819	7,748	NA
	AV7	L	Eastern WUI bordering Tohono O'odham	1,2,3,8,9	12,896	3,587	310	5,951	3,048
	AV8	L	Southeast WUI bordering Tohono O'odham	1,2,3,8,9	12,520	4,481	1,718	6,321	NA
	AV9	M	Lands immediately north of Tohono O'odham including Brawley Wash	1,2,3,8,9,10	23,762	4,296	2,001	17,463	2
Cascabel	CB1	M	San Pedro River corridor community of Redington	1,2,3,5,7,8,9,10	13,601	NA	9,759	3,842	NA
Catalina Foothills	CF1	H	Northwest WUI in CNF buffer west of Sabino Canyon	1,2,3,4,5,7,8,10	3,004	2,354	NA	650	NA
	CF2	H	North-central WUI in CNF buffer east of Sabino Canyon	1,2,3,4,5,7,8,10	5,400	4,310	NA	1,090	NA
	CF3	H	Northeast WUI in CNF buffer	1,2,3,4,5,7,8,10	6,065	4,334	NA	1,731	NA
	CF4	L	South of CF1 adjacent to the Rillito River corridor	1,2,7,8,10	12,452	1	3	12,448	NA
	CF5	M	South of CF2 adjacent to Tanque Verde and Pantano creek corridors	1,2,7,8,10	11,521	58	NA	11,463	NA

Continued

Table 3.2. Identified Treatment Management Units

Treatment Management Unit	Map ID	Risk Value	Location and Description	Recommended Treatment ^a	Total Acres	Federal Acres	State Trust Acres	Nonfederal Acres	Tribal Acres
	CF6	M	South of CF3 adjacent to Tanque Verde and Pantano creek corridors	1,2,7,8,10	12,865	NA	4	12,862	NA
	CF7	H	Northeast WUI at Redington Pass adjacent to Saguaro National Park	1,2,3,5,7,8,9,10	11,804	6,076	NA	5,729	NA
	CF8	H	Southeast WUI adjacent to Saguaro National Park	1,2,3,5,7,8,9,10	4,994	4,050	NA	944	NA
	CF9	L	Southwest WUI west of CF8	1,2,7,8,10	4,434	90	NA	4,344	NA
Corona de Tucson	CDT1	M	Northwest WUI south of Sahuarita Road	1,2,3,5,7,8,9	8,795	1,197	2,673	4,925	NA
	CDT2	M	North-central WUI immediately south of I-10	1,2,3,5,7,8,9	12,050	NA	11,251	799	NA
	CDT3	L	Central WUI south of CDT2	1,2,3,5,7,8,9	6,797	NA	3,310	3,487	NA
	CDT4	H	Northeast WUI south of I-10	1,2,3,5,7,8,9	3,116	NA	716	2,400	NA
	CDT5	M	Southern WUI north of Santa Rita Experiment Range	1,2,3,5,7,8,9	19,423	5,674	7,935	5,814	NA
	CDT6	M	Eastern WUI adjacent to CNF Santa Rita Mountains	1,2,3,5,7,8,9	29,708	2,971	18,026	8,712	NA
Golder Ranch			See the <i>Catalina CWPP</i> for description and risk ratings of G1 through G32						
	G33	H	Southeast WUI in the CNF buffer	1,2,3,4,7,8,9,10	2,993	2,993	NA	NA	NA
	G34	M	Northeast WUI in the CNF buffer	1,2,3,4,7,8,9,10	2,467	2,465	1	1	NA
	G35	M	Northwest WUI at Pinal County boundary	1,2,3,4,7,8,9,10	3,232	203	1,250	1,779	NA
Green Valley	GV1	H	South central WUI on I-19 corridor north of Santa Cruz County south of Green Valley	1,2,3,7,9	11,167	NA	1,006	10,161	NA
	GV2	L	Central WUI on I-19 corridor including Green Valley	1,2,3,7,9	11,036	NA	86	10,950	NA
	GV3	H	Southeast WUI north of Santa Cruz County on Santa Rita Mountains foothills	1,2,3,4,5,7,9	16,008	4,900	6,316	4,792	NA
	GV4	L	Eastern WUI on Santa Rita Mountains foothills and Santa Rita Experimental Range	1,2,3,4,5,7,9	31,794	8,818	19,285	2,691	NA
	GV5	L	Central WUI grasslands east of I-19 corridor east of Green Valley	1,2,3,5,7,9	39,614	51	34,574	5,009	NA
	GV6	M	Northeast WUI on City of Tucson border	1,2,3,5,7,9	16,176	NA	14,341	1,835	NA

Continued

Table 3.2. Identified Treatment Management Units

Treatment Management Unit	Map ID	Risk Value	Location and Description	Recommended Treatment ^a	Total Acres	Federal Acres	State Trust Acres	Nonfederal Acres	Tribal Acres
	GV7	L	North central WUI I-19 corridor at Sahuarita	1,2,3,5,7,9	17,698	NA	3,370	14,328	NA
	GV8	M	North WUI immediately south of San Xavier District	1,2,3,5,7,9	3,835	NA	589	3,835	10
	GV9	L	Northwest WUI immediately south of San Xavier District east of ridge line of the Sierrita Mountains	1,2,3,5,7,9	38,295	2,498	4,115	31,619	64
	GV10	L	Southwest WUI east from ridge line of the Sierrita Mountains	1,2,3,5,7,9	22,237	122	14,112	8,003	NA
Kitt Peak	KT1	H	WUI surrounding Kitt Peak Observatory	1,2,3,4,5,7,	2,010	NA	NA	NA	2,010
Lukeville	LV1	M	WUI surrounding the community and Lukeville Port of Entry	1,2,3,9	1,742	1,389	NA	353	NA
Mescal-J6	M1	H	Isolated northern treatment management unit on Cochise County border, in Happy Valley south of Rincon Mountain Wilderness	1,2,3,4,5,7,9	3,017	2,395	NA	622	NA
	M2	M	Northeast WUI on Cochise County border north of I-10	1,2,3,4,5,7,9	5,512	1,324	1,748	2,439	NA
	M3	H	I-10 and Union Pacific Railroad corridor immediately east of Cochise County border	1,2,3,7,8,9	8,223	NA	6,258	1,965	NA
	M4	M	South of I-10 from Cochise County to Cienega Creek Natural Preserve	1,2,3,5,7,8,9	6,853	NA	6,258	1,965	NA
	M5	L	Southeast WUI west of Cochise County boundary north of Las Cienegas National Conservation Area	1,2,3,5,7,8,9	6,777	564	4,407	1,806	NA
Mount Lemmon	MT1	H	Community of Summerhaven and adjacent private and CNF lands	1,2,4,5,6,7	7,459	7,150	NA	309	NA
Northwest	NW1	H	Southeast WUI CNF buffer south of Golder Ranch WUI	1,2,3,4,7,8,9,10	5,524	3,797	1,727	NA	NA
	NW2	L	Central portion of WUI from southeastern fire department boundary including Casa Adobes, Canada del Oro, and portions of the city of Oro Valley	1,2,3,4,7,8,9,10	46,188	27	47	46,115	NA
	NW3	M	North-central WUI east of I-10 to northern fire department boundary	1,2,3,4,7,8,9,10	20,694	NA	3	14,586	NA

Continued

Table 3.2. Identified Treatment Management Units

Treatment Management Unit	Map ID	Risk Value	Location and Description	Recommended Treatment ^a	Total Acres	Federal Acres	State Trust Acres	Nonfederal Acres	Tribal Acres
	NW4	M	I-10 corridor from southern fire department boundary to immediately south of Avra Valley Road, including Santa Cruz River	1,2,3,7,8,10	5,133	NA	196	4,938	NA
	NW5	L	Immediately south of Santa Cruz River from southern fire department boundary to Avra Valley Road	1,2,3,7,9	14,608	19	3	14,586	NA
	NW6	H	Southern WUI boundary in Tucson Mountains at Starr Pass north to immediately north of Gates Pass	1,2,3,7,9	2,654	NA	NA	2,654	NA
	NW7	H	Southwest WUI boundary from Gates Pass to immediately north of Sweetwater Drive foothills of Tucson Mountains	1,2,3,7,9	5,380	240	158	4,981	NA
	NW8	H	Western WUI Tucson Mountains from Wasson Peak north to northern boundary of Saguaro National Park	1,2,3,5,7,9	8,412	4,985	948	2,479	NA
	NW9	M	Central WUI from northern boundary of Saguaro National Park north to immediately above Avra Valley Road	1,2,3,7,9	3,251	42	6	3,203	NA
	NW10	H	I-10 corridor north from Avra Valley Road east to foothills of the Tortolita Mountains	1,2,3,7,9	22,448	882	12,187	9,379	NA
	NW11	L	Northwest WUI Twin Peaks Road north to north of Marana Road, including Marana Regional Airport and portions of the Santa Cruz River corridor	1,2,3,7,8,9,10	16,918	743	8,870	7,304	NA
Pascua Yaqui	PY1	NA	Pascua Yaqui tribal land	See the Pascua Yaqui's <i>Fire Management Plan</i> and <i>Fuels Management Plan</i>					
Picture Rocks	PR1	L	Northwest WUI boundary south to Saguaro National Park northern boundary	1,2,3,5,7,8	17,427	3,032	4,691	9,704	NA
	PR2	H	Northeast WUI in northern Saguaro National Park	1,2,3,5,7,8	5,968	3,551	686	1,732	NA
	PR3	H	Southwest WUI west of Saguaro National Park, including portions of Brawley Wash	1,2,3,5,7,8,9,10	6,631	3,788	900	1,943	NA

Continued

Table 3.2. Identified Treatment Management Units

Treatment Management Unit	Map ID	Risk Value	Location and Description	Recommended Treatment ^a	Total Acres	Federal Acres	State Trust Acres	Nonfederal Acres	Tribal Acres
Rincon Valley	RV1	H	Northwest WUI immediately south of I-10 Davidson Canyon west to Wentworth Road	1,2,3,7,8,9	4,729	NA	3,282	1,447	NA
	RV2	L	South of RV1 east to Davidson Canyon	1,2,3,7,8,9	4,031	NA	3,716	316	NA
	RV3	M	Immediately south of I-10 at Davidson Canyon east to Las Cienegas Conservation Area	1,2,3,7,8,9	4,231	NA	4,209	22	NA
	RV4	H	North WUI I-10 Union Pacific corridor from fire department boundary east to east of Las Cienegas Conservation Area, including the community of Vail	1,2,3,7,8,9	14,007	NA	6,621	7,386	NA
	RV5	H	North of RV5 foothills of the Rincon Mountains	1,2,3,7,8,9	6,653	NA	3,737	2,916	NA
	RV6	M	East-central WUI foothills of Rincon Mountains portion of Agua Verde Creek	1,2,3,7,8,9	5,048	205	2,680	2,164	NA
	RV7	H	Northeast WUI, including southern portion of Rincon Mountain Wilderness	1,2,3,7,8,9	4,963	3,925	62	976	NA
	RV8	L	Central WUI south of Rincon Mountain Wilderness, including portions of Agua Verde Creek	1,2,3,7,8,9	5,465	14	3,403	2,049	NA
	RV9	H	North-central WUI west from city of Tucson boundary east to CNF boundary, including portions of Cienega Creek Natural Preserve	1,2,3,7,8,9	6,384	1,211	281	4,891	NA
	RV10	L	North-central WUI at city of Tucson boundary east along Old Spanish Trail to Colossal Cave Park	1,2,3,7,8,9,10	21,488	11	7,766	13,712	NA
	RV11	H	Northwest WUI at city of Tucson boundary east at south boundary of Saguaro National Park	1,2,3,7,8,9,10	19,072	8,975	1,392	8,705	NA
San Xavier	SX1	M	San Xavier District		69,971	See <i>Tohono O'odham Nation Fire Management Plan</i>			69,971
Sells	Sells1	H	Northwest of community		2,180	See <i>Tohono O'odham Nation Fire Management Plan</i>			2,180
	Sells2	M	Community center		1,152	See <i>Tohono O'odham Nation Fire Management Plan</i>			1,152
	Sells4	H	South and northeast of community		4,489	See <i>Tohono O'odham Nation Fire Management Plan</i>			4,489

Continued

Table 3.2. Identified Treatment Management Units

Treatment Management Unit	Map ID	Risk Value	Location and Description	Recommended Treatment ^a	Total Acres	Federal Acres	State Trust Acres	Nonfederal Acres	Tribal Acres
Sonoita-Elgin	See the <i>Sonoita-Elgin CWPP</i> for description and risk ratings of the 79 treatment management units								
Three Points	TP1	H	Northeast WUI, including Tucson Mountain Park	1,2,3,7,9	25,706	5,750	929	19,027	NA
	TP2	H	Northeast WUI Tucson Mountain Park along SR 86 south to San Xavier District on city of Tucson boundary	1,2,3,7,9	7,955	62	58	7,829	6
	TP3	L	Central WUI north of Pascua Yaqui tribal land north to Tucson Mountain Park	1,2,3,7,9	19,412	1,927	2,391	15,087	7
	TP4	M	Central WUI, including Ryan Airfield	1,2,3,7,9	17,632	931	4,027	12,657	17
	TP5	M	West-central WUI Avra Valley south of Tohono O'odham Nation, including portions of Brawley Wash	1,2,3,7,8,9,10	28,821	1,273	13,166	14,372	10
	TP6	M	West-central WUI east of Tohono O'odham Nation, including portions of Brawley Wash, Altar Valley, and the community of Three Points	1,2,3,7,8,9,10	49,690	1,248	28,994	17,522	1925
	TP7	M	East-central WUI south of community of Three Points east to Sierrita Mountains and south to McGees Settlement	1,2,3,7,8,9,10	39,625	2,424	23,757	13,411	33
	TP8	M	West central WUI including Brawley Wash, SR286, and Altar Wash	1,2,3,7,8,9,10	47,430	2,650	33,382	11,398	NA
	TP9	M	Southwest WUI south of TP8 on SR286 along Altar Wash to Buenos Aires National Wildlife Refuge	1,2,3,7,8,9,10	46,450	4,750	32,773	8,928	NA
Tohono O'odham	TO1	L	Tohono O'odham Nation in Avra Valley	See <i>Tohono O'odham Nation Fire Management Plan</i>	10,108	5	NA	14	10,089
Tucson and South Tucson	TUC1	L	Municipal boundaries of cities of Tucson and South Tucson	1,2,7,8,9,10	172,482	10,769	37,441	124,257	15
	TUC2	M	I-10 corridor from approximately Rita Road interchange to Vail interchange	1,2,3,7,9	6,525	NA	6,160	365	NA
	TUC3	H	Pima County Fairgrounds and Southeast Regional Park	1,2,3,7,9	3,034	NA	19	3,015	NA
Why	W	M	Community of Why	1,2,3,7	4,619	2,402	643	495	1,081

Note: L = low, M = moderate, H = high.

^aSee Table 3.1 for recommended treatments.




Figure 3.1a. Pima County CWPP Treatment Management Units, North




Figure 3.1b. Pima County CWPP Treatment Management Units, South




Figure 3.1c. Pima County CWPP Treatment Management Units, West

The Core Teams recommend that when available, wildland fuel modification projects be contracted to ASFD to ensure that treatments are conducted in a timely fashion and at a reasonable cost. The estimates of daily costs, which include a 20-person inmate labor crew and a chipper for a 100-mile roundtrip to the project site by an ASFD crew carrier, are as follows:

- 10-hour day—\$1,400.00
- 12-hour day—\$1,580.00

Cost estimates for treatments in the WUI are based on the estimates provided by the ASFD for the Fire and Fuels Crew costs for both federal and nonfederal land treatments (see Table 3.3). The ASFD Inmate Fire and Fuels Crews do not remove hazard trees or provide “climbers” for pruning or segmented tree removal that is sometimes required on private lands. The Core Teams do support and encourage local business development that will complement wildland fuel mitigation needs within federal and nonfederal lands of the WUI. Vegetative fuel mitigation costs for this CWPP are estimated to be \$350.00 per acre, which is comparable to the estimated cost of the ASFD Inmate Fire and Fuels Crews and to estimated fuel mitigation costs on adjacent federal lands. However, the availability of federal, state, and local funding for mitigation of wildland fire risk, enhanced response, and public education will drive the ability of the Core Teams to meet the goals of the Pima County CWPP.

Table 3.3. Acres of Wildland Fuels Mitigation Treatment Conducted by ASFD Fire and Fuels Crew during a 10-Hour On-Site Workday

Vegetation Association	Average Acres per Day Treated
Ponderosa pine/mixed conifer	0.5 to 1 acre per day
Pinyon/juniper	1 to 2 acres per day
Mesquite woodland	3 to 4 acres per day
Oak woodland	3 to 4 acres per day
Riparian	1 to 2 acres per day (depending on fuel loading)
Grassland	2 to 4 acres per day (depending on grass type and fuel loading)

The Core Teams recommend that private landowners who wish to adopt fuel modification plans other than those described in Table 3.1 have the plan prepared or certified by a professional forester, by a certified arborist, by other qualified individuals, or in conjunction with local fire department or fire districts recommendations that reference Firewise or fire safe guidelines. Fuel modification plans for federal and state lands within 0.5 mile of private land may be prepared for wildlife and watershed benefits—including the retention of large snags or vegetative patches of high wildlife value in areas more than 600 feet from private lands in which desired vegetative objectives are not impaired and will not compromise public or firefighter safety from unwanted wildland fire. A fuel modification plan should identify the actions necessary to promote rangeland, wildlife, or watershed health and to help prevent the spread of fire to adjacent properties by establishing and maintaining survivable space. The action identified by the fuel modification plan should be completed before development of the property or identified during project initiation on federal and state lands.

Alternate Federal, State, or Private Land Wildland Fuel Modification Plan

A fuel modification plan for federal and state lands will follow agency procedures, standards, and guidelines. Fuel modification treatment plans for private land parcels should at least include the following information:

- A copy of the site plan
- Methods and timetables for controlling, changing, or modifying fuels on the properties in a timely and effective manner
- Elements for removal of slash, snags, and vegetation that may grow into overhead electrical lines; removal of other ground fuels, ladder fuels, and diseased, dying, and dead trees; and thinning of live trees
- Methods and timetables for controlling and eliminating diseased or insect-infested vegetation
- A plan for the ongoing maintenance of the proposed fuel reduction and control measures for disease and insect infestations
- A proposed vegetation management plan for groupings of parcels under multiple ownership that has been accepted by all individual owners (subject to compliance with this section)

The recommended treatments within the Pima County CWPP have been developed to be consistent with federal land-management action alternatives and are intended to be compliant with and facilitate efficient planning and decision making concerning fuels mitigation treatments or habitat rehabilitation of areas so as to reduce risks to communities caused by severe fires and to restore fire-adapted ecosystems (USDA FS 2000).

B. Prevention and Loss Mitigation

The Pima County CWPP will be used as a resource to help coordinate long-term interagency mitigation of catastrophic wildfire events in at-risk communities within Pima County. The Pima County CWPP Core Teams established specific goals for wildland fire prevention and loss mitigation as follows:

- Improve fire prevention and suppression for firefighter and public safety and to protect private property
- Promote community collaboration, involvement, and education
- Work with organizations such as SABCC who promote public awareness and activism for management of high-risk vegetation such as buffelgrass
- Recommend measures to reduce structural ignitability in the Pima County CWPP WUI
- Preserve the aesthetics and wildlife values within native habitats
- Identify funding needs and opportunities
- Expedite project planning through partnerships with ASFD, BLM, CNF, NPS, and private and public entities in managing wildland fire risk within the WUI

The Pima County CWPP will be reviewed and updated as needed. Successful implementation of this plan will require a collaborative process among multiple layers of government entities and a broad range of community interests. The PCOEM and Core Teams have also discussed the advantage of working cooperatively with Tucson Electric Power (TEP), and Salt River Project (SRP) utility companies to maintain acceptable wildland fuel conditions within TEP and SRP existing utility corridors, rights-of-way, easements and other utility-owned lands within high-risk areas of the WUI. The Core Teams, TEP, and SRP also recognize the benefits of working cooperatively to achieve acceptable wildland fuel conditions adjacent to the utility companies' easements, rights-of-way, and other utility-owned lands. The Core Teams recognize existing agreements between TEP, SRP, land-management agencies, and private landowners for vegetative treatments within rights-of-way and easements, and agree that the Pima County CWPP does not bind or obligate TEP or SRP in the maintenance of vegetative fuels outside their rights-of-way or easements. The Core Teams believe that these agreements and resultant vegetative treatments are complementary to the objectives of the Pima County CWPP.

The Core Teams and collaborators have made the following action recommendations to meet the goals of the Pima County CWPP.

1. Establish Pima County CWPP Administration and Implementation

- Establish a countywide community CWPP Working Group—composed of Pima County fire chiefs, PCOEM, ASFD, BLM, CNF, NPS, USFWS, SABCC, TEP, and SRP concurring agencies, and members of the Core Teams—to coordinate individual agency implementation of the recommendations for fuel modification, public outreach, protection capability, and structural ignitability within the Pima County CWPP WUI, including fuel hazards removal on private lands within the WUI.

2. Improve Protection Capability and Reduce Structural Ignitability

The Pima County CWPP considers the risks of wildland fire igniting and spreading throughout the WUI a serious threat. The Core Teams and collaborators believe that actions to reduce fire risks and promote effective responses to wildland fires must be undertaken. The following are recommendations to enhance protection capabilities for at-risk communities within Pima County:

- Obtain fully functional Type 6 engines and fully functional Type 3 engines for wildland fire response by local fire departments and districts.
- Obtain a medium-size water tender for local use by fire departments and districts.
- Strategically locate additional water-storage tanks, wells, or other water sources for tender filling throughout the fire departments and districts.
- Maintain helicopter landing sites.
- Update mapping capabilities of local fire departments and districts.

- Encourage fire departments and districts to participate in annual multi-agency wildland fire safety training conducted prior to the fire season.
- Encourage fire departments and districts to report responses to brushfires and fuel type to SABCC for incorporation into the SABCC database.
- Obtain a chipper/shredder, tub grinder, air curtain destructor, and other equipment necessary for treatment and processing of vegetative slash for use by local fire departments and districts for wildland fuel mitigation projects.
- Obtain multi-purpose utility vehicle with attachments for chipping, brush cutting, and mini water tending, such as the Bobcat Toolcat.
- Implement GIS and GPS (Global Positioning System) software and laptops to update mapping capabilities of local fire departments and districts.
- Arrange for the acquisition, operation, and maintenance of a green-waste disposal site within reasonable proximity to the citizens and encourage the use of the disposal site for all vegetative material removed during wildland fuel treatments on private lands within the WUI.
- Provide enhanced and coordinated firefighting training and equipment, such as personal protective equipment and second-generation fire shelters, for newly certified wildland firefighters and volunteer firefighters.
- Develop and maintain mutual-aid agreements with neighboring fire departments or districts for wildland and structural fire response support and other emergency response.
- Meet annually with representatives from SRP and TEP to mutually identify locations of needed vegetative treatments within rights-of-way in high-risk areas of the WUI, and support the Core Team in obtaining grants and agreements necessary to implement vegetative fuel reduction projects adjacent to rights-of-way.
- Develop a pre-suppression plan with BLM, NPS, ASFD, CNF, USFWS, PCOEM, and local fire departments along the boundary of the WUI.
- Develop additional wildland fire preplans for all high-hazard locations across Pima County where they have not been adopted.
- Develop IGAs with Pima County on nuisance-abatement projects located in high-hazard communities.
- Meet annually before the fire season to coordinate early suppression deployment and to determine training and equipment needs.

3. Promote Community Involvement and Improve Public Education, Information, and Outreach

Pima County, BLM, CNF, NPS, USFWS, ASFD, SABCC, local fire departments and districts, and the Core Teams will continue developing and implementing public outreach programs to help create an informed citizenry. The Core Team recognizes the significance of partnering with organizations such as SABCC in public involvement, volunteer management, and wildland fuel treatment data keeping. The goal is to have residents support concepts of Firewise and fire-safe landscaping and naturally functioning wildland systems through restoration management, invasive species management, and rapid response to wildland

fire. There are groups, such as SABCC, who are currently promoting wildfire and vegetation management awareness through their programs. Developing working relationships and sharing information would strengthen the message and benefit all parties involved. The Pima County CWPP is intended to be a long-term strategic plan containing prescriptive recommendations to address hazardous fuels. A grassroots collaborative structure of individual citizens, supported by local governments as full partners, will provide the most effective long-term means to achieve these goals and to maintain community momentum. The components of such a structure include the following recommendations:

- Assist in implementing a Firewise Communities/USA Recognition program in communities where the program is supported by the local fire departments and districts. The Firewise Communities approach emphasizes community and individual responsibility for safer home construction and design, landscaping, and maintenance. The Core Teams will also help identify high-priority communities that would most benefit from a Firewise Communities program.
- Expand the use of current public information tools for fire-safe residential treatments as an immediate action step. This will be accomplished through information mailers to homeowners, presentations by local fire departments and districts, and the development of specific promotional materials by Pima County.
- Coordinate with SABCC in encouraging public reporting of buffelgrass distribution, abundance, and fire response information.
- Collaborate with SABCC to develop dual use outreach/education materials which promote wildfire awareness and the benefits of vegetation management, specifically for high-fire-risk buffelgrass.
- Assist with SABCC in developing the Integrated Brushfire Database that will be used to map current and historical brushfires within the WUI to promote awareness of the dangers of brushfires and buffelgrass and for identifying high-risk areas.
- Place fire-danger information signs on major access roads throughout the WUI. Community bulletins and other public service announcements concerning wildfire threat and preparedness should be developed with assistance from ASFD, BLM, NPS, CNF, USFWS, and Pima County.
- Place and maintain bilingual wildfire caution signs within camping areas and access routes in some areas of the WUI.
- Complete wildfire home assessments through the use of Redzone software, or an equivalent software system, and submit wildfire hazard mitigation strategies to landowners for each private property assessed within highest risk communities.
- Replace and maintain fencing adjacent to high-use and illegal off-road-vehicle use areas within or adjacent to the WUI.

4. Encourage Use of Woody Material from WUI Fuel Mitigation Programs

The Core Teams and their collaborators will continue to support and promote private contractors who perform Firewise mitigation work. The County will continue to support and promote new businesses involved in the wildland fuel reduction market. Pima County, CNF, NPS, BLM, USFWS, and local fire departments and districts are committed to encouraging, as appropriate, the use of vegetative by-products from the WUI fuel management program for commercial or community-service organization use. Possible by-product uses encouraged by the Core Teams include the following:

- Bagged mesquite wood for sale to visitors and larger-community markets as “campfire cooking” for commercial or personal culinary uses
- Firewood marketed to local residents, visitors, and adjacent communities
- Mesquite, pinyon pine, and juniper wood marketed for artwork, furniture, and other specialty wood products

This Page Intentionally Left Blank

IV. PIMA COUNTY CWPP PRIORITIES: ACTION RECOMMENDATIONS AND IMPLEMENTATION

The Core Teams have developed action recommendations (see Section III of this CWPP) necessary to meet the plan's objectives. A series of recommendations for reducing wildland fuels and structural ignitability, improving fire prevention and suppression, and enhancing public outreach have been developed by the Core Teams. A unified effort to implement this collaborative plan requires timely decision making at all levels of government. However, the Core Teams recognize that countywide recommendations do not impinge on or interfere with the fire departments' and districts' rights to independently seek funding for projects within their jurisdictions without CWPP Working Group support.

To meet Pima County CWPP objectives, the Core Teams have developed the following action recommendations. At the end of each year, projects implemented from these action recommendations will be monitored for effectiveness in meeting Pima County CWPP objectives. For the life of the Pima County CWPP, recommendations for additional projects will be made for each future year on the basis of project performance from the previous implemented projects.

A. Administrative Oversight

Generally, the most efficient way to manage the mitigation of wildland fire threat in the WUI is through identifying, delegating, implementing, and monitoring the action recommendations of the Pima County CWPP. Establishing a unified effort to collaboratively implement the Pima County CWPP embraces adaptive management principles that enhance decision making and reduce inconsistency at all levels of government.

The Core Teams recommend the establishment of a countywide community CWPP Working Group (CWPP Working Group)—composed of the fire chiefs from Pima County or their representatives, PCOEM, SABCC, ASFD, CNF, NPS, Pascua Yaqui Tribe, and BLM—to work with the Core Teams and concurring agencies to accomplish the recommendations for outreach and structural ignitability within the Pima County CWPP WUI area, which include fuel hazards removal on private lands within the WUI. The CWPP Working Group should consist of interested community members; local fire departments and districts; and, as needed, additional representatives from the PCOEM, SABCC, ASFD, ASLD, CNF, NPS, BLM, and other concurring agencies. PCOEM will be the lead agency responsible for coordinating the CWPP Working Group and producing the monitoring reports and future updating of the CWPP.

The CWPP Working Group will prioritize wildland fuel modification, structural ignitability, protection capability, and public outreach projects listed in the approved Pima County CWPP on a countywide basis, and will review these priority recommendations for possible reprioritization subsequent to approval of the Pima County CWPP by ASFD. Fuel modification and community planning, outreach, and wildfire threat warning programs will be prioritized by the CWPP Working Group as a whole; other projects involving firefighter training, equipment, communications, facilities, and apparatus will be recommended by the fire chiefs from Pima County or their representatives in the CWPP Working Group.

The CWPP Working Group is expected to be an advocate for and provide support to fire departments and districts or other agencies in the submittal of grant applications and the solicitation of other funding

opportunities to implement wildland fuel modification, structural ignitability, protection capability, and public outreach projects established as priorities by the CWPP Working Group. Additionally, individual agencies will be able to seek letters of support from the CWPP Working Group or partner agencies in applying for funding for projects identified as priorities by the Working Group.

The CWPP Working Group will also compile monitoring and report data from cooperating agencies to provide information on additional measures necessary to meet Pima County CWPP goals, including additional future recommendations from fire departments and districts and other agencies for inclusion in the priority recommendations. The CWPP Working Group may also act as an advisory group to Pima County Planning and Zoning and to developers in outlying areas to ensure adequate fire response access and to provide vegetation mitigation and landscaping recommendations, water supplies for emergency services, and recommendations for establishing and funding fire services and equipment in residential and commercial developments.

The following general criteria will be used for prioritizing proposed projects and action items:

1. Geographic/fuel-load/residential density:

- a. The Mt. Lemmon Community WUI will remain a high priority for wildland fuel modifications, public education and outreach, and enhanced wildland fire response due to heavy fuel type such as ponderosa pine, mixed conifer, and Madrean pine-oak forest vegetation associations—which, as evidenced by previous wildfires, can support extreme fire behavior. Wildfire ignitions within the Mt. Lemmon Community WUI and public use within the WUI are considered high risk.
- b. The Catalina Foothill Community WUI will remain a high-priority area for wildland fuel modifications, public education and outreach, and enhanced wildland fire response. Specific high-risk areas include desert washes originating from the foothills of the Santa Catalina and terminating at Tanque Verde and Rillito Creeks and heavy fuel loads associated with the foothills of the Santa Catalina Mountains. Public use within the WUI in Sabino Canyon and other community and CNF trails in the WUI is also considered high risk. The WUI is mostly composed of large developed private land parcels of high assessed value and some areas with a high ISO rating.
- c. The San Pedro, Santa Cruz River, and urban riparian corridor—including Canada del Oro, Rillito, and Pantano—will receive long-term priority due to high vegetative fuel risk, infestations of saltcedar, high ignition history, and threatened structures and infrastructures.
- d. Areas with high infestation of invasive species, especially buffelgrass in proximity to high community values, are considered high risk.
- e. Fuel breaks to be established and maintained in the front range of the Catalina and Rincon Mountains bordering the CNF and Saguaro National Park East will receive long-term priority due to high wildland fire threat potential, invasive species, and high community values at risk.
- f. In any given year, the CWPP Working Group will evaluate countywide weather, vegetation, and fuel-load conditions and projections, as well as current residential and commercial densities, to determine short-term priority adjustments for projects in all WUI areas of the county for that year.
- g. In any given year, the CWPP Working Group will evaluate the progress of new developments and increasing residential and commercial densities to determine potential needs and priorities within the WUI for 3 years following that given year.

2. Categorical/functional criteria—priorities will generally be established in the order listed below; these priorities are subject to review and change by the CWPP Working Group on an ongoing basis:
 - a. Prioritize fuel modification projects that are within fire-department and fire-district, CNF, NPS, BLM, or ASFD jurisdictions within the Avra Valley and Rincon Valley sub-WUIs
 - b. Enhance wildland firefighter training and acquire personal protection equipment
 - c. Acquire wildland-fire suppression equipment and tools, including brush engines and water tenders
 - d. Develop water-storage sites and supply facilities
 - e. Develop community planning and outreach activities, including warning signs/systems and identification and improvement of evacuation routes
 - f. Designate and develop helicopter pads for firefighter deployment or evacuation
 - g. Construct fire stations in areas with sufficiently high threat and population densities as determined annually by the CWPP Working Group

The agencies involved in the formation of this plan support local community efforts and will work with the communities as needed to accomplish action items. BLM, CNF, NPS, ASFD, Pascua Yaqui Tribe, PCOEM, and fire departments and districts will coordinate fuel mitigation projects on state, public, and National Park and Forest Systems lands—and also within TEP and SRP utility corridors—within the WUI in coordination with the CWPP Working Group when established. The Core Teams and the proposed CWPP Working Group will be responsible for submitting grants and soliciting other opportunities to implement wildland fuel mitigation projects on private lands and to support public information, education, and outreach within the WUI. Successful award of grant funds will be used to implement the action recommendations for private land treatments, mitigation features for reduced structural ignitability, firefighting response, and public outreach. BLM, CNF, NPS, Pascua Yaqui Tribe, ASFD, PCOEM, fire departments and districts, and the Core Teams will pursue funding to construct and maintain firebreaks as well as broader applications of wildland fuel mitigation projects within the WUI. Monitoring and reporting compiled by the CWPP Working Group will provide information on additional measures necessary to meet Pima County CWPP goals. Some projects may require Endangered Species Act or State Historic Preservation Officer consultations.

B. Priorities for Mitigation of Hazardous Wildland Fuels

Table 4.1 displays the priority for constructing firebreaks and landscape wildland fuel treatments within the WUI as recommended by the Core Teams. These action recommendations will reduce wildfire potential to the community and have high valuations for reducing wildland fire risk. The Core Teams recognize that not all acres within a high-risk landscape can be treated. Site-specific analysis will determine treatment acres and methods that produce a fire-resilient vegetative stand appropriate for the habitat.

Table 4.1. Action Recommendations for Wildland Fuel Modification

Management Area^a	Location and Description	Project Partner^b	Estimated Treatment Cost^c
NW1	Southeast WUI CNF buffer south of Golder Ranch WUI	PCOEM, ASFD, and Northwest Fire Department	5,524 high-risk acres, 30% of lands to be treated over 3 years estimated to be 550 acres/year in FY 2014–16 = \$221,000.00/year; cost estimated to average \$400.00/acre on federal, ASLD, and private lands
G33	Southeast WUI in the CNF buffer	PCOEM, CNF, ASFD, and Golder Ranch Fire Department	2,993 high-risk acres, 30% of lands to be treated over 3 years estimated to be 300 acres/year in FY 2014–16 = \$120,000.00/year; cost estimated to average \$400.00/acre on federal, ASLD, and private lands
CF2	North-central WUI in CNF buffer east of Sabino Canyon	PCOEM, CNF, Rural Metro Fire Department, Hidden Valley, and Tanque Verde Fire Department	5,400 high-risk acres, 30% of lands to be treated over 3 years estimated to be 540 acres/year in FY 2014–16 = \$216,000.00/year; cost estimated to average \$400.00/acre on federal, ASLD, and private lands
RV11	Northwest area of the WUI adjacent to the city of Tucson boundary along the western and southern boundary of Saguaro National Park	PCOEM, ASFD, CNF, NPS, BLM, and Rincon Valley	19,072 high-risk acres, 30% of lands to be treated over 5 years estimated to be 1,150 acres/year in FY 2013–16 = \$458,000.00/year; cost estimated to average \$400.00/acre on federal, ASLD, and private lands
TP1	Northeast WUI including Tucson Mountain Park	PCOEM, NPS, BLM, ASFD, and Three Points Fire Department	25,706 high-risk acres, 30% of lands to be treated over 10 years estimated to be 775 acres/year in FY 2013–16 = \$310,000.00/year; cost estimated to average \$400.00/acre on federal, ASLD, and private lands
M3	I-10 and Union Pacific Railroad corridor immediately east of Cochise County border	PCOEM, BLM, ASFD, and Mescal-J6 Fire Department	8,223 high-risk acres, 30% of lands to be treated over 5 years estimated to be 595 acres/year in FY 2013–16 = \$198,000.00/year; cost estimated to average \$400.00/acre on federal, ASLD, and private lands
GV1	South central WUI on I-19 corridor north of Santa Cruz County south of Green Valley	PCOEM, ASFD, and Green Valley Fire Department	11,167 high-risk acres, 30% of lands to be treated over 5 years estimated to be 670 acres/year in FY 2014–16 = \$268,000.00/year; cost estimated to average \$400.00/acre on federal, ASLD, and private lands
MT1	Mt. Lemmon WUI—Areas within and surrounding the Mt. Lemmon WUI boundary which includes the community of Summerhaven, focusing southwest of and downhill from development to include the following:	CNF, MLFD, ASFD, MLWD, UA, organization camps, communications site permit holders, privates landowners, recreational residence permit holders	7,459 high-risk acres, 30% of lands to be treated over 5 years estimated to be 445 acres/year in FY 2014–16 = \$178,000.00/year; cost estimated to average \$400.00/acre on federal, and private lands

Continued

Table 4.1. Action Recommendations for Wildland Fuel Modification

Management Area^a	Location and Description	Project Partner^b	Estimated Treatment Cost^c
	1. Spencer Bigelow Project—Mt. Bigelow to Spencer Peak including Palisades, Lower Soldier's Camp	1. CNF, ASFD, RRM, communications site permit holders, UA, recreational residence permit holders	843 acres
	2. Loma II—USFS land south of Summerhaven and adjacent private land	2. CNF, MLFD, ASFD, private landowners, recreational residence permit holders	135 acres
	3. Firebreak—Southwest of Summerhaven	3. CNF, MLFD, ASFD, UA, private landowners, recreational residence permit holders	1 chain fuelbreak
	4. Organization Ridge—Permitted areas for organizations along Organization Ridge Road	4. CNF, MLFD, ASFD, Camp Lawton (BSA), Whispering Pines (GSA), First Southern Baptist Church, Sycamore Canyon Academy-Rite of Passage, Camp Zion, Amphi Camp, St. Marks Presbyterian Church, Pima County Sheriff's Department, RRM	Area has been identified as a priority using fire modeling and local knowledge. Acreage is unknown at this time.
	5. Bear Wallow and Hunter's Ridge—Area along Bear Wallow Road generally west of Mt. Bigelow (Rd 2 and Rd 34) including Upper Soldier's Camp	5. CNF, MLFD, ASFD, UA, recreational residence permit holders	Area has been identified as a priority using fire modeling and local knowledge. Acreage is unknown at this time.
	6. Firewise Treatments—Areas to be treated or maintained include but are not limited to Summerhaven, Greater Soldier's Camp, Organization Ridge, Willow Canyon, communication sites, and research sites	6. CNF, MLFD, ASFD, UA, private landowners, recreational residence permit holders, communication site permit holders	Area has been identified as a priority using fire modeling and local knowledge. Acreage is unknown at this time.
Firebreak maintenance	1- to 3-year rotating maintenance of fine and light fuels in firebreaks	ASLD, ASFD, NPS, CNF, PCOEM, and participating fire departments and districts	1,200 acres/year of light understory fuel treatments in excess of 4 acres treated/10-hour day at \$1,400.00/day costs = \$420,000.00/year

^a NW = Northwest, MT = Mount Lemmon, GV = Green Valley, RV = Rincon Valley, M = Mescal-J6, TP = Three Points, CF = Catalina Foothills, G = Golder Ranch.

^b MLFD = Mount Lemmon Fire District, MLWD = Mount Lemmon Water District, UA = University of Arizona, RRM = Recreation Resource Management, BSA = Boy Scouts of America, GSA = Girl Scouts of America.

^c Total acres to be treated during the life of the plan; one-third of acres estimated to be treated based on site-specific analysis, which will determine actual acres available for treatment in each area.

C. Identified Action Items for Protection Capability and Reduced Structural Ignitability

The Core Teams and collaborators will evaluate; maintain; and, where necessary, upgrade community wildfire preparation and response facilities, capabilities, and equipment. Table 4.2 lists the identified action items proposed by the Core Teams for consideration by individual fire departments and districts for structural ignitability and public outreach within their respective jurisdictions.

The CWPP Working Group will meet subsequent to the ASFD's final approval of the Pima County CWPP to prioritize projects on a countywide basis for the upcoming year and, thereafter, at least annually to reevaluate projects and reallocate priorities as needed. Such countywide prioritization will not impinge on or interfere with the fire departments' and districts' rights to independently seek funding for projects within their jurisdictions without CWPP Working Group support.

Table 4.2. Action Recommendations for Structural Ignitability and Public Outreach

Project Partner	Project	Specific Recommendation	Estimated Cost	Timeline
PCOEM and Northwest Fire Department	E1 —Wildland Fire Protection and Reduced Ignitability	Purchase one Type 3 fire engine for use by Northwest Fire Department	New acquisition with standard equipment \$320,000.00	Begin grant applications in 2014; purchase in 2015
PCOEM and Green Valley Fire District	E1 —Wildland Fire Protection and Reduced Ignitability	Purchase one Type 6 fire engine for use by Green Valley Fire District	New acquisition with standard equipment \$131,000.00	Begin grant applications in 2013/2014; purchase in 2014/2015
PCOEM, CNF, NPS, ASFD, ASLD, and associated fire departments and districts	A1 —Wildland Fire Protection and Reduced Ignitability	Construct a series of 5,000-gallon water-storage facilities located strategically throughout residential areas	Install water-storage facilities/year: \$5,000.00/facility	Locate and install one water-storage facility in 2013
PCOEM and Corona de Tucson Fire Department	A2 —Enhanced Public Education, Information, and Outreach	Develop wildfire public education brochures	Produce and publish community-specific wildfire informational brochures	Begin grant applications in 2013; continue on an ongoing basis in 2014
PCOEM and Rural/Metro and Tucson Fire Departments	E2 —Wildland Fire Protection and Reduced Ignitability	Obtain one Type 6 brush truck for wildland fire response within the Catalina Foothills community WUI	New acquisition with standard equipment \$131,000.00	Begin grant applications in 2014; purchase in 2015
PCOEM, CNF, NPS, ASFD, ASLD, and associated fire departments and districts	A2 —Enhanced Public Education, Information, and Outreach	Work with land agencies for the acquisition, operation, and maintenance of a green-waste disposal site within reasonable proximity to community	Locate and coordinate with land management agency; excavate pit and fence: \$20,000.00	Begin planning with agencies in FY 2013/14; implement in FY 2014/15

Continued

Table 4.2. Action Recommendations for Structural Ignitability and Public Outreach

Project Partner	Project	Specific Recommendation	Estimated Cost	Timeline
PCOEM, CNF, NPS, ASFD, ASLD, and associated fire departments and districts	A3 —Enhanced Public Education, Information, and Outreach	Develop a fire-safety awareness program for community groups	Promote and conduct a community fire-awareness day at local fire departments and districts: \$2,000.00	Solicit funds for promotion, brochures, and event materials in 2013; conduct in 2013
PCOEM, CNF, NPS, ASFD, ASLD, and associated fire departments and districts	A4 —Enhanced Public Education, Information, and Outreach	Create fire-safety and fire-awareness posters for public places	Development, printing, and distribution costs: \$5,000.00	Solicit funds for production and printing in 2013; publish and post in 2013
PCOEM and Rincon Valley Fire District	E4 —Wildland Fire Protection and Reduced Ignitability	Obtain one Type 3 interface engine and a tactical water tender for wildland fire response within the Rincon Valley Community WUI	New acquisition with standard equipment \$350,000.00; 1,500-gallon tactical water tender, 4-wheel drive: \$186,000	Begin grant applications in 2013; purchase in 2014

^a Projects are designated by project type (E = equipment, A = administrative) but not ranked in order of importance.

D. Priorities for Promoting Community Involvement through Education, Information, and Outreach

The PCOEM and the Core Teams will implement public outreach and education programs for residents to heighten awareness and understanding of the threat that wildland fire poses to the communities.

Table 4.3 displays the Pima County CWPP priority recommendations to promote community involvement. Additional programs that could be used or developed to enhance community outreach and education may be proposed and implemented in the future. The Core Teams will use the resources of the local fire departments, SABCC, ASFD, NPS, CNF, and BLM for additional public education programs and community outreach. Community bulletins and other public service announcements concerning wildfire threat and preparedness should be developed with assistance from local fire departments, SABCC, ASFD, NPS, CNF, and BLM.

Table 4.3. Action Recommendations for Enhanced Public Education, and Information

Project Partner	Project^a	Equipment/Expense	Timeline
PCOEM, CNF, NPS, BLM, ASFD, SABCC, and associated fire departments and districts	A7 —Establish and maintain roadside fire-danger warning signs and other informational and directional road signs along major roads as determined by the Pima County Fire Chiefs Association	Construction and placement: \$5,000.00	Construct and implement in FY 2013/14
	A8 —Create and distribute community bulletins on annual fire season preparedness	Development, printing, and distribution costs: \$5,000.00	Develop in FY 2013; distribute continually

Continued

Table 4.3. Action Recommendations for Enhanced Public Education, and Information

Project Partner	Project^a	Equipment/Expense	Timeline
	A9 —Collaborate in developing public education and outreach materials by providing data, graphics or text that will help promote coinciding goals	Development of data reporting process by SABCC for Integrated Bushfire Database and public information material	Develop in FY 2013
	I2 —Acquire Redzone, or equivalent software, and field data recorders or PDAs (personal digital assistants) to complete home fire assessments and implement fire-safe recommendations	Software and data recorder: \$1,300.00 Assessment completion: \$2,000.00	Acquire software and complete assessments in FY 2013/14; implement recommendations in FY 2015
	I3 —Encourage private businesses to perform Firewise land treatments; encourage market development of WUI by-products from vegetative fuel mitigation programs	Marketing plan to be developed	Initiate community marketing planning meetings in FY 2014
	I4 —Replace and maintain fencing adjacent to high OHV (off-highway vehicle) use areas	Assess in 2013, initial plan for 1 mile of new or repaired fencing	Estimate \$6,000.00m per mile of standard 4-wire fencing

^a Projects are designated by project type (A = administrative, I = infrastructure) but not ranked in order of importance.

V. MONITORING PLAN

Monitoring is essential to ensure that Pima County CWPP goals are met. The Pima County CWPP administrators, the local fire departments and districts, PCOEM, ASFD, CNF, NPS, BANWR, Pascua Yaqui Tribe, and BLM will actively monitor the progress of the Pima County CWPP action recommendations to determine the effectiveness of ongoing and completed projects in meeting Pima County CWPP objectives, as well as to recommend future projects necessary to meet Pima County CWPP goals.

In accordance with Section 102.g.5 of HFRA, Pima County CWPP communities will participate in any multiparty monitoring program established by state and federal agencies, or other interested parties, to assess progress toward meeting Pima County CWPP objectives. This authority to participate in multiparty monitoring will be vested in the CWPP Working Group. The Core Teams believe that participation in multiparty monitoring will provide effective and meaningful ecological and socioeconomic feedback on landscape and site-specific fuel reduction projects and watershed enhancements and will also help BLM, NPS, BANWR, CNF, Pascua Yaqui Tribe, ASFD, ASLD, PCOEM, local municipalities, and fire departments and districts with land-management planning.

The CWPP Working Group will request participation in any post-wildfire analysis and burned area emergency response (BAER) planning with lead state or federal agencies. Immediate post-wildfire analysis and planning is essential to Pima County to enhance public safety from possible flood and debris flows, municipal watershed pollution, and other post-wildfire habitat and community impacts.

This section details the performance measures that will be used to assess the effectiveness of implementing the Pima County CWPP action recommendations. Monitoring will include assessing and evaluating the success of individual Pima County CWPP project implementation and a given project's effectiveness in furthering Pima County CWPP objectives.

A. Administrative Oversight, Monitoring, and Pima County CWPP Reporting

The CWPP Working Group, composed of Pima County fire chiefs, PCOEM, SABCC, NPS, CNF, BANWR, Pascua Yaqui Tribe, ASFD, and BLM, will be mutually responsible for implementing and monitoring Pima County CWPP action recommendations in coordination with a future established CWPP Working Group. The CWPP Working Group should identify appropriate grant and other funding mechanisms necessary to implement the action recommendations of the Pima County CWPP. Grant information should be routinely searched to identify updated grant application cycles. Potential grant and funding resources are listed in Appendix C of this CWPP.

As needed, the PCOEM, in coordination with the future-established countywide community CWPP Working Group, will produce a report detailing the success of Pima County CWPP project implementation and overall progress toward meeting Pima County CWPP goals. The CWPP Working Group should report successful grant awards received for implementing the Pima County CWPP action recommendations to the Pima County CWPP signatories. The CWPP Working Group's report will also include recommendations to the signatories for updating the Community Mitigation Plan and the Prevention and Loss Mitigation Plan portions of the Pima County CWPP, through the use of the principles of adaptive management. This information will ensure timely decision making for all levels of government and will provide input necessary

for developing future work plans and for prioritizing project recommendations over the life of the Pima County CWPP. Appendix D provides information on the data used in the analysis of the Pima County CWPP and the appropriate contacts for updating the Pima County CWPP. Once the Pima County CWPP is updated, it will be submitted to the PCOEM, the Arizona State Forester, all cooperating fire departments and districts, municipal governments, NPS, CNF, BANWR, and BLM for their concurrence. Once concurrence is achieved, the action recommendations of the updated Pima County CWPP are to be forwarded for funding through HFRA and other appropriate funding sources.

B. Effectiveness Monitoring

Table 5.1 outlines the performance measures that the CWPP Working Group will use to assess status in meeting Pima County CWPP performance goals. In addition to monitoring the listed performance measures, Pima County CWPP administrators should assess the current status of wildland fuel hazards and look for any new or developing issues not covered by the Pima County CWPP. As new issues arise, such as new invasive species infestations, further risks and recommendations for treatment should be identified, and the Pima County CWPP should be updated or amended as necessary to meet the Pima County CWPP goals. To help track fuel treatments being planned and completed through local, state, and federal programs, the Pima County CWPP administrators will cooperate by providing requested detailed mapping information to the Arizona State Forester's office.

Table 5.1. Performance Measures to Assess Pima County CWPP Progress

Goal	Performance Measure
Improve fire prevention and suppression	<p>Reduction of wildland fire occurrence and acres burned (unplanned) in the WUI:</p> <ul style="list-style-type: none"> • Green-waste disposal sites available in high-risk communities. • Type 3 fire engine acquired by Northwest Fire Department. • Type 6 brush truck acquired for use in Green Valley community WUI. • Type 6 brush truck acquired for use in Catalina Foothills community WUI. • Effectiveness monitoring of fire prevention and suppression will include the following: <ul style="list-style-type: none"> —Acres burned and degree of severity of wildland fire —Percentage of wildland fire controlled on initial attack —Number of homes and structures lost to wildland fire • Integrated Brushfire Database implemented and managed by SABCC • New water sources developed in key areas. • Consistent fire training in use. • Wildland firefighter personal protection equipment acquired as needed.
Reduce hazardous vegetative fuels	<p>Effective treatment of high-risk areas by acre:</p> <ul style="list-style-type: none"> • Number of treated acres of nonfederal WUI lands that are in Condition Class 2 or 3 are identified as high priorities by the Pima County CWPP and should be moved to Condition Class 1 or another acceptable level of wildland fuel loading and continuity. • Acres treated to acceptable fuel levels within priority treatment management areas. • Total acres treated through any fuel-reduction measures, including prescribed fire, that are conducted in, or adjacent to, the WUI. The change of condition class should be determined for small projects or treatment areas through the use of the LANDFIRE database. • Acres of buffelgrass invaded areas treated by agencies and volunteers.
Restore watershed health	<p>Acres of fuel reduction or watershed enhancement treatments that meet restoration treatment guidelines for riparian habitats:</p> <ul style="list-style-type: none"> • Coordination with and support of PCOEM, ASFD, ASLD, NPS, CNF, and BLM in implementing and determining social, economic, and environmental effects of riparian restoration treatments (Treatments 7 and 9; see Table 3.1 in mitigation plan). • Acres of saltcedar-invaded riparian areas identified and undergoing restoration treatments.
Promote community involvement and fire prevention	<p>Initiation of public outreach programs:</p> <ul style="list-style-type: none"> • Countywide community CWPP Working Group initiated. • Public outreach programs and promotions implemented to enhance volunteer efforts to reduce hazardous fuels. • Number and areas (community or dispersed residents) of private landowners supporting and implementing fuel reduction projects. • PCOEM and local fire departments and districts developed and implemented evacuation plans for identified high-risk areas. • Roadside fire-danger warning signs in English and Spanish installed at strategic points within the WUI. • Green-waste disposal and processing site secured and operational. • Fire-awareness articles printed in local newspapers. • Fire-safety awareness program, posters, and information available in public places.
Encourage economic development	<p>Wood-products industry growth and diversification to use all sizes of material removed by fuel-reduction treatments:</p> <ul style="list-style-type: none"> • Number of value-added wood products developed by the community. • Number of new markets (local firewood sales) for local products created.

This Page Intentionally Left Blank

VI. DECLARATION OF AGREEMENT AND CONCURRENCE

The following partners in the development of the Pima County Community Wildfire Protection Plan have reviewed and do mutually agree or concur with its contents:

Agreement

Pima County Board of Supervisors

Date

City of Oro Valley

Date

City of Sahuarita

Date

Town of Marana

Date

City of South Tucson

Date

City of Tucson

Date

President, Altar Valley Conservation Alliance

Date

Executive Director, Southern Arizona Buffelgrass Coordination Center

Date

Salt River Project

Date

Chief, Avra Valley Fire District

Date

_____ Chief, Picture Rocks Fire District	_____ Date
_____ Chief, Northwest Fire District	_____ Date
_____ Chief, Mountain Vista Fire Department	_____ Date
_____ Chief, Golder Ranch Fire District	_____ Date
_____ Chief, Hidden Valley Fire Department	_____ Date
_____ Chief, Tanque Verde Valley Fire Department	_____ Date
_____ Chief, Sabino Vista Volunteer Fire Department	_____ Date
_____ Chief, Tucson Fire Department	_____ Date
_____ Chief, South Tucson Fire Department	_____ Date
_____ Chief, Rincon Valley Fire District	_____ Date
_____ Chief, Mescal-J6 Fire District	_____ Date

Chief, Cascabel Volunteer Fire Department

Date

Chief, Ajo-Gibson Volunteer Fire Department

Date

Chief, Rural Metro Fire Department

Date

Chief, Corona De Tucson Fire Department

Date

Chief, Sonoita-Elgin Fire Department

Date

Chief, Green Valley Fire Department

Date

Chief, Elephant Head Volunteer Fire Department

Date

Chief, Helmet Peak Volunteer Fire Department

Date

Chief, Three Points Fire District

Date

Chief, Arivaca Fire District

Date

Chief, Drexel Heights Fire District

Date

Chief, Why Fire Department

Date

Chief, Mount Lemmon Fire District

Date

Chief, Pascua Yaqui Tribe Fire Department

Date

Concurrence

Arizona State Forester
Arizona State Forestry Division

Date

Gila District Manager
Bureau of Land Management

Date

Forest Supervisor
Coronado National Forest

Date

Chairman
Pascua Yaqui Tribe

Date

Superintendent
Saguaro National Park

Date

Refuge Manager
Buenos Aires National Wildlife Refuge

Date

VII. REFERENCES

- Anderson, H. E. 1982. *Aids to Determining Fuel Models for Estimating Fire Behavior*. INT-122. National Wildlife Coordinating Group, Washington, DC.
- Arivaca Fire Department. 2007. *Arivaca-Sasabe Community Wildfire Protection Plan*.
- Arizona State Forester. 2004. *Arizona Wildland Urban Interface Assessment*. <http://www.azstatefire.org>.
- Arizona State Forester. 2007. *Identifying Arizona's Wildland/Urban Interface Communities at Risk: A Guide for State and Federal Land Managers*.
- Arizona State Forester. 2009. AZ Fires 1990 – 2008. Spreadsheet.
- Arizona State Forester. 2009. *Arizona-Identified Communities at Risk*. <http://www.azstatefire.org>.
- Arizona State Forestry Division (ASFD). 2010a. *Arizona Forest Resource Assessment*. June 18.
- ASFD. 2010b. *Arizona Forest Resource Strategy*. June 18.
- Arizona Wildlands Invasive Plant Working Group (AZ-WIPWG). 2005. *Invasive Non-Native Plants that Threaten Wildlands in Arizona: A Categorized List Developed by the Arizona Wildland Invasive Plant Working Group*. August.
- Blonski, K. S., M. E. Morales, and T. J. Morales. 2002. Community-Scale Fire Spread. In *Proceedings of the California's 2001 Wildfire Conference: Ten Years after the 1991 East Bay Hills Fire, 10-12 October, Oakland California*, 126–139. Technical Report 35.01.462. University of California Forest Products Laboratory, Richmond.
- Bureau of Indian Affairs (BIA) Salt River Agency. 2012a. *Pascua Yaqui Tribe Wildland Fire Management Plan*. Bureau of Indian Affairs, Salt River Agency; Salt River Pima-Maricopa Indian Community; Fort McDowell Yavapai Nation; Pascua Yaqui Tribe. September.
- BIA Salt River Agency. 2012b. *Pascua Yaqui Tribe Fuels Management Plan*. Bureau of Indian Affairs, Salt River Agency; Salt River Pima-Maricopa Indian Community; Fort McDowell Yavapai Nation; Pascua Yaqui Tribe.
- Burgan, R. E. 1988. *1988 Revisions to the 1978 National Fire Danger Rating System*. Research Paper SE-273. USDA Forest Service, Southeastern Forest Experiment Station, Asheville, NC.
- Brooks, M. L. 2008. Plant Invasions and Fire Regimes. In *Wildland Fire in Ecosystems: Fire and Nonnative Invasive Plants*, eds. K. Zouhar, J. K. Smith, S. Sutherland, and M. L. Brooks, 33–46. General Technical Report RMRS-GTR-42-vol. 6. USDA, Forest Service, Rocky Mountain Research Station., Ogden, UT.
- Brooks, M., and M. Lusk. 2008. *Fire Management and Invasive Plants: A Handbook*. US Fish and Wildlife Service, Arlington VA.

- Brooks, M. L., and J. R. Matchett. 2006. Spatial and Temporal Patterns of Wildfires in the Mojave Desert. 1980-2004. *Journal of Arid Environments* 67:148-164.
- Brown, D. E., Minnich, R. A. 1986. Fire and Changes in Creosote Bush Scrub of the Western Sonoran Desert, California. *American Midland Naturalist* 116(2): 411–422.
- Cascabel Fire Department. 2006. *Cascabel Community Wildfire Protection Plan*.
- Cohen, J. 2008. The Wildland Urban Interface Fire Problem: A Consequence of the Fire Exclusion Paradigm. *Forest History Today*. <http://www.ForestHistory.org>.
- Communities Committee of the Seventh American Forest Congress, Society of American Foresters, the National Association of State Foresters (NASF), the National Association of Counties, and the Western Governors Association (WGA). 2004. *Preparing a Community Wildfire Protection Plan: A Handbook for Wildland-Urban Interface Communities*.
- Communities Committee of the Seventh American Forest Congress, Society of American Foresters, the National Association of State Foresters (NASF), the National Association of Counties, and the Western Governors Association (WGA). 2008. *Community Guide to Preparing and Implementing a Community Wildfire Protection Plan. A supplemental guide to Preparing a Community Wildfire Protection Plan: A Handbook for Wildland-Urban Interface Communities*.
- Fire Regime Condition Class (FRCC) Interagency Working Group. 2005a. *Fire Regime Condition Class (FRCC) Interagency Handbook Reference Conditions. Fire Regime Condition Class (FRCC) Potential Natural Vegetation Group (BpS) Descriptions*. <http://www.frcc.gov/pnvgSummaries.html>.
- FRCC Interagency Working Group. 2005b. *Interagency Fire Regime Condition Class Guidebook. Fire Regime Condition Class Version 1.2*. http://www.frcc.gov/docs/1.2.2.2/Complete_Guidebook_V1.2.pdf.
- FRCC Interagency Working Group. 2010. *FRCC Guidebook*, Version 3.0, p 15. September. http://www.fire.org/niftt/released/FRCC_Guidebook_2010_final.pdf.
- Golder Ranch Fire Department. 2007. *Catalina Community Wildfire Protection Plan*.
- Gori, D. F., and C. A. F. Enquist. 2003. *An Assessment of the Spatial Extent and Condition of Grasslands in Central and Southern Arizona, Southwestern New Mexico and Northern Mexico*. The Nature Conservancy, Arizona Chapter.
- Governor's Forest Health Councils, State of Arizona. 2007. *The Statewide Strategy for Restoring Arizona's Forests*, ed. E. Aumack, T Sisk, and J. Palumbo. Arizona Public Service, Phoenix. June.
- Grissom, P. 2010. *Memorandum Fuel Models and buffelgrass spread modeling*. Saguaro National Park, Fire Ecologist. May 17.
- Hauser, A. S. 2008. *Pennisetum ciliare. Fire Effects Information System*. USDA Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. <http://www.fs.fed.us/database/feis/>.
- Hendricks, D. M. 1985. *Arizona Soils*. College of Agriculture, University of Arizona. Tucson.

- Karl, T. R., J. M. Melillo and T. C. Peterson (eds.). 2009. *Global Climate Change Impacts in the United States*. Cambridge University Press, NY.
- McDonald, C. 2009. Management of Non-Native Perennial Grass in Southern Arizona: Effects of Prescribed Fire and Livestock Grazing. PhD dissertation, University of Arizona, Tucson.
- Mount Lemmon Fire District. 2004. *Mt. Lemmon Wildland-Urban Interface Plan for Forest Health Wildland Fire Management*. July 2004.
- National Association of State Foresters. 2003. *Field Guidance: Identifying and Prioritizing Communities at Risk*. <http://www.stateforesters.org/field-guidance-identifying-and-prioritizing-communities-risk-june-2003>
- National Resources Conservation Service (NRCS). 2002. National Conservation Practice Standards, Range Planting. Code 550. <http://www.nrcs.usda.gov/wps/portal/nrcs/detailfull/national/technical/>
- NRCS. 2008. *Altar Valley Fire Management Plan*. USDA NRSC, Phoenix, AZ. September 18.
- NRCS. 2011. *MLRA Explorer Custom Report. D-Western Range and Irrigated Region 41-Southeastern Arizona Basin and Range 40-Sonoran Basin and Range 38-Mogollon Transition*. USDA Agriculture Handbook 296. <http://soils.usda.gov/MLRAExplorer> (accessed June 2011).
- National Wildfire Coordinating Group. 2012. *Glossary of Wildland Fire Terminology*. National Wildfire Coordinating Group, Program Management Unit. <http://www.nwcg.gov/pms/pubs/pubs.htm>.
- NatureServe. 2004. *Southwest ReGAP Analysis Project- Land Cover Data Legend Descriptions*. http://earth.gis.usu.edu/swregap/legend_desc.html.
- Olsson, A. D., J. Betancourt, M. P. McClaran, and S. E. Marsh. 2012. Sonoran Desert Ecosystem Transformation by a C4 Grass without the Grass/Fire Cycle. *Diversity and Distributions* 18:10–21.
- Pima County. 2012. Adopting by Reference the 2012 International Wildland-Urban Interface Code with Local Amendments (Applicable Only to Areas Designated Rural Forest Village under the Pima County Comprehensive Plan and Areas Encircled Thereby). Pima County Ordinance No. 2012-34.
- Pima County Office of Emergency Management. 2012. *Pima County Multi-Jurisdictional Hazard Mitigation Plan*.
- Presidential Policy. 2002. *Healthy Forests: An Initiative for Wildfire Prevention and Stronger Communities*. Presidential Policy. August 22.
- Rehm, R. G., A. Hamins, H. R. Baum, K. B. McGrattan, D. D. Evans, 2002. Community-Scale Fire Spread. NIST Report NISTIR 6891. National Institute of Standards and Technology.
- Rogstad, A. (ed.). 2008. *Southern Arizona Buffelgrass Strategic Plan*. Buffelgrass Working Group and Arizona-Sonora Desert Museum, Tucson. February 15.

- Schmidt, K. M., J. P. Menakis, C. C. Hardy, W. J. Hann, and D. L. Bunnell. 2002. *Development of Coarse-Scale Spatial Data for Wildland Fire and Fuel Management*. RMRS-87. USDA Forest Service, Washington, DC.
- Schmid, M. K. and G. F. Rogers. 1988. Trends in Fire Occurrence in the Arizona Upland Subdivision of the Sonoran Desert, 1955 to 1983. *Southwestern Naturalist* 33:437–444.
- Scott, J. H., and R. E. Burgan. 2005. *Standard Fire Behavior Fuel Models: A Comprehensive Set for Use with Rothermel's Surface Fire Spread Model*. Gen. Tech. Rep. RMRS-GTR-153. USDA, Forest Service, Rocky Mountain Research Station, Fort Collins, CO.
- Sonoita Fire Department. 2007. *Sonoita-Elgin Community Wildfire Protection Plan*.
- Southern Arizona Buffelgrass Coordination Center (SABCC). 2008. *Losing Ground: The War on Buffelgrass in the Sonoran Desert*. Buffelgrass Fire Behavior Video.
- SABCC. 2010. *Tucson Basin Buffelgrass Assessment*. <http://www.buffelgrass.org/content/risk-assessment>
- Southwest Strategy. 2004. *Southwest Community Wildfire Protection Plan Guide*. http://fire.az.gov/UserFiles/PDF/wildfire_plan_guide.pdf.
- Stevens, J., and D. Falk. 2009. Can Buffelgrass Invasions Be Controlled in the American Southwest? Using Invasion Ecology Theory to Understand Buffelgrass Success and Develop Comprehensive Restoration And Management. *Ecological Restoration* 27:417-427.
- Tohono O'odham Nation. 2004. *Tohono O'odham Nation Fire Management Plan*. September.
- Tohono O'odham Nation. No Date. *Demographic Analysis of the Tohono O'odham Nation Using 2010 Census and 2010 American Community Survey Estimates*. Department of Planning and Economic Development, Tohono O'odham Nation Tribe, Sells, AZ.
- US Department of Agriculture (USDA). 2012. *Climate Change and Agriculture in the US: An Assessment of Effects and Potential for Adaption*. Technical Submission to the National Climate Assessment 2012.
- USDA Forest Service (FS). 1983. *The 1978 National Fire-Danger Rating System: Technical Documentation*. General Technical Report INT-169. USDA Forest Service, Intermountain Forest and Range Experiment Station, Ogden, UT. July.
- USDA FS. 1988 as amended. *Coronado National Forest Land and Resource Management Plan*. USDA Forest Service, Coronado National Forest, Tucson, AZ.
- USDA FS. 2000. *USDA Forest Service Handbook 1909*. Washington, DC.
- USDA FS. 2010. *Coronado National Forest Fire Management Plan*. USDA Forest Service, Coronado National Forest. May 18.

- USDA FS. 2011. *Landscape Conservation and Restoration Strategic Action Plan*. USDA Forest Service, Southwest Region. January 31.
- USDA FS and US Department of the Interior (USDI) Bureau of Land Management (BLM). 2002. *A Collaborative Approach for Reducing Wildland Fire Risks to Communities and the Environment – 10 Year Comprehensive Strategy Implementation Plan*. Western Governors' Association. August 2002.
- USDA and USDI. 2001a. *Federal Register*. 2001a. 66(3): 751–777. January 4.
- USDA and USDI. 2001b. *Federal Register*. 2001b. 66(160): 43383–43435. August 17.
- USDA and USDI. 2009. *Guidance for Implementation of Federal Wildland Fire Management Policy*. February 13. http://www.nifc.gov/policies/policies_documents/GIFWFMP.pdf.
- USDI BLM. 2004a. *Approved Arizona Statewide Land Use Plan Amendment for Fire, Fuels, and Air Quality Management and Decision Record*.
- USDI BLM. 2004b. *Wildland Fire Suppression (Including Wildland Fire Use) and Rehabilitation in Riparian and Aquatic Habitats (RA)*.
- USDI BLM. 2013. *Arizona BLM Gila District Fire Management Plan*.
- USDI National Park Service (NPS). 2007. *Saguaro National Park Fire Management Plan*.
- USDI and USDA 2005. *Wildland Fire Use Implementation Procedures Reference Guide*. May.
- US Geological Survey (USGS) National GAP Analysis Program. 2005. Southwest Regional GAP Analysis Project—Land Cover Data Legend Descriptions. RS/GIS Laboratory, College of Natural Resources, Utah State University. http://ftp.nr.usu.edu/swgap/legend_desc.html.
- Westerling, A. L., H. G. Hidalgo, D. R. Cayan, and T. W. Swetnam. 2006. Warming and Earlier Spring Increase Western U.S. Forest Wildfire Activity. *Science* 313(5789): 940–943.
- Western Governors' Association. Forest health Advisory Committee. 2010. *Forest Health Landscape-scale Restoration Recommendations* December. <http://www.westgov.org/initiatives/foresthealth>.
- Wildland Fire Leadership Council (WFLC). 2002. Resources: Policies and Guidelines. In *National Fire Plan*. <http://www.fireplan.gov/resources/policies>. accessed 2013
- WFLC. 2012. *A National Cohesive Wildland Fire Management Strategy-Phase II National Report*. Washington, DC.
- Zouhar, K. 2003. *Tamarix spp. Fire Effects Information System*. USDA Forest Service, Rocky Mountain Research Station, Fire Sciences Laboratory. <http://www.fs.fed.us/database/feis/> (accessed May 6, 2013).

This Page Intentionally Left Blank

VIII. GLOSSARY OF FIRE MANAGEMENT TERMS

A

Aerial Fuels: All live and dead vegetation in the forest canopy or above surface fuels, including tree branches, twigs and cones, snags, moss, and high brush.

Aerial Ignition: Ignition of fuels by dropping incendiary devices or materials from aircraft.

Air Tanker: A fixed-wing aircraft equipped to drop fire retardants or suppressants.

Agency: Any federal, state, county, or city government organization participating with jurisdictional responsibilities.

Anchor Point: An advantageous location, usually a barrier to fire spread, from which to start building a fire line. An anchor point is used to reduce the chance of firefighters being flanked by fire.

Appropriate Tools: Methods for reducing hazardous fuels including prescribed fire, wildland fire use, and various mechanical methods such as crushing, tractor and hand piling, thinning (to produce commercial or pre-commercial products), and pruning. They are selected on a site-specific case and are ecologically appropriate and cost effective.

Aramid: The generic name for a high-strength, flame-resistant synthetic fabric used in the shirts and jeans of firefighters. Nomex, a brand name for aramid fabric, is the term commonly used by firefighters.

Aspect: Direction toward which a slope faces.

B

Backfire: A fire set along the inner edge of a fireline to consume the fuel in the path of a wildfire and/or change the direction of force of the fire's convection column.

Backpack Pump: A portable sprayer with hand-pump, fed from a liquid-filled container fitted with straps, used mainly in fire and pest control. (see Bladder Bag)

Bambi Bucket: A collapsible bucket slung below a helicopter, used to dip water from a variety of sources for fire suppression.

Basal area: The cross-sectional area of all stems of a species or all stems in a stand measured at breast height and expressed per unit of land area. (http://dictionaryofforestry.org/dict/term/basal_area)

Behave: A system of interactive computer programs for modeling fuel and fire behavior that consists of two systems: BURN and FUEL.

Bladder Bag: A collapsible backpack portable sprayer made of neoprene or high-strength nylon fabric fitted with a pump. (see Backpack Pump)

Glossary of Wildland Fire Terminology, at <http://www.nwcg.gov/pms/pubs/pubs.htm> (National Wildfire Coordinating Group Program Management Unit, 2012).

Blow-up: A sudden increase in fire intensity or rate of spread strong enough to prevent direct control or to upset control plans. Blow-ups are often accompanied by violent convection and may have other characteristics of a fire storm. (see Flare-up)

Brush: A collective term that refers to stands of vegetation dominated by shrubby, woody plants, or low growing trees, usually of a type undesirable for livestock or timber management.

Brush Fire: A fire burning in vegetation that is predominantly shrubs, brush and scrub growth.

Bucket Drops: The dropping of fire retardants or suppressants from specially designed buckets slung below a helicopter.

Buffer Zones: An area of reduced vegetation that separates wildlands from vulnerable residential or business developments. This barrier is similar to a greenbelt in that it is usually used for another purpose such as agriculture, recreation areas, parks, or golf courses.

Bump-up Method: A progressive method of building a fire line on a wildfire without changing relative positions in the line. Work is begun with a suitable space between workers. Whenever one worker overtakes another, all workers ahead move one space forward and resume work on the uncompleted part of the line. The last worker does not move ahead until completing his or her space.

Burnable Acres: Any vegetative material/type that is susceptible to burning.

Burned Area Rehabilitation: The treatment of an ecosystem following fire disturbance to minimize subsequent effects. (1995 Federal Wildland Fire Policy.)

Burn Out: Setting fire inside a control line to widen it or consume fuel between the edge of the fire and the control line.

Burning Ban: A declared ban on open air burning within a specified area, usually due to sustained high fire danger.

Burning Conditions: The state of the combined factors of the environment that affect fire behavior in a specified fuel type.

Burning Index: An estimate of the potential difficulty of fire containment as it relates to the flame length at the most rapidly spreading portion of a fire's perimeter.

Burning Period: That part of each 24-hour period when fires spread most rapidly, typically from 10:00 a.m. to sundown.

Burn Intensity: The amount and rate of surface fuel consumption. It is not a good indicator of the degree of chemical, physical and biological changes to the soil or other resources. (see Fire Severity)

C

Campfire: As used to classify the cause of a wildland fire, a fire that was started for cooking or warming that spreads sufficiently from its source to require action by a fire control agency.

Candle or Candling: A single tree or a very small clump of trees that is burning from the bottom up.

Catastrophic: Fire that burns more intensely than the natural or historical range or variability, thereby fundamentally changing the ecosystem, destroying communities and/or rare or threatened species/habitats, or causing unacceptable erosion [definition added from the *Proposed Statewide Land Use Plan for Fire, Fuels and Air Quality Management* (USDI Bureau of Land Management 2004)]. (see Severe Wildland Fire)

Chain: A unit of linear measurement equal to 66 horizontal feet.

Closure: Legal restriction, but not necessarily elimination of specified activities such as smoking, camping, or entry that might cause fires in a given area.

Cold Front: The leading edge of a relatively cold air mass that displaces warmer air. The heavier cold air may cause some of the warm air to be lifted. If the lifted air contains enough moisture, the result may be cloudiness, precipitation, and thunderstorms. If both air masses are dry, no clouds may form. Following the passage of a cold front in the Northern Hemisphere, westerly or northwesterly winds of 15 to 30 or more miles per hour often continue for 12 to 24 hours.

Cold Trailing: A method of controlling a partly dead fire edge by carefully inspecting and feeling with the hand for heat to detect any fire, digging out every live spot, and trenching any live edge.

Command Staff: The command staff consists of the information officer, safety officer and liaison officer. They report directly to the incident commander and may have assistants.

Community Impact Zone (CIZ): The zone around a community that may be impacted by wildfire. Similar to Defensible Space, but on a community level.

Complex: Two or more individual incidents located in the same general area, which are assigned to a single incident commander or unified command.

Condition Class: Based on coarse scale national data, Fire Condition Classes measure general wildfire risk as follows:

Condition Class 1. For the most part, fire regimes in this Fire Condition Class are within historical ranges. Vegetation composition and structure are intact. Thus, the risk of losing key ecosystem components from the occurrence of fire remains relatively low.

Condition Class 2. Fire regimes on these lands have been moderately altered from their historical range by either increased or decreased fire frequency. A moderate risk of losing key ecosystem components has been identified on these lands.

Condition Class 3. Fire regimes on these lands have been significantly altered from their historical return interval. The risk of losing key ecosystem components from fire is high. Fire frequencies have departed from historical ranges by multiple return intervals. Vegetation composition, structure and diversity have been significantly altered. Consequently, these lands verge on the greatest risk of ecological collapse. (Cohesive Strategy 2002, in draft)

Contain a Fire: A fuel break around the fire has been completed. This break may include natural barriers or manually and/or mechanically constructed line.

Control a Fire: The complete extinguishment of a fire, including spot fires. Fireline has been strengthened so that flare-ups from within the perimeter of the fire will not break through this line.

Control Line: All built or natural fire barriers and treated fire edge used to control a fire.

Cooperating Agency: An agency supplying assistance other than direct suppression, rescue, support, or service functions to the incident control effort; e.g., Red Cross, law enforcement agency, telephone company, etc.

Coyote Tactics: A progressive line construction duty involving self-sufficient crews that build fire line until the end of the operational period, remain at or near the point while off duty, and begin building fire line again the next operational period where they left off.

Creeping Fire: Fire burning with a low flame length and spreading slowly.

Crew Boss: A person in supervisory charge of usually 16 to 21 firefighters and responsible for their performance, safety, and welfare.

Critical Ignition Zones: Those areas that are likely to be key in the formation of large wildfires if ignition occurs at that location. These include locations such as at the bottom of a hill, or in fuels that will ignite easily and sustain growth of fire with increasing flame lengths and fire intensity.

Crown Fire (Crowning): The movement of fire through the crowns of trees or shrubs more or less independently of the surface fire.

Curing: Drying and browning of herbaceous vegetation or slash.

D

Dead Fuels: Fuels with no living tissue in which moisture content is governed almost entirely by atmospheric moisture (relative humidity and precipitation), dry-bulb temperature, and solar radiation.

Debris Burning: A fire spreading from any fire originally set for the purpose of clearing land or for rubbish, garbage, range, stubble, or meadow burning.

Defensible Space: An area either natural or manmade where material capable of causing a fire to spread has been treated, cleared, reduced, or changed to act as a barrier between an advancing wildland fire and the loss to life, property, or resources. In practice, “defensible space” is defined as an area a minimum of 30 feet around a structure that is cleared of flammable brush or vegetation. (see Survivable Space)

Deployment: See Fire Shelter Deployment.

Detection: The act or system of discovering and locating fires.

Diameter root collar: The diameter at the location on a plant where the primary vascular anatomy changes from that of a stem to that of a root. (http://dictionaryofforestry.org/dict/term/root_collar)

Diameter breast height: A standard height from ground level, generally 4.5 ft (1.37 m), for recording diameter, circumference (girth), or basal area of a tree. (http://dictionaryofforestry.org/dict/term/breast_height)

Direct Attack: Any treatment of burning fuel, such as by wetting, smothering, or chemically quenching the fire or by physically separating burning from unburned fuel.

Dispatch: The implementation of a command decision to move a resource or resources from one place to another.

Dispatcher: A person employed who receives reports of discovery and status of fires, confirms their locations, takes action promptly to provide people and equipment likely to be needed for control in first attack, and sends them to the proper place.

Dispatch Center: A facility from which resources are directly assigned to an incident.

Division: Divisions are used to divide an incident into geographical areas of operation. Divisions are established when the number of resources exceeds the span-of-control of the operations chief. A division is located with the Incident Command System organization between the branch and the task force/strike team.

Dozer: Any tracked vehicle with a front-mounted blade used for exposing mineral soil.

Dozer Line: Fire line constructed by the front blade of a dozer.

Drip Torch: Hand-held device for igniting fires by dripping flaming liquid fuel on the materials to be burned; consists of a fuel fount, burner arm, and igniter. Fuel used is generally a mixture of diesel and gasoline.

Drop Zone: Target area for air tankers, helitankers, and cargo dropping.

Drought Index: A number representing net effect of evaporation, transpiration, and precipitation in producing cumulative moisture depletion in deep duff or upper soil layers.

Dry Lightning Storm: Thunderstorm in which negligible precipitation reaches the ground. Also called a dry storm.

Duff: The layer of decomposing organic materials lying below the litter layer of freshly fallen twigs, needles, and leaves and immediately above the mineral soil.

E

Ecosystem: A spatially explicit, relative homogeneous unit of the Earth that includes all interacting organisms and components of any part of the natural environment within its boundaries. An ecosystem can be of any size, e.g., a log, pond, field, forest, or the Earth's biosphere (Society of American Foresters, 1998).

Ecosystem Integrity: The completeness of an ecosystem that at geographic and temporal scales maintains its characteristics diversity of biological and physical components, composition, structure, and function (Cohesive Strategy, 2000).

Energy Release Component (ERC): The computed total heat released per unit area (British thermal units per square foot) within the fire front at the head of a moving fire.

Engine: Any ground vehicle providing specified levels of pumping, water and hose capacity.

Engine Crew: Firefighters assigned to an engine. The *Fireline Handbook* defines the minimum crew makeup by engine type.

Entrapment: A situation where personnel are unexpectedly caught in a fire behavior-related, life-threatening position where planned escape routes or safety zones are absent, inadequate, or compromised. An entrapment may or may not include deployment of a fire shelter for its intended purpose. These situations may or may not result in injury. They include “near misses.”

Environmental Assessment (EA): EAs were authorized by the National Environmental Policy Act (NEPA) of 1969. They are concise, analytical documents prepared with public participation that determine if an Environmental Impact Statement (EIS) is needed for a particular project or action. If an EA determines an EIS is not needed, the EA becomes the document allowing agency compliance with NEPA requirements.

Environmental Impact Statement (EIS): EISs were authorized by the National Environmental Policy Act (NEPA) of 1969. Prepared with public participation, they assist decision makers by providing information, analysis and an array of action alternatives, allowing managers to see the probable effects of decisions on the environment. Generally, EISs are written for large-scale actions or geographical areas.

Equilibrium Moisture Content: Moisture content that a fuel particle will attain if exposed for an infinite period in an environment of specified constant temperature and humidity. When a fuel particle reaches equilibrium moisture content, net exchange of moisture between it and the environment is zero.

Escape Route: A preplanned and understood route firefighters take to move to a safety zone or other low-risk area, such as an already burned area, previously constructed safety area, a meadow that won't burn, natural rocky area that is large enough to take refuge without being burned. When escape routes deviate from a defined physical path, they should be clearly marked (flagged).

Escaped Fire: A fire that has exceeded or is expected to exceed initial attack capabilities or prescription.

Extended Attack Incident: A wildland fire that has not been contained or controlled by initial attack forces and for which more firefighting resources are arriving, en route, or being ordered by the initial attack incident commander.

Extreme Fire Behavior: “Extreme” implies a level of fire behavior characteristics that ordinarily precludes methods of direct control action. One of more of the following is usually involved: high rate of spread, prolific crowning and/or spotting, presence of fire whirls, strong convection column. Predictability is difficult because such fires often exercise some degree of influence on their environment and behave erratically, sometimes dangerously.

F

Faller: A person who fells trees. Also called a sawyer or cutter.

Field Observer: Person responsible to the Situation Unit Leader for collecting and reporting information about an incident obtained from personal observations and interviews.

Fine (Light) Fuels: Fast-drying fuels, generally with a comparatively high surface area-to-volume ratio, which are less than 1/4-inch in diameter and have a timelag of one hour or less. These fuels readily ignite and are rapidly consumed by fire when dry.

Fingers of a Fire: The long narrow extensions of a fire projecting from the main body.

Fire Behavior: The manner in which a fire reacts to the influences of fuel, weather and topography.

Fire Behavior Forecast: Prediction of probable fire behavior, usually prepared by a Fire Behavior Officer, in support of fire suppression or prescribed burning operations.

Fire Behavior Specialist: A person responsible to the Planning Section Chief for establishing a weather data collection system and for developing fire behavior predictions based on fire history, fuel, weather and topography.

Firebreak: A natural or constructed barrier used to stop or check fires that may occur or to provide a control line from which to work.

Fire Cache: A supply of fire tools and equipment assembled in planned quantities or standard units at a strategic point for exclusive use in fire suppression.

Fire Crew: An organized group of firefighters under the leadership of a crew leader or other designated official.

Fire Defense System: The cumulative effect of the fire suppression system of a community, including fuels reduction programs, fire breaks, defensible space, and the response capabilities of emergency personnel.

Fire District: A special taxing district organized for community fire protection under Arizona Revised Statutes Chapter 5 Fire Districts, Article 1 General Provisions, 48-805.

Fire Frequency: The natural return interval for a particular ecosystem.

Fire Front: The part of a fire within which continuous flaming combustion is taking place. Unless otherwise specified the fire front is assumed to be the leading edge of the fire perimeter. In ground fires, the fire front may be mainly smoldering combustion.

Fire Hazard Reduction Zone: Home ignition zone area, where fuel reduction and home fire resistant projects should take place to reduce the risk of a wildfire damaging a structure.

Fire Intensity: A general term relating to the heat energy released by a fire.

Fire Line: A linear fire barrier that is scraped or dug to mineral soil.

Fire Load: The number and size of fires historically experienced on a specified unit over a specified period (usually one day) at a specified index of fire danger.

Fire Management Plan (FMP): A strategic plan that defines a program to manage wildland and prescribed fires and documents the Fire Management Program in the approved land use plan. The plan is supplemented by operational plans such as preparedness plans, preplanned dispatch plans, prescribed fire plans, and prevention plans.

Fire Management Planning: A generic term referring to all levels and categories of fire management planning, including: preparedness, prevention, hazardous risk assessment, and mitigation planning.

Fire Management Unit (FMU): A land management area definable by objectives, management constraints, topographic features, access, values to be protected, political boundaries, fuel types, major fire regime

groups, etc. that set it apart from the characteristics of an adjacent FMU. The FMU may have dominant management objectives and pre-selected strategies assigned to accomplish these objectives.

Fire Perimeter: The entire outer edge or boundary of a fire.

Fire-prone ecosystem: Ecosystems that historically burned intensely at low frequencies (stand replacing fires), those that burned with low intensity at a high frequency (understory fires), and those that burned very infrequently historically, but are not subject to much more frequent fires because of changed conditions. These include fire-influenced and fire-adapted ecosystems (Cohesive Strategy, 2000).

Fire Regime: A generalized description of the role fire plays in an ecosystem. It is characterized by fire frequency, predictability, seasonality, intensity, duration, scale (patch size), as well as regularity or variability. Five combinations of fire frequency, expressed as fire return interval in fire severity, are defined:

Groups I and II include fire return intervals in the 0–35 year range. Group I includes Ponderosa pine, other long needle pine species, and dry site Douglas fir. Group II includes the drier grassland types, tall grass prairie, and some Pacific chaparral ecosystems.

Groups III and IV include fire return intervals in the 35–100+ year range. Group III includes interior dry site shrub communities such as sagebrush and chaparral ecosystems. Group IV includes lodgepole pine and jack pine.

Group V is the long interval (infrequent), stand replacement fire regime and includes temperate rain forest, boreal forest, and high elevation conifer species.

Fire-Return Interval: The number of years between successive fire events at a specific site or an area of a specified size.

Fire Risk Reduction Zone: A zone targeted for risk reduction, including measures such as fuels reduction, access protection, and construction of structures to minimize the risk of ignition from wildfire.

Fire Season: (1) Period(s) of the year during which wildland fires are likely to occur, spread, and affect resource values sufficient to warrant organized fire management activities. (2) A legally enacted time during which burning activities are regulated by state or local authority.

Fire Severity: The amount of heat that is released by a fire and how it affects other resources. It is dependent on the type of fuels and the behavior of the fuels when they are burned. (see Burn Intensity)

Fire Shelter: An aluminized tent offering protection by means of reflecting radiant heat and providing a volume of breathable air in a fire entrapment situation. Fire shelters should only be used in life-threatening situations, as a last resort.

Fire Shelter Deployment: The removing of a fire shelter from its case and using it as protection against fire.

Firestorm: A fire of great size and intensity that generates and is fed by strong intruding winds from all sides; the winds add fresh oxygen to the fire, increasing the intensity.

Fire Triangle: Instructional aid in which the sides of a triangle are used to represent the three factors (oxygen, heat, fuel) necessary for combustion and flame production; removal of any of the three factors causes flame production to cease.

Fire Use Module (Prescribed Fire Module): A team of skilled and mobile personnel dedicated primarily to prescribed fire management. These are national and interagency resources, available throughout the prescribed fire season, that can ignite, hold and monitor prescribed fires.

Fire Use: The combination of wildland fire use and prescribed fire application to meet resource objectives.

Fire Weather: Weather conditions that influence fire ignition, behavior and suppression.

Fire Weather Watch: A term used by fire weather forecasters to notify using agencies, usually 24 to 72 hours ahead of the event, that current and developing meteorological conditions may evolve into dangerous fire weather.

Fire Whirl: Spinning vortex column of ascending hot air and gases rising from a fire and carrying aloft smoke, debris, and flame. Fire whirls range in size from less than one foot to more than 500 feet in diameter. Large fire whirls have the intensity of a small tornado.

Firewise: A public education program developed by the National Wildland Fire Coordinating Group that assists communities located in proximity to fire-prone lands. (For additional information, see <http://www.firewise.org>)

Firefighting Resources: All people and major items of equipment that can or potentially could be assigned to fires.

Flame Height: The average maximum vertical extension of flames at the leading edge of the fire front. Occasional flashes that rise above the general level of flames are not considered. This distance is less than the flame length if flames are tilted due to wind or slope.

Flame Length: The distance between the flame tip and the midpoint of the flame depth at the base of the flame (generally the ground surface); an indicator of fire intensity.

Flaming Front: The zone of a moving fire where the combustion is primarily flaming. Behind this flaming zone, combustion is primarily glowing. Light fuels typically have a shallow flaming front, whereas heavy fuels have a deeper front. Also called fire front.

Flanks of a Fire: The parts of a fire's perimeter that are roughly parallel to the main direction of spread.

Flare-up: Any sudden acceleration of fire spread or intensification of a fire. Unlike a blow-up, a flare-up lasts a relatively short time and does not radically change control plans.

Flash Fuels: Fuels such as grass, leaves, draped pine needles, fern, tree moss and some kinds of slash, that ignite readily and are consumed rapidly when dry. Also called fine fuels.

Forb: A plant with a soft, rather than permanent woody stem, that is not a grass or grass-like plant.

Fuel: Combustible material. Includes, vegetation, such as grass, leaves, ground litter, plants, shrubs and trees, that feed a fire. (see Surface Fuels)

Fuel Bed: An array of fuels usually constructed with specific loading, depth and particle size to meet experimental requirements; also, commonly used to describe the fuel composition in natural settings.

Fuel Loading: The amount of fuel present expressed quantitatively in terms of weight of fuel per unit area.

Fuel Model: Simulated fuel complex (or combination of vegetation types) for which all fuel descriptors required for the solution of a mathematical rate of spread model have been specified.

Fuel Moisture (Fuel Moisture Content): The quantity of moisture in fuel expressed as a percentage of the weight when thoroughly dried at 212 degrees Fahrenheit.

Fuel Reduction: Manipulation, including combustion, or removal of fuels to reduce the likelihood of ignition and/or to lessen potential damage and resistance to control. Incorporated within this are treatments to protect, maintain, and restore land health and desired fire cycles.

Fuel Type: An identifiable association of fuel elements of a distinctive plant species, form, size, arrangement, or other characteristics that will cause a predictable rate of fire spread or difficulty of control under specified weather conditions.

Fusee: A colored flare designed as a railway-warning device and widely used to ignite suppression and prescription fires.

G

General Staff: The group of incident management personnel reporting to the incident commander. They may each have a deputy, as needed. Staff consists of operations section chief, planning section chief, logistics section chief, and finance/administration section chief.

Geographic Area: A political boundary designated by the wildland fire protection agencies, where these agencies work together in the coordination and effective utilization of firefighting resources.

Ground Fuel: All combustible materials below the surface litter, including duff, tree or shrub roots, dried out dead wood, peat, and sawdust that normally support a glowing combustion without flame.

H

Haines Index: An atmospheric index used to indicate the potential for wildfire growth by measuring the stability and dryness of the air over a fire.

Hand Line: A fire line built with hand tools.

Hazard Reduction: Any treatment of a hazard that reduces the threat of ignition and fire intensity or rate of spread.

Hazardous Fuels Reduction: "Fuel Reduction" is defined as the manipulation or removal of fuels, including combustion, to reduce the likelihood of ignition and/or to lessen potential damage and resistance to control. Incorporated within this are treatments to protect, maintain, and restore land health and desired fire cycles. "Hazard Reduction" is defined as any treatment of a hazard that reduces the threat of ignition and fire intensity or rate of spread.

Head of a Fire: The side of the fire having the fastest rate of spread.

Heavy Fuels: Fuels of large diameter such as snags, logs, large limb wood, that ignite and are consumed more slowly than flash fuels.

Helibase: The main location within the general incident area for parking, fueling, maintaining, and loading helicopters. The helibase is usually located at or near the incident base.

Helispot: A temporary landing spot for helicopters.

Helitack: The use of helicopters to transport crews, equipment, and fire retardants or suppressants to the fire line during the initial stages of a fire.

Helitack Crew: A group of firefighters trained in the technical and logistical use of helicopters for fire suppression.

Holding Actions: Planned actions required to achieve wildland prescribed fire management objectives. These actions have specific implementation timeframes for fire use actions but can have less sensitive implementation demands for suppression actions.

Holding Resources: Firefighting personnel and equipment assigned to do all required fire suppression work following fireline construction but generally not including extensive mop-up.

Home Ignitability: The ignition potential within the Home Ignition Zone.

Home Ignition Zone: The home and its immediate surroundings. The home ignition zone extends to a few tens of meters around a home not hundreds of meters or beyond. Home ignitions and, thus, the WUI fire loss problem principally depend on home ignitability.

Hose Lay: Arrangement of connected lengths of fire hose and accessories on the ground, beginning at the first pumping unit and ending at the point of water delivery.

Hotshot Crew: A highly trained fire crew used mainly to build fireline by hand.

Hotspot: A particular active part of a fire.

Hotspotting: Reducing or stopping the spread of fire at points of particularly rapid rate of spread or special threat, generally the first step in prompt control, with emphasis on first priorities.

I

Incendiary: Causing or capable of causing fire.

Incident: A human-caused or natural occurrence, such as wildland fire, that requires emergency service action to prevent or reduce the loss of life or damage to property or natural resources.

Incident Action Plan (IAP): Contains objectives reflecting the overall incident strategy and specific tactical actions and supporting information for the next operational period. The plan may be oral or written. When written, the plan may have a number of attachments, including: incident objectives, organization assignment list, division assignment, incident radio communication plan, medical plan, traffic plan, safety plan, and incident map.

Incident Command Post (ICP): Location at which primary command functions are executed. The ICP may be co-located with the incident base or other incident facilities.

Incident Command System (ICS): The combination of facilities, equipment, personnel, procedure and communications operating within a common organizational structure, with responsibility for the management of assigned resources to effectively accomplish stated objectives pertaining to an incident.

Incident Commander: Individual responsible for the management of all incident operations at the incident site.

Incident Management Team: The incident commander and appropriate general or command staff personnel assigned to manage an incident.

Incident Objectives: Statements of guidance and direction necessary for selection of appropriate strategy(ies), and the tactical direction of resources. Incident objectives are based on realistic expectations of what can be accomplished when all allocated resources have been effectively deployed.

Indigenous Knowledge: Knowledge of a particular region or environment from an individual or group that lives in that particular region or environment, e.g., traditional ecological knowledge of American Indians (FS National Resource Book on American Indian and Alaskan Native Relations, 1997).

Infrared Detection: The use of heat sensing equipment, known as Infrared Scanners, for detection of heat sources that are not visually detectable by the normal surveillance methods of either ground or air patrols.

Initial Attack: The actions taken by the first resources to arrive at a wildfire to protect lives and property, and prevent further extension of the fire.

J

Job Hazard Analysis: This analysis of a project is completed by staff to identify hazards to employees and the public. It identifies hazards, corrective actions and the required safety equipment to ensure public and employee safety.

Jump Spot: Selected landing area for smokejumpers.

Jump Suit: Approved protection suite worn by smokejumpers.

K

Keech Byram Drought Index (KBDI): Commonly used drought index adapted for fire management applications, with a numerical range from 0 (no moisture deficiency) to 800 (maximum drought).

Knock Down: To reduce the flame or heat on the more vigorously burning parts of a fire edge.

L

Ladder Fuels: Fuels that provide vertical continuity between strata, thereby allowing fire to carry from surface fuels into the crowns of trees or shrubs with relative ease. They help initiate and assure the continuation of crowning.

Large Fire: (1) For statistical purposes, a fire burning more than a specified area of land, for example, 300 acres. (2) A fire burning with a size and intensity such that its behavior is determined by interaction between its own convection column and weather conditions above the surface.

Lead Plane: Aircraft with pilot used to make dry runs over the target area to check wing and smoke conditions and topography and to lead air tankers to targets and supervise their drops.

Light (Fine) Fuels: Fast-drying fuels, generally with a comparatively high surface area-to-volume ratio, which are less than 1/4-inch in diameter and have a timelag of one hour or less. These fuels readily ignite and are rapidly consumed by fire when dry.

Lightning Activity Level (LAL): A number on a scale of 1 to 6 that reflects frequency and character of cloud-to-ground lightning. The scale is exponential, based on powers of 2 (i.e., LAL 3 indicates twice the lightning of LAL 2).

Line Scout: A firefighter who determines the location of a fire line.

Litter: Top layer of the forest, scrubland, or grassland floor, directly above the fermentation layer, composed of loose debris of dead sticks, branches, twigs, and recently fallen leaves or needles, little altered in structure by decomposition.

Live Fuels: Living plants, such as trees, grasses, and shrubs, in which the seasonal moisture content cycle is controlled largely by internal physiological mechanisms, rather than by external weather influences.

M

Micro-Remote Environmental Monitoring System (Micro-REMS): Mobile weather monitoring station. A Micro-REMS usually accompanies an incident meteorologist and ATMU to an incident.

Mineral Soil: Soil layers below the predominantly organic horizons; soil with little combustible material.

Mobilization: The process and procedures used by all organizations, federal, state and local for activating, assembling, and transporting all resources that have been requested to respond to or support an incident.

Modular Airborne Firefighting System (MAFFS): A manufactured unit consisting of five interconnecting tanks, a control pallet, and a nozzle pallet, with a capacity of 3,000 gallons, designed to be rapidly mounted inside an unmodified C-130 (Hercules) cargo aircraft for use in dropping retardant on wildland fires.

Mop-up: To make a fire safe or reduce residual smoke after the fire has been controlled by extinguishing or removing burning material along or near the control line, felling snags, or moving logs so they won't roll downhill.

Multiagency Coordination (MAC): A generalized term that describes the functions and activities of representatives of involved agencies and/or jurisdictions who come together to make decisions regarding the prioritizing of incidents and the sharing and use of critical resources. The MAC organization is not a part of the on-scene ICS and is not involved in developing incident strategy or tactics.

Mutual Aid Agreement: Written agreement between agencies and/or jurisdictions in which they agree to assist one another upon request, by furnishing personnel and equipment.

N

National Environmental Policy Act (NEPA): NEPA is the basic national law for protection of the environment, passed by Congress in 1969. It sets policy and procedures for environmental protection, and

authorizes Environmental Impact Statements and Environmental Assessments to be used as analytical tools to help federal managers make decisions.

National Fire Danger Rating System (NFDRS): A uniform fire danger rating system that focuses on the environmental factors that control the moisture content of fuels.

National Wildfire Coordinating Group (NWCG): A group formed under the direction of the Secretaries of Agriculture and the Interior and comprised of representatives of the US Forest Service, Bureau of Land Management, Bureau of Indian Affairs, National Park Service, US Fish and Wildlife Service, and Association of State Foresters. The group's purpose is to facilitate coordination and effectiveness of wildland fire activities and provide a forum to discuss, recommend action, or resolve issues and problems of substantive nature. NWCG is the certifying body for all courses in the National Fire Curriculum.

Nomex: Trade name for a fire-resistant synthetic material used in the manufacturing of flight suits and pants and shirts used by firefighters. (see Aramid)

Normal Fire Season: (1) A season when weather, fire danger, and number and distribution of fires are about average. (2) Period of the year that normally comprises the fire season.

O

Operations Branch Director: Person under the direction of the operations section chief who is responsible for implementing that portion of the incident action plan appropriate to the branch.

Operational Period: The period of time scheduled for execution of a given set of tactical actions as specified in the Incident Action Plan. Operational periods can be of various lengths, although usually not more than 24 hours.

Overhead: People assigned to supervisory positions, including incident commanders, command staff, general staff, directors, supervisors, and unit leaders.

P

Pack Test: Used to determine the aerobic capacity of fire suppression and support personnel and assign physical fitness scores. The test consists of walking a specified distance, with or without a weighted pack, in a predetermined period of time, with altitude corrections.

Paracargo: Anything dropped, or intended for dropping, from an aircraft by parachute, by other retarding devices, or by free fall.

Participating Agency: 1) an agency that has an interest in, is consulted about, and has the opportunity to become involved in a project or program; or 2) an agency invited to be included in the production, review, development of plans or process for a project without authority to act or does not intent to act with respect to the project

Peak Fire Season: That period of the fire season during which fires are expected to ignite most readily, to burn with greater than average intensity, and to create damages at an unacceptable level.

Performance Measures: A quantitative or qualitative characterization of performance (Government Performance and Results Act of 1993).

Personal Protective Equipment (PPE): All firefighting personnel must be equipped with proper equipment and clothing in order to mitigate the risk of injury from, or exposure to, hazardous conditions encountered while working. PPE includes, but is not limited to, 8-inch-high laced leather boots with lug soles, fire shelter, hard hat with chin strap, goggles, ear plugs, aramid shirts and trousers, leather gloves, and individual first aid kits.

Preparedness: Condition or degree of being ready to cope with a potential fire situation.

Prescribed Fire: Any fire ignited by management actions under certain, predetermined conditions to meet specific objectives related to hazardous fuels or habitat improvement. A written, approved prescribed fire plan must exist, and NEPA requirements must be met, prior to ignition.

Prescribed Fire Plan (Burn Plan): This document provides the prescribed fire burn boss information needed to implement an individual prescribed fire project.

Prescription: Measurable criteria that define conditions under which a prescribed fire may be ignited, guide selection of appropriate management responses, and indicate other required actions. Prescription criteria may include safety, economic, public health, environmental, geographic, administrative, social, or legal considerations.

Prevention: Activities directed at reducing the incidence of fires, including public education, law enforcement, personal contact, and reduction of fuel hazards.

Project Fire: A fire of such size or complexity that a large organization and prolonged activity is required to suppress it.

Pulaski: A combination chopping and trenching tool, which combines a single-bitted axe-blade with a narrow adze-like trenching blade fitted to a straight handle. Useful for grubbing or trenching in duff and matted roots. Well-balanced for chopping.

R

Radiant Burn: A burn received from a radiant heat source.

Radiant Heat Flux: The amount of heat flowing through a given area in a given time, usually expressed as calories/square centimeter/second.

Rappelling: Technique of landing specifically trained firefighters from hovering helicopters; involves sliding down ropes with the aid of friction-producing devices.

Rate of Spread: The relative activity of a fire in extending its horizontal dimensions. It is expressed as a rate of increase of the total perimeter of the fire, as rate of forward spread of the fire front, or as rate of increase in area, depending on the intended use of the information. Usually it is expressed in chains or acres per hour for a specific period in the fire's history.

Reburn: The burning of an area that has been previously burned but that contains flammable fuel that ignites when burning conditions are more favorable; an area that has reburned.

Red Card: Fire qualification card issued to fire rated persons showing their training needs and their qualifications to fill specified fire suppression and support positions in a large fire suppression or incident organization.

Red Flag Warning: Term used by fire weather forecasters to alert forecast users to an ongoing or imminent critical fire weather pattern.

Rehabilitation: The activities necessary to repair damage or disturbance caused by wildland fires or the fire suppression activity.

Relative Humidity (Rh): The ratio of the amount of moisture in the air, to the maximum amount of moisture that air would contain if it were saturated. The ratio of the actual vapor pressure to the saturated vapor pressure.

Remote Automatic Weather Station (RAWS): An apparatus that automatically acquires, processes, and stores local weather data for later transmission to the GOES Satellite, from which the data is re-transmitted to an earth-receiving station for use in the National Fire Danger Rating System.

Resiliency: The capacity of an ecosystem to maintain or regain normal function and development following disturbance (Society of American Foresters, 1998).

Resources: (1) Personnel, equipment, services and supplies available, or potentially available, for assignment to incidents. (2) The natural resources of an area, such as timber, grass, watershed values, recreation values, and wildlife habitat.

Resource Management Plan (RMP): A document prepared by field office staff with public participation and approved by field office managers that provides general guidance and direction for land management activities at a field office. The RMP identifies the need for fire in a particular area and for a specific benefit.

Resource Order: An order placed for firefighting or support resources.

Response Time: The amount of time it takes from when a request for help is received by the emergency dispatch system until emergency personnel arrive at the scene.

Retardant: A substance or chemical agent that reduces the flammability of combustibles.

Restoration: The active or passive management of an ecosystem or habitat toward its original structure, natural compliment of species, and natural functions or ecological processes (Cohesive Strategy, 2000).

Run (of a fire): The rapid advance of the head of a fire with a marked change in fire line intensity and rate of spread from that noted before and after the advance.

Running: A rapidly spreading surface fire with a well-defined head.

Rural Fire Assistance: The Department of the Interior Rural Fire Assistance program is a multi-million dollar program to enhance the fire protection capabilities of rural fire districts. The program will assist with training, equipment purchase, and prevention activities, on a cost-share basis.

S

Safety Zone: An area cleared of flammable materials used for escape in the event the line is outflanked or in case a spot fire causes fuels outside the control line to render the line unsafe. In firing operations, crews progress so as to maintain a safety zone close at hand allowing the fuels inside the control line to be consumed before going ahead. Safety zones may also be constructed as integral parts of fuel breaks; they are greatly enlarged areas, which can be used with relative safety by firefighters and their equipment in the event of a blow-up in the vicinity.

Scratch Line: An unfinished preliminary fire line hastily established or built as an emergency measure to check the spread of fire.

Severe Wildland Fire (catastrophic wildfire): Fire that burns more intensely than the natural or historical range of variability, thereby fundamentally changing the ecosystem, destroying communities and / or rare or threatened species /habitat, or causing unacceptable erosion (GAO / T-RCED-99-79) (Society of American Foresters, 1998).

Severity Funding: Funds provided to increase wildland fire suppression response capability necessitated by abnormal weather patterns, extended drought, or other events causing abnormal increase in the fire potential and/or danger.

Single Resource: An individual, a piece of equipment and its personnel complement, or a crew or team of individuals with an identified work supervisor that can be used on an incident.

Size-up: To evaluate a fire to determine a course of action for fire suppression.

Slash: Debris left after logging, pruning, thinning or brush cutting; includes logs, chips, bark, branches, stumps and broken understory trees or brush.

Sling Load: Any cargo carried beneath a helicopter and attached by a lead line and swivel.

Slop-over: A fire edge that crosses a control line or natural barrier intended to contain the fire.

Slurry: A mixture typically of water, red clay, and fertilizer dropped from air tankers for fire suppression.

Smokejumper: A firefighter who travels to fires by aircraft and parachute.

Smoke Management: Application of fire intensities and meteorological processes to minimize degradation of air quality during prescribed fires.

Smoldering Fire: A fire burning without flame and barely spreading.

Snag: A standing dead tree or part of a dead tree from which at least the smaller branches have fallen.

Spark Arrester: A device installed in a chimney, flue, or exhaust pipe to stop the emission of sparks and burning fragments.

Spot Fire: A fire ignited outside the perimeter of the main fire by flying sparks or embers.

Spot Weather Forecast: A special forecast issued to fit the time, topography, and weather of each specific fire. These forecasts are issued upon request of the user agency and are more detailed, timely, and specific than zone forecasts.

Spotter: In smokejumping, the person responsible for selecting drop targets and supervising all aspects of dropping smokejumpers.

Spotting: Behavior of a fire producing sparks or embers that are carried by the wind and start new fires beyond the zone of direct ignition by the main fire.

Staging Area: Locations set up at an incident where resources can be placed while awaiting a tactical assignment on a three-minute available basis. Staging areas are managed by the operations section.

Strategy: The science and art of command as applied to the overall planning and conduct of an incident.

Strike Team: Specified combinations of the same kind and type of resources, with common communications, and a leader.

Strike Team Leader: Person responsible to a division/group supervisor for performing tactical assignments given to the strike team.

Structure Fire: Fire originating in and burning any part or all of any building, shelter, or other structure.

Suppressant: An agent, such as water or foam, used to extinguish the flaming and glowing phases of combustion when direction applied to burning fuels.

Suppression: All the work of extinguishing or containing a fire, beginning with its discovery.

Surface Fuels: Loose surface litter on the soil surface, normally consisting of fallen leaves or needles, twigs, bark, cones, and small branches that have not yet decayed enough to lose their identity; also grasses, forbs, low and medium shrubs, tree seedlings, heavier branchwood, downed logs, and stumps interspersed with or partially replacing the litter.

Survivable Space: The distance between vegetational fuels and a structure necessary to protect the building from radiant heat and its ignition mechanics. The separation distance was formerly called “defensible space” due to the implication that the fire department could intervene. The term “survivable space” eliminates the dependence on manual suppression and implies that the distance alone provides the protection. (see Defensible Space)

Swamper: (1) A worker who assists fallers and/or sawyers by clearing away brush, limbs and small trees. Carries fuel, oil and tools and watches for dangerous situations. (2) A worker on a dozer crew who pulls winch line, helps maintain equipment, etc., to speed suppression work on a fire.

T

Tactics: Deploying and directing resources on an incident to accomplish the objectives designated by strategy.

Tanker: Either a tank truck used to deliver water from a water source to the scene of a fire, or a fixed wing aircraft used for fire suppression by dropping slurry on the flank or head of a fire.

Temporary Flight Restrictions (TFR): A restriction requested by an agency and put into effect by the Federal Aviation Administration in the vicinity of an incident that restricts the operation of nonessential aircraft in the airspace around that incident.

Terra Torch: Device for throwing a stream of flaming liquid, used to facilitate rapid ignition during burn out operations on a wildland fire or during a prescribed fire operation.

Test Fire: A small fire ignited within the planned burn unit to determine the characteristic of the prescribed fire, such as fire behavior, detection performance and control measures.

Timelag: Time needed under specified conditions for a fuel particle to lose about 63 percent of the difference between its initial moisture content and its equilibrium moisture content. If conditions remain unchanged, a fuel will reach 95 percent of its equilibrium moisture content after four timelag periods.

Torching: The ignition and flare-up of a tree or small group of trees, usually from bottom to top.

Two-way Radio: Radio equipment with transmitters in mobile units on the same frequency as the base station, permitting conversation in two directions using the same frequency in turn.

Type: The capability of a firefighting resource in comparison to another type. Type 1 usually means a greater capability due to power, size, or capacity.

U

Uncontrolled Fire: Any fire that threatens to destroy life, property, or natural resources and (a) is not burning within the confines of firebreaks or (b) is burning with such intensity that it could not be readily extinguished with ordinary tools commonly available [Parts a and b of definition added from the National Wildfire Coordinating Group's *Glossary of Wildland Fire Terminology*, <http://www.nwccg.gov/pms/pubs/glossary>]. (see Wildfire)

Underburn: A fire that consumes surface fuels but not trees or shrubs. (see Surface Fuels)

Unplanned and Unwanted Wildland Fires: An unplanned and unwanted fire is one burning outside the parameters as defined in land use plans and fire management plans for that location (including areas where the fire can be expected to spread) under current and expected conditions. Unplanned and unwanted fires include fires burning in areas where fire is specifically excluded; fires that exhibit burning characteristics (intensity, frequency, and seasonality) that are outside prescribed ranges, specifically including fires expected to produce severe fire effects; unauthorized human caused fires (arson, escaped camp fires, equipment fires, etc.); and fires that occur during high fire dangers, or resource shortage, where the resources needed to manage the fire are needed for more critical fire management needs. Unplanned is not the same as unscheduled. The time of a lightning fire ignition is not known; however, a lightning-caused fire could still be used to meet fuels and ecosystem management objectives if that type of fire is expected to burn within the parameters of an approved plan; the fire is burning within the parameters for the area; is not causing, or has the potential to cause, unacceptable effects; and funding and resources to manage the fire are available.

V

Vectors: Directions of fire spread as related to rate of spread calculations (in degrees from upslope).

Volunteer Fire Department (VFD): A fire department of which some or all members are unpaid.

W

Water Tender: A ground vehicle capable of transporting specified quantities of water.

Weather Information and Management System (WIMS): An interactive computer system designed to accommodate the weather information needs of all federal and state natural resource management agencies. Provides timely access to weather forecasts, current and historical weather data, the National Fire Danger Rating System (NFDRS), and the National Interagency Fire Management Integrated Database (NIFMID).

Wet Line: A line of water, or water and chemical retardant, sprayed along the ground, that serves as a temporary control line from which to ignite or stop a low-intensity fire.

Wildfire: An unplanned, unwanted wildland fire including unauthorized human-caused fires, escaped wildland fire use events, escaped prescribed fire projects, and all other wildland fire where the objective is to put the fire out [definition added from the National Wildfire Coordinating Group's *Glossary of Wildland Fire Terminology*, <http://www.nwccg.gov/pms/pubs/glossary>]. (see Uncontrolled Fire; Wildland Fire)

Wildland: Wildland is an area of land where plants and animals exist free of human interference. Ecologists assert that wildlands promote biodiversity, that they preserve historic genetic traits and that they provide habitat for wild flora and fauna [definition added from Wikipedia, <http://en.wikipedia.org/wiki/Wildland>].

Wildland Fire: Any nonstructure fire, other than prescribed fire, that occurs in the wildland.

Wildland Fire Implementation Plan (WFIP): A progressively developed assessment and operational management plan that documents the analysis and selection of strategies and describes the appropriate management response for a wildland fire being managed for resource benefits.

Wildland Fire Situation Analysis (WFSA): A decision-making process that evaluates alternative suppression strategies against selected environmental, social, political, and economic criteria. Provides a record of decisions.

Wildland Fire Use: The management of naturally ignited wildland fires to accomplish specific, planned resource management objectives in predefined geographic areas outlined in Fire Management Plans. Wildland fire use is not to be confused with "fire use," which includes prescribed fire.

Wildland Urban Interface (WUI): The line, area or zone where structures and other human development meet or intermingle with undeveloped wildland or vegetative fuels (*Glossary of Wildland Fire Terminology*, 1996).

Wind Vectors: Wind directions used to calculate fire behavior.