

Mary Jo Furphy Deputy Clerk

Pima County Clerk of the Board

Robin Brigode

Administration Division 130 W. Congress, 5th Floor Tucson, AZ 85701 Phone: (520)724-8449 • Fax: (520) 222-0448 Document and Micrographics Mgt. Division 1640 East Benson Highway Tucson, Arizona 85714 Phone: (520) 351-8454 • Fax: (520) 791-6666

April 8, 2015

Ryan Prosowski Skyline Country Club 5200 E. Saint Andrew Drive Tucson. AZ 85718

RE:

Fireworks Display

Applicant:

Skyline Country Club

Date:

May 9, 2015 at 9:00 p.m.

Location:

5200 E. Saint Andrew Drive

Dear Mr. Prosowski:

Notice is hereby given that the above-referenced application for a fireworks permit is scheduled to be heard before the Pima County Board of Supervisors on Tuesday, April 21, 2015, at approximately 9:00 a.m. or thereafter, to be held at the following location:

Pima County Administration Building Board of Supervisors Hearing Room 130 W. Congress, 1st Floor Tucson, AZ 85701

If you have any questions pertaining to this matter, please contact this office at (520)724-8449.

Sincerely,

Robin Brigode

Clerk of the Board

c: Sheriff's Department-Explosives Division Fireworks Productions of Arizona



Deputy Clerk

Pima County Clerk of the Board

Robin Brigode

Administration Division 130 W. Congress, 5th Floor Tucson, AZ 85701

Phone: (520)724-8449 • Fax: (520) 222-0448

Document and Micrographics Mgt. Division 1640 East Benson Highway Tucson, Arizona 85714 Phone: (520) 351-8454 • Fax: (520) 351-8456

PIMA COUNTY APPLICATION FOR FIREWORKS DISPLAY INSPECTION/PERMIT

Persons applying for a fireworks display permit in Pima County are required to undergo a display site inspection conducted by the Pima Regional Bomb Squad. This inspection is used to make a recommendation to the Board of Supervisors regarding the approval or denial of your permit. Inspectors will be checking for compliance with Pima County Code 9.04 and the National Fire Protection Association Code 1123: Code for Fireworks Display. The local fire district and or the state fire marshal may conduct an independent inspection which has the authority to override permit approval.

NOTE: The Display Operator and Site Manager should be selected as individuals with authority to supervise the event. These parties must be willing to accept civil/criminal responsibility for assuring compliance with provisions and safety regarding this display. A violation of Pima County Code 9.04 is a class 3 misdemeanor.

ORGANIZATION/APPLICANT:	Skyline Country Club		
MAILING ADDRESS:	5200 E. Saint Andrew Dr. Tucson, AZ 85718		
LOCATION/ADDRESS OF DISPLAY:	5200 E. Saint Andrew Dr Tucson AZ 85718		
SITE MANAGER:	Ryan Prosowski		
DATE AND TIME OF DISPLAY:	May 9, 2015 @ approx. 9:00pm	Phone #:	
ALTERNATE DISPLAY DATE(s)/TIME	:* 		
*(Alternate display date(s) must be wit	hin 7 days of the date selected above)		
PRODUCTION COMPANY:	Fireworks Productions of Arizona		
DISPLAY OPERATOR:	Troy Finley	Phone #: 520-991-0150	
DIOI EAT OF ENATOR.		1 Hone #	
Submit this completed application	on to the Pima County Clerk of the r Fireworks Display form comple	Board with the following:	
Submit this completed application Pima County Permit for information	on to the Pima County Clerk of the	e Board with the following: ted with organization/display	
Submit this completed application Pima County Permit for information Written shot sheet includ Site plan diagram include	on to the Pima County Clerk of the	e Board with the following: ted with organization/display s n of discharge site, spectator	
Submit this completed application Pima County Permit for information Written shot sheet includ Site plan diagram includ area, parking area, fall-or	on to the Pima County Clerk of the Fireworks Display form completing display list and mortar diameter ing dimensions of display, location at area and associated distances per participating in the display have	e Board with the following: ted with organization/displays s n of discharge site, spectator er NFPA 1123 5.1.2.2.	

A Pima Regional Bomb Squad representative will contact you to schedule a site inspection.



PIMA COUNTY PERMIT FOR FIREWORKS DISPLAY

ORGANIZATION:	Skyline Country Club
ADDRESS:	5200 E. Saint Andrew Dr. Tucson, AZ 85718
LOCATION OF DISPLAY:	Skyline CC @ 5200 E. Saint Andrew Dr
DATE AND TIME OF DISPLAY:	May 9, 2015 @ Approx. 9:00pm
ALTERNATIVE DISPLAY DATE(s)/TIME:	
PRODUCTION COMPANY:	Fireworks Productions of Arizona
conducted a site inspection and recommodisplay. Conformance to the provisions Inspection Form is required.	the Pima County Sheriff's Department has ends approval of the Permit for Fireworks on the attached <i>Pima County Fireworks</i> Inty Sheriff
the location, date and time, or alternative	proves the Permit for Fireworks Display for date(s) and time, specified above. In the erence to any restriction(s) set forth in that
Dated thisday of, 20	·
- Ch ATTEST	airman, Pima County Board of Supervisors
CLERK OF THE BOARD	

This permit is not transferable or assignable, must have the executed *Pima County Fireworks Inspection Form* attached and must be available for inspection prior to, during and after the fireworks display.



PIMA REGIONAL BOMB SQUAD

Pima County Sheriff's Department 1750 E Benson Highway, Tucson, AZ 85714 "Leadership Through Teamwork"



KGFE

PIMA COUNTY FIREWORKS INSPECTION FORM

This inspection is being conducted pursuant to Pima County Code (PCC) 09.04.050. Its purpose is to assure compliance with NFPA 1123 and PCC 09.04.080. No permit will be recommended for approval unless the display meets the requirements of both standards; a person violating these provisions is guilty of a class three misdemeanor. The "Site Representative" and "Operator's Representative" signing this document assume criminal and civil responsibility for compliance with these provisions.

overhead obstruction, or one hundred feet from a high-tension wire (09.04.080) Launch site is more than five hundred feet from a school, theater, church, hospital, or similar institution (09.04.080) Spectator site is more than (200') two hundred feet from the point at which the fireworks are to be discharged (09.04.080) Only authorized persons and those in actual charge of the display shall be allowed inside these lines or barriers during the unloading, preparation, firing and clean-up period of fireworks (09.04.080) Mortar rack set to be designed at as near vertical as possible (09.04.080) Fireworks display will be stopped during any storm or wind in which the wind reaches a velocity of more than ten miles per hour (09.04.080) All fireworks, articles and items at places of display shall be stored in a manner and in a place secure from fire, accidental discharge, and theft or other potential hazards, and in a manner approved by the governmental agency having jurisdiction. Storage method: Any fireworks that remain unfired after the display is concluded shall be immediately disposed of or removed in a manner safe for the particular type of fireworks (09.04.080) Debris from the discharged fireworks will be properly disposed of by the operator before operator leaves the premises (09.04.060) Upon conclusion of the display the operator shall make a complete and thorough search for any unfired fireworks or pleces which have failed to fire or function and shall dispose of them in a safe manner and contact the bomb squad for assistance if necessary (09.04.080) Fire department scheduled for standby. Fire agency and POC: Purchase of all site crew meeting NFPA training requirements provided (NFPA 1123 8.1.3.3) Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2) Operator will conduct display in compliance with the provisions set forth in NFPA 1123 and Pima Courity Code 9.04 Permit approved by Sheriff's Department (09.04.050)	YES	ЙО 🗆	DATE OF INSPECTION:
associated distances (Attach Site Pian) (NFPA 1123 5.1.2.2) Minimum radius of display site equals 70 feet per inch shell diameter (NFPA 1123 5.1.3.1) (MCTM) Launch site is more than (50') fifty feet from the nearest above ground telephone or telegraph line, tree or other overhead obstruction, or one hundred feet from a high-tension wire (09.04.080) Launch site is more than (50') fifty feet from the nearest above ground telephone or telegraph line, tree or other overhead obstruction, or one hundred feet from a school, theater, church, hospital, or similar institution (09.04.080) Launch site is more than five hundred feet from the point at which the fireworks are to be discharged (09.04.080) Spectator site is more than (200') two hundred feet from the point at which the fireworks are to be discharged (09.04.080) Only authorized persons and those in actual charge of the display shall be allowed inside these lines or barriers during the unloading, praparation, firing and clean-up period of fireworks (09.04.080) Mortar rack set to be designed at as near vertical as possible (09.04.080) Fireworks display will be stopped during any storm or wind in which the wind reaches a velocity of more than ten miles per hour (09.04.080) All fireworks, articles and Items at places of display shall be stored in a manner and in a place secure from fire, accidental discharge, and theft or other potential hazards, and in a manner approved by the governmental agency having jurisdiction. Storage method:			Site plan submitted to inspecting authority (NFPA 1123 5.1.2.1)
Distance exemption required Reason: CAUTE MANN (NFPA 1123 5.1.4.6)			
Launch site is more than (50°) fifty feet from the nearest above ground telephone or telegraph line, tree or other overhead obstruction, or one hundred feet from a high-tension wire (09.04.080) Launch site is more than five hundred feet from a school, theater, church, hospital, or similar institution (09.04.080) Spectator site is more than (200°) two hundred feet from the point at which the fireworks are to be discharged (09.04.080) Only authorized persons and those in actual charge of the display shall be allowed inside these lines or barriers during the unloading, preparation, firing and dean-up period of fireworks (09.04.080) Mortar rack set to be designed at as near vertical as possible (09.04.080) Fireworks display will be stopped during any storm or wind in which the wind reaches a velocity of more than ten miles per hour (09.04.080) All fireworks, articles and items at places of display shall be stored in a manner and in a place secure from fire, accidental discharge, and theft or other potential hazards, and in a manner approved by the governmental agency having jurisdiction. Storage method: Any fireworks that remain unfired after the display is concluded shall be immediately disposed of or removed in a manner safe for the particular type of fireworks (09.04.080) Debris from the discharged fireworks will be properly disposed of by the operator before operator leaves the premises (09.04.080) Upon conclusion of the display the operator shall make a complete and thorough search for any unfired fireworks on pieces which have failed to fire or function and shall dispose of them in a safe manner and contact the bomb squed for assistance if necessary (09.04.080) Fire department scheduled for standby. Fire agency and POC: Lead Marks D. (NFPA 1123 8.1.1) Evidence of all site crew meeting NFPA training requirements provided (NFPA 1123 8.1.3.3) Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2) Operator will conduct display in co			Minimum radius of display site equals 70 feet per Inch shell diameter (NFPA 1123 5.1.3.1)
overhead obstruction, or one hundred feet from a high-tension wire (09.04.080) Launch site is more than five hundred feet from a school, theater, church, hospital, or similar institution (09.04.080) Spectator site is more than (200') two hundred feet from the point at which the fireworks are to be discharged (09.04.080) Only authorized persons and those in actual charge of the display shall be allowed inside these lines or barriers during the unloading, preparation, firing and clean-up period of fireworks (09.04.080) Mortar rack set to be designed at as near vertical as possible (08.04.080) Fireworks display will be stopped during any storm or wind in which the wind reaches a velocity of more than ten miles per hour (09.04.080) All fireworks, articles and items at places of display shall be stored in a manner and in a place secure from fire, accidental discharge, and theft or other potential hazards, and in a manner approved by the governmental agency having jurisdiction. Storage method: Any fireworks that remain unfired after the display is concluded shall be immediately disposed of or removed in a manner safe for the particular type of fireworks (09.04.080) Debris from the discharged fireworks will be properly disposed of by the operator before operator leaves the premises (09.04.080) Upon conclusion of the display the operator shall make a complete and thorough search for any unfired fireworks or pleces which have failed to fire or function and shall dispose of them in a safe manner and contact the bomb squad for assistance if necessary (09.04.080) Fire department scheduled for standby. Fire agency and POC: Purchase of all site crew meeting NFPA training requirements provided (NFPA 1123 8.1.3.3) Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2) Operator will conduct display in compliance with the provisions set forth in NFPA 1123 and Pima County Code 9.04 Permit approved by Sheriff's Department (09.04.050)			Distance exemption required Reason: Non E - (Ant BAND) (NFPA 1123 5.1.4.6)
Spectator site is more than (200") two hundred feet from the point at which the fireworks are to be discharged (09.04.080). Only authorized persons and those in actual charge of the display shall be allowed inside these lines or barriers during the unloading, preparation, firing and dean-up period of fireworks (09.04.080) Mortar rack set to be designed at as near vertical as possible (09.04.080) Fireworks display will be stopped during any storm or wind in which the wind reaches a velocity of more than ten miles per hour (03.04.080) All fireworks, articles and items at places of display shall be stored in a manner and in a place secure from fire, accidental discharge, and theft or other potential hazards, and in a manner approved by the governmental agency having jurisdiction. Storage method: Any fireworks that remain unfired after the display is concluded shall be immediately disposed of or removed in a manner safe for the particular type of fireworks (09.04.080) Debris from the discharged fireworks will be properly disposed of by the operator before operator leaves the premises (09.04.080) Upon conclusion of the display the operator shall make a complete and thorough search for any unfired fireworks or pleces which have failed to fire or function and shall dispose of them in a safe manner and contact the bomb squad for assistance if necessary (09.04.080) Fire department scheduled for standby. Fire agency and POC: Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2) Operator will conduct display in compliance with the provisions set forth in NFPA 1123 and Pima County Code 9.04 Permit approved by Sheriff's Department(09.04.050)			Launch site is more than (50') fifty feet from the nearest above ground telephone or telegraph line, tree or other overhead obstruction, or one hundred feet from a high-tension wire (09.04.080)
Only authorized persons and those in actual charge of the display shall be allowed inside these lines or barriers during the unloading, preparation, firing and clean-up period of fireworks (09.04.080) Mortar rack set to be designed at as near vertical as possible (09.04.080) Fireworks display will be stopped during any storm or wind in which the wind reaches a velocity of more than ten miles per hour (09.04.080) All fireworks, articles and items at places of display shall be stored in a manner and in a place secure from fire, accidental discharge, and theft or other potential hazards, and in a manner approved by the governmental agency having jurisdiction. Storage method: Any fireworks that remain unfired after the display is concluded shall be immediately disposed of or removed in a manner safe for the particular type of fireworks (09.04.080) Debris from the discharged fireworks will be properly disposed of by the operator before operator leaves the premises (09.04.080) Upon conclusion of the display the operator shall make a complete and thorough search for any unfired fireworks or pleces which have failed to fire or function and shall dispose of them in a safe manner and contact the bomb squad for assistance if necessary (09.04.080) Fire department scheduled for standby. Fire agency and POC: Published All Standard Control requirements provided (NFPA 1123 8.1.3.3) Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2) Operator will conduct display in compliance with the provisions set forth in NFPA 1123 and Pima County Code 9.04 Permit approved by Sheriff's Department(09.04.050)			Launch site is more than five hundred feet from a school, theater, church, hospital, or similar institution (09.04.080)
during the unloading, preparation, firing and clean-up period of fireworks (09.04.080) Mortar rack set to be designed at as near vertical as possible (09.04.080) Fireworks display will be stopped during any storm or wind in which the wind reaches a velocity of more than ten miles per hour (09.04.080) All fireworks, articles and items at places of display shall be stored in a manner and in a place secure from fire, accidental discharge, and theft or other potential hazards, and in a manner approved by the governmental agency having jurisdiction. Storage method: Any fireworks that remain unfired after the display is concluded shall be immediately disposed of or removed in a manner safe for the particular type of fireworks (09.04.080) Debris from the discharged fireworks will be properly disposed of by the operator before operator leaves the premises (09.04.080) Upon conclusion of the display the operator shall make a complete and thorough search for any unfired fireworks or places which have falled to fire or function and shall dispose of them in a safe manner and contact the bomb squad for assistance if necessary (09.04.080) Fire department scheduled for standby. Fire agency and POC:	1		
Fireworks display will be stopped during any storm or wind in which the wind reaches a velocity of more than ten miles per hour (09.04.080) All fireworks, articles and items at places of display shall be stored in a manner and in a place secure from fire, accidental discharge, and theft or other potential hazards, and in a manner approved by the governmental agency having jurisdiction. Storage method: Any fireworks that remain unfired after the display is concluded shall be immediately disposed of or removed in a manner safe for the particular type of fireworks (09.04.080) Debris from the discharged fireworks will be properly disposed of by the operator before operator leaves the premises (09.04.080) Upon conclusion of the display the operator shall make a complete and thorough search for any unfired fireworks or pleces which have failed to fire or function and shall dispose of them in a safe manner and contact the bomb squad for assistance if necessary (09.04.080) Fire department scheduled for standby. Fire agency and POC: Evidence of all site crew meeting NFPA training requirements provided (NFPA 1123 8.1.3.3) Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2) Operator will conduct display in compilance with the provisions set forth in NFPA 1123 and Pima County Code 9.04 Permit approved by Sheriff's Department(09.04.850)			Only authorized persons and those in actual charge of the display shall be allowed inside these lines or barriers during the unloading, preparation, firing and clean-up period of fireworks (09.04.080)
miles per hour (09.04.080) All fireworks, articles and items at places of display shall be stored in a manner and in a place secure from fire, accidental discharge, and theft or other potential hazards, and in a manner approved by the governmental agency having jurisdiction. Storage method: Any fireworks that remain unfired after the display is concluded shall be immediately disposed of or removed in a manner safe for the particular type of fireworks (09.04.080) Debris from the discharged fireworks will be properly disposed of by the operator before operator leaves the premises (09.04.080) Upon conclusion of the display the operator shall make a complete and thorough search for any unfired fireworks or pleces which have failed to fire or function and shall dispose of them in a safe manner and contact the bomb squad for assistance if necessary (09.04.080) Fire department scheduled for standby. Fire agency and POC: Display site meets crowd control requirements provided (NFPA 1123 8.1.3.3) Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2) Operator will conduct display in compliance with the provisions set forth in NFPA 1123 and Pima County Code 9.04 Permit approved by Shertiff's Department(09.04.050)			Mortar rack set to be designed at as near vertical as possible (09.04.080)
accidental discharge, and theft or other potential hazards, and in a manner approved by the governmental agency having jurisdiction. Storage method:			Fireworks display will be stopped during any storm or wind in which the wind reaches a velocity of more than len miles per hour (09.04.080)
manner safe for the particular type of fireworks (09.04.080) Debris from the discharged fireworks will be properly disposed of by the operator before operator leaves the premises (09.04.080) Upon conclusion of the display the operator shall make a complete and thorough search for any unfired fireworks or pieces which have failed to fire or function and shall dispose of them in a safe manner and contact the bomb squad for assistance if necessary (09.04.080) Fire department scheduled for standby. Fire agency and POC: Evidence of all site crew meeting NFPA training requirements provided (NFPA 1123 8.1.3.3) Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2) Operator will conduct display in compliance with the provisions set forth in NFPA 1123 and Pima County Code 9.04 Permit approved by Sheriff's Department (09.04.050)			accidental discharge, and theft or other potential hazards, and in a manner approved by the governmental agency
Upon conclusion of the display the operator shall make a complete and thorough search for any unfired fireworks or pieces which have failed to fire or function and shall dispose of them in a safe manner and contact the bomb squad for assistance if necessary (09.04.080) Fire department scheduled for standby. Fire agency and POC: Devandary Devandary (NFPA 1123 8.1.1) Evidence of all site crew meeting NFPA training requirements provided (NFPA 1123 8.1.3.3) Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2) Operator will conduct display in compliance with the provisions set forth in NFPA 1123 and Pima County Code 9.04 Permit approved by Sheriff's Department(09.04.050)			Any fireworks that remain unfired after the display is concluded shall be immediately disposed of or removed in a manner safe for the particular type of fireworks (09.04.080)
pieces which have failed to fire or function and shall dispose of them in a safe manner and contact the bomb squad for assistance if necessary (09.04.080) Fire department scheduled for standby. Fire agency and POC: Person Mano (NFPA 1123 8.1.1) Evidence of all site crew meeting NFPA training requirements provided (NFPA 1123 8.1.3.3) Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2) Operator will conduct display in compliance with the provisions set forth in NFPA 1123 and Pima County Code 9.04 Permit approved by Sheriff's Department (09.04.050)			Debris from the discharged fireworks will be properly disposed of by the operator before operator leaves the premises (09,04.080)
Evidence of all site crew meeting NFPA training requirements provided (NFPA 1123 8.1.3.3) Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2) Operator will conduct display in compliance with the provisions set forth in NFPA 1123 and Pima County Code 9.04 Permit approved by Sheriff's Department(09,04.050)			
Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2) Operator will conduct display in compliance with the provisions set forth in NFPA 1123 and Pima County Code 9.04 Permit approved by Sheriff's Department(09.04.050)			Fire department scheduled for standby. Fire agency and POC: Legal Mario (NFPA 1123 8.1.1)
1123 8.1.2) Operator will conduct display in compliance with the provisions set forth in NFPA 1123 and Pima County Code 9.04 Permit approved by Sheriff's Department(09.04.050) Warman April 1		` □	Evidence of all site crew meeting NFPA training requirements provided (NFPA 1123 8.1.3.3)
Permit approved by Sheriff's Department(09.04.050) Manual 111			Display site meets crowd control requirements including the use of ropes, boundary lines and/or spotters (NFPA 1123 8.1.2)
D(Mann #1417 / 1)			Operator will conduct display in compliance with the provisions set forth in NFPA 1123 and Pima County Code 9.04
Inspector's Representative Operator's Representative	1		Permit approved by Sheriff's Department(09.04.050)
	Insper		Warman Site Representative Operator's Representative

SKYLING C.C.

Revised 28 OCT 2012



2100 FLEUR DRIVE • DES MOINES, IOWA 50321-1158 (515) 243-8171 • (515) 243-3854 FAX

FIREWORKS DISPLAY BOND

Bond No. AZ 423905
KNOW ALL PERSONS BY THESE PRESENTS, that we
FIREWORKS PRODUCTIONS OF ARIZONA LTD
as Principal, and MERCHANTS BONDING COMPANY (MUTUAL), a corporation organized under the laws of the State of Iowa, with its home office in the City of Des Moines, Iowa, and duly authorized and licensed to do business in the State of Arizona, as Surety, are firmly bound unto PIMA COUNTY
State of Arizona
in the sum of One Thousand Dollars Dollars Dollars ($$1,000.00$) lawful money of the United States, to the payment of which sum, well and truly to be made, the Principal and Surety bind themselves, their and each of their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.
WHEREAS the above bounden Principal FIREWORKS PRODUCTIONS OF ARIZONA LTD
desires to have a permit for Fireworks Display and in order to have such display it is necessary for said FIREWORKS PRODUCTIONS OF ARIZONA LTD
to execute a surety bond in the amount of One Thousand Dollars
Dollars (\$\frac{\frac{\$1,000.00}{\$to persons or property by reason of the permitted display as provided in Chapter 46, Arizona Legislative Session Laws of 1941. NOW, THEREFORE, if the said FIREWORKS PRODUCTIONS OF ARIZONA LTD
well and truly observe, carry out, perform and comply with all requirements,
terms and provisions of the Ordinances of the Board of Supervisors of
conditioned for the payment of all damages which may be caused to persons of property by reason of the permitted display as provided in Chapter 46, Arizona Legislative Session Laws of 1941, for a period from 12:01 A.M. May 7, 2014 to 12:01 A.M. May 7, 2015 then this
obligation to be void, and of no effect.
SIGNED, sealed and dated this <u>lst</u> day of <u>March</u> , <u>2014</u> .
FIREWORKS PRODUCTIONS OF ARIZONA LTD
Principal
\mathcal{O}
MERCHANTS BONDING COMPANY (MUTUAL) By Attorney-in-fact Dan Lengeling



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 3/3/2015

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

certificate holder in lieu of s	uch endorsement(s).			
PRODUCER		CONTACT NAME:		
Britton Gallagher One Cleveland Center, Floor 30 1375 East 9th Street		PHONE (A/C, No. Ext):216-658-7100	FAX (A/C, No):	
		E-MAIL ADDRESS:		
Cleveland OH 44114		INSURER(S) AFFORDING COVERAGE		NAIC#
		INSURER A :Everest National Insurance Comp	any	10120
INSURED		INSURER B: Maxum Indemnity Company		26743
FPA, Ltd.		INSURER C: Travelers	Ę	5606
17034 S 54th St Chandler AZ 85226		INSURER D :Everest Indemnity Insurance Co.		10851
Chandler AZ 65226		INSURER E :		WANTED THE TOTAL S
		INSURER F:		
COVERAGES	CERTIFICATE NUMBER: 516514816	REVISION NU	MBER:	
		VE BEEN ISSUED TO THE INSURED NAMED ABO		
		OF ANY CONTRACT OR OTHER DOCUMENT WIT ED BY THE POLICIES DESCRIBED HEREIN IS SU		
	S OF SUCH POLICIES. LIMITS SHOWN MAY HAVE		,55201 10 7122 1	
INCO	ADDICHED	DOLLOW FEE DOLLOW FVD		

INSR LTR	NSR LTR TYPE OF INSURANCE		BR VD POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMIT	s
D	GENERAL LIABILITY	Y	SI8ML00014-141	10/9/2014	10/9/2015	EACH OCCURRENCE	\$1,000,000
	X COMMERCIAL GENERAL LIABILITY					DAMAGE TO RENTED PREMISES (Ea occurrence)	\$300,000
	CLAIMS-MADE X OCCUR					MED EXP (Any one person)	S
						PERSONAL & ADV INJURY	\$1,000,000
						GENERAL AGGREGATE	\$2,000,000
	GEN'L AGGREGATE LIMIT APPLIES PER:					PRODUCTS - COMP/OP AGG	\$2,000,000
	POLICY X PRO- LOC						s A
Α	AUTOMOBILE LIABILITY	Υ	SI8CA00008-141	10/9/2014	10/9/2015	COMBINED SINGLE LIMIT (Ea accident)	\$1,000,000
	X ANY AUTO					BODILY INJURY (Per person)	s
	ALL OWNED SCHEDULED AUTOS					BODILY INJURY (Per accident)	s 💍
	X HIRED AUTOS X NON-OWNED AUTOS					PROPERTY DAMAGE (Per accident)	s 😭
							s G
В	UMBRELLA LIAB X OCCUR	Υ	EXC6017189-03	10/9/2014	10/9/2015	EACH OCCURRENCE	\$9,000,000
	X EXCESS LIAB CLAIMS-MADE					AGGREGATE	\$9,000,000
	DED RETENTION \$						s it
С	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY		4864P073	10/9/2014	10/9/2015	X WC STATU- X OTH- TORY LIMITS X ER	<u> </u>
	ANY PROPRIETOR/PARTNER/EXECUTIVE					E.L. EACH ACCIDENT	\$500,000
	OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	N/A				E.L. DISEASE - EA EMPLOYEE	
	If yes, describe under DESCRIPTION OF OPERATIONS below					E.L. DISEASE - POLICY LIMIT	\$500,000
1							

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

Date of Display: May 9, 2015

CERTIFICATE HOLDER

Location of Display: Skyline Country Club, Tucson, AZ

Additional Insured(s): Pima County; City of Tucson; Skyline Country Club Management LP; Rural Metro Fire Department.

Skyline Country Club Mangement, L.P. 5200 E. St. Andrews Drive	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
Tucson AZ 85718	AUTHORIZED REPRESENTATIVE
	Mare De La Line

CANCELLATION



Skyline Country Club Wedding of Sara & Kyle

Saturday, May 9, 2015

Hernandez-Macleish Wedding

3 - 5 minutes

Total Aerial Effects 200 Total Aerial Shells 100 **Total Basin Effects 100**



Opening:

This wedding display begins with a beautiful burst of fiery color to excite and thrill your guests.

7 - 3" Color Shells

Aerial Display:

A large assortment of brilliantly-colored shells, including Chrysanthemums, Waves, Crowns, Peonies, Strobes, Brocade Crowns, Diadems, and Crossettes in gorgeous Reds, Yellows, Blues, Greens, Silvers, and Golds.


Your Aerial Display will contain a total of 72 aerial shells and 100 basin effects.

- 1 1/2" 1 FPA Premier Specialty Basins
- 3" 72 Chinese Fancy's & Specials with Designer Specials

Grande Finale:

Your celebration will close in spectacular excitement as multiple styles of brilliantlycolored shells, rocket skyward growing and glowing in breath-taking Blues, Golds, Greens, Silvers, Yellows, Purples and Red.

Your Grande Finale consists of 21 - 3" aerial shells.







Site Map

Maximum Shell Size: 3" Aerial

5200 East St. Andrews Dr., Tucson 85718