Danielle Greene

From:

Lynne Herman <noreply@jotform.com> Tuesday, August 24, 2021 3:38 PM

Sent: To:

District1; DIST2; District3; District4; District5; COB_mail; Julie Castaneda; Chuck

Huckelberry;

Subject:

Re: Together We Can: Pima County - Lynne Herman

CAUTION: Trils message and sender come from outside nima sounty, if you did not expect this massage; proceed within aution (Verity the sender) of definition of the common of the common

Dear Pima County A fundamental quality of Public Health is its Board of preventative nature. Counties are the core providers Supervisors, of health care services and public health programs in local communities. The Pima County Board of Supervisors is responsible for steering public policy and providing direction to the County Manager. I am asking the Pima County Board of Supervisors to remember their duty to ensure safe communities and protect public health by supporting the County Manager's request to support local school districts who choose to. require face coverings. I implore you to fulfill your duty to protect Public Health! Together We Can #EndCovid #WeNotMe Lynne Herman Email Zip Code I represent the Parent

全国的公司运行证明全

CLERK'S NOTE: COPY TO SUPERVISORS

COUNTY ADMINISTRATOR

DATE 8.25.21 20 &

Community Member

Teacher

following sector

apply)

(please select all the

Signature Concerned Community Member



Date Signed

08-24-2021

You can edit this submission and view all your submissions easily.

Bernadette Russell

From:

Gisela Aaron

Sent:

Monday, August 30, 2021 6:31 PM

To:

COB_mail; Mayor.Romero@tucsonaz.gov; richard.fimbres@tucsonaz.gov; ward1

@tucsonaz.gov; ward2@tucsonaz.gov; ward3@tucsonaz.gov; ward4@tucsonaz.gov;

ward5@tucsonaz.goc; ward6@tucsonaz.gov

Cc:

engage@az.gov; AGInfo@azag.gov

Subject:

Mask and Vaccine Mandate considerations

CAUTION: This message and sender come from outside Pima County. If you did not expect this message, proceed with caution. Verify the sender's identity before performing any action, such as clicking on a link or opening an attachment.

Pima County Board of Supervisors, Tucson City Council, et al.

Pima County and City of Tucson population are astounded that you are discussing once again mandates for masks and vaccines, particularly for school children. Have you done your due diligence by now? Has Dr. Matt Heinz informed you about new information and studies readily available in major medical journals?

This intended power grab is in VIOLATION OF STATE LAW! Governor Ducey is responsible for the entire State. He deems it safe enough, not mandating wearing useless masks or forcing experimental "vaccines" on people. The Governor trusts every parent to make the best decision for their children depending on their situation and gives parents the right to choose what is best for their kids. Why are you interfering with parental rights?

There is evidence that COVID-19 pandemic fearmongering has affected people's mental health on a large scale. Factors that contribute to mental health during the pandemic are isolation and loneliness, loss of employment or difficulty working, financial struggles, severe or lasting illness, preexisting mental or physical health conditions, emergency medical treatment, grief or feeling of bereavement. The negative impact can be lasting if someone has experienced extreme or persistent distress and could cause psychological trauma and post-traumatic stress disorder, per Medical News Today.

Consider, we have now 1 1/2 years of more than 60 double blind studies worldwide and mega analysis of said studies of known medicines that are also effective at the onset of the COVID-19 virus infection. COVID-19 is the name of the disease caused by the novel coronavirus, SARS-CoV-2, short for Coronavirus Disease 2019 (COVID-19). SARS stands for Severe Acute Respiratory Syndrome. COVID-19 disease is an infection caused by a coronavirus.

A form of Hydroxychloroquine (HQC), Chloroquine has been used effectively in 2003 when we already had SARS-CoV infections. Oddly enough, back then, we have not closed down the country nor have we mandated masks or EUA "vaccines."

The Virologie Journal published in 2005, Chloroquine is a potent inhibitor of SARS coronavirus infection and spread. Martin J Vincent, Eric Bergeron, [...], and Stuart T

Nichol https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1232869/

CLERK'S NOTE: COPY TO SUPERVISORS COUNTY ADMINISTRATOR

DATE 8-31-21

BK

J

Consider, there are zero long term animal nor human studies on the experimental "vaccines", and at best marginal outcomes, see huge amounts of breakthrough cases and the need for endless booster shots. The recent "approved vaccine" by Pfizer called Comirnaty, which will be manufactured in 2022 or 2023 when current studies are completed. Pfizer lists side effects, such as myocarditis, pericarditis, blood clots, severe allergic reactions, rash, itching, hives, swelling of the face, chest pain, shortness of breath, fast-beating or pounding heart, muscle pain, joint pain, fever, headaches, chills, nausea, swollen lymph notes, diarrhea, vomiting and more. Why would we take this if 99.98% of the people will survive the virus and then have longterm immunity?

Please make informed decisions for the Pima County population. Please also look up the below mentioned studies before you make life damaging decisions.

Thank you.

Gisela & Mike Aaron

Voters in Tucson

PS: Beware, while Big Pharma have liability protection, you, Pima County, the City of Tucson, Hospitals, Police departments, Fire Departments and private employers don't! Case in point, America's Frontline Doctors have filed a series of lawsuits in the U.S. District Court for the Northern District of Alabama. The latest was an injunction filed on July 19, 2021. The three groups mentioned in the July 19th filing are 1) those 18 years old and younger, 2) all who have recovered from COVID-19, and 3) Americans who have not given informed consent for COVID-19 vaccine. In the lawsuit they alledge:

Media Censorship

Manufacturing a Fake COVID-19 Threat

Inflating COVID-19 Deaths By Rigging PCR Tests

Hiding Ineffectiveness of COVID-19 Vaccines

Pushing the Lie of Asymptomatic COVID-19 Spread

COVID-19 Vaccines Do Not Prevent Spread. Why Get It?

Killing Study Patients to Hide Effective Alternatives

AMA Requires Doctors to Push COVID-19 Vaccines

Self Dissemination of Vaccines

Comparing COVID-19 Vaccines to Other Vaccines

Underreporting COVID -19 Vaccine Injuries

https://greatmountainpublishing.com/2021/04/05/new-study-confirms-the-vaers-system-is-only-reporting-approximately-1-of-anaphylaxis-from-covid-19-vaccines/

Hiding COVID-19 Vaccine Deaths

https://greatmountainpublishing.com/2021/05/23/obvious-and-deliberate-covid-19-statistical-deception-by-the-cdc/

America's Frontline Doctors are not against vaccinations. They only caution against the COVID-19 vaccines.

Remedies for Covid-19 are readily available and inexpensive. They are as follows:

Convalescent Plasma therapy recommended by MAYO Clinic and other hospitals around the World.

Antiviral drug **Remdesivir** is FDA approved to treat COVID-19 since October 2020.

Hydroxychloroquine (HQC) in combination with zinc and Azithromycin have had tremendous success worldwide. Per Dr. Valdimir Zelenko this well know medicine is inexpensive because HQC no longer carries a patent. It has been used for at least 60 plus years. A form of HQC, Chloriquine has been used effectively in 2003 when we already had SARS–CoV infections. Oddly enough, back then, we have not closed down the country nor have we mandated masks or EUA "vaccines."

Monoclonal antibody treatments such as bamlanivimab by Eli Lilly; and a combination of casirivimab and imdevimab by Regeneron, and sotrovimab, made by GlaxoSmithKline. Treatments are FDA approved and must be given intravenously in a clinic or hospital.

Dexamethasone and other corticosteroids (prednisone, methylprednisolone) are potent anti-inflammatory drugs for patients with respiratory ailings. NIH COVID-19 treatment guidelines recommend use of dexamethasone for hospitalized patients with severe COVID-19!

FDA has granted emergency use authorization (EUA) for **tocilizumab** (Actemra) for treatment of hospitalized adults and children ages 2 years and older who are receiving systemic corticosteroids such as **dexamethasone**, and who require supplemental oxygen, mechanical ventilation, or a heart-lung bypass machine, also known as extracorporeal membrane oxygenation (ECMO). Tocilizumab is a monoclonal antibody, already FDA-approved to treat several autoimmune diseases.

Ivermectin

Randomized Controlled Trial >Int J Infect Dis 2021 Feb;103:214-216.

doi: 10.1016/j.ijid.2020.11.191. Epub 2020 Dec 2.

A five-day course of ivermectin for the treatment of COVID-19 may reduce the duration of illness

Sabeena Ahmed 1, Mohammad Mahbubul Karim 1, Allen G Ross 1, Mohammad Sharif Hossain 1, John D Clemens 1, Mariya Kibtiya Sumiya 1, Ching Swe Phru 1, Mustafizur Rahman 1, Khalequ Zaman 1, Jyoti Somani 2, Rubina Yasmin 3, Mohammad Abul Hasnat 4, Ahmedul Kabir 5, Asma Binte Aziz 1, Wasif Ali Khan 6

PMID: 33278625 PMCID: PMC7709596 DOI: 10.1016/j.ijid.2020.11.191

• Ivermectin to prevent hospitalizations in patients with COVID-19 (IVERCOR-COVID19): a structured summary of a study protocol for a randomized controlled trial.

Vallejos J, Zoni R, Bangher M, Villamandos S, Bobadilla A, Plano F, Campias C, Chaparro Campias E, Achinelli F, Guglielmone HA, Ojeda J, Medina F, Farizano Salazar D, Andino G, Ruiz Diaz NE, Kawerin P, Meza E, Dellamea S, Aquino A, Flores V, Martemucci CN, Vernengo MM, Martinez SM, Segovia JE, Aguirre MG. Trials. 2020 Nov 24;21(1):965. doi: 10.1186/s13063-020-04813-1. PMID: 33234158 Free PMC article. Clinical Trial.

• <u>Safety and Efficacy of Imatinib for Hospitalized Adults with COVID-19: A structured summary of a study protocol for a randomised controlled trial.</u>

Emadi A, Chua JV, Talwani R, Bentzen SM, Baddley J. Trials. 2020 Oct 28;21(1):897. doi: 10.1186/s13063-020-04819-9. PMID: 33115543 Free PMC article.

• The SARS-CoV-2 Ivermectin Navarra-ISGlobal Trial (SAINT) to Evaluate the Potential of Ivermectin to Reduce COVID-19 Transmission in low risk, non-severe COVID-19 patients in the first 48 hours after symptoms onset: A structured summary of a study protocol for a randomized control pilot trial.

Chaccour C, Ruiz-Castillo P, Richardson MA, Moncunill G, Casellas A, Carmona-Torre F, Giráldez M, Mota JS, Yuste JR, Azanza JR, Fernández M, Reina G, Dobaño C, Brew J, Sadaba B, Hammann F, Rabinovich R. Trials. 2020 Jun 8;21(1):498. doi: 10.1186/s13063-020-04421-z. PMID: 32513289 Free PMC article.

• Ivermectin: an award-winning drug with expected antiviral activity against COVID-19.

Formiga FR, Leblanc R, de Souza Rebouças J, Farias LP, de Oliveira RN, Pena L. J Control Release. 2021 Jan 10;329:758-761. doi: 10.1016/j.jconrel.2020.10.009. Epub 2020 Oct 7. PMID: 33038449 Free PMC article. Review.

• <u>The broad spectrum host-directed agent ivermectin as an antiviral for SARS-CoV-2?</u> Jans DA, Wagstaff KM. Biochem Biophys Res Commun. 2021 Jan 29;538:163-172. doi: 10.1016/j.bbrc.2020.10.042. Epub 2020 Oct 21. PMID: 33341233 Free PMC article.Review.

Vitamin D Good food sources of vitamin D include fatty fish (such as tuna, mackerel, and salmon), foods fortified with vitamin D (such as dairy products, soy milk, and cereals), cheese, and egg yolks. (Recommended daily dose of vitamin D is 600 IU for adults under 70 years and 800 IU for adults over 70. A daily supplement of 1,000 to 2,000 IU of vitamin D is safe. Harmful effects for adults are above 4,000 IU per day.)

Vitamin C Protects Against Coronavirus by Andrew W. Saul, Editor (OMNS January 26, 2020) The coronavirus pandemic can be dramatically slowed, or stopped, with the immediate widespread use of high doses of vitamin C. Physicians have demonstrated the powerful antiviral action of vitamin C for decades. There has been a lack of media coverage of this effective and successful approach against viruses in general, and coronavirus in particular...maximize the body's anti-oxidative capacity and natural immunity to prevent and minimize symptoms when a virus attacks the human body. Preventing is easier than treating severe illness....Vitamin C can be used right along with medicines when they are indicated.

Physicians of the Orthomolecular Medicine News Service and the International Society for Orthomolecular Medicine urge a nutrient-based method to prevent or minimize symptoms for future viral infection. The

following inexpensive supplemental levels are recommended for adults; for children reduce these in proportion to body weight:

Vitamin C: 3,000 milligrams (or more) daily, in divided doses.

Vitamin D3: 2,000 International Units daily. (Start with 5,000 IU/day for two weeks, then reduce to 2,000)

Magnesium: 400 mg daily (citrate, malate, chelate, or chloride form)

Zinc: 20 mg daily

Selenium: 100 mcg (micrograms) daily

Vitamin C [1], Vitamin D [2], magnesium [3], zinc [4], and selenium [5] have been shown to strengthen the immune system against viruses.

The basis for using high doses of vitamin C to prevent and combat virus-caused illness may be traced back to vitamin C's early success against polio, first reported in the late 1940s.[6] Many people are unaware, even surprised, to learn this. Further clinical evidence built up over the decades, leading to an anti-virus protocol published in 1980.[7]

Preventing and treating respiratory infections with large amounts of vitamin C is well established. Those who believe that vitamin C generally has merit, but massive doses are ineffective or somehow harmful, please read the original papers for themselves. To dismiss the work of these doctors simply because they had success so long ago sidesteps a more important question: Why has the benefit of their clinical experience not been presented to the public by responsible governmental authorities, especially in the face of a viral pandemic?

References:

1. Vitamin C:

Case HS (2018) Vitamin C questions answered. Orthomolecular Medicine News Service, http://orthomolecular.org/resources/omns/v14n12.shtml.

Gonzalez MJ, Berdiel MJ, Duconge J (2018) High dose vitamin C and influenza: A case report. J Orthomol Med. June, 2018, 33(3). https://isom.ca/article/high-dose-vitamin-c-influenza-case-report.

Gorton HC, Jarvis K (1999) The effectiveness of vitamin C in preventing and relieving the symptoms of virus-induced respiratory infections. J Manip Physiol Ther, 22:8, 530-533. https://www.ncbi.nlm.nih.gov/pubmed/10543583

Hemilä H (2017) Vitamin C and infections. Nutrients. 9(4). pii:E339. https://www.ncbi.nlm.nih.gov/pubmed/28353648.

Hickey S, Saul AW (2015) Vitamin C: The real story. Basic Health Pub. ISBN-13: 978-1591202233.

Levy TE (2014) The clinical impact of vitamin C. Orthomolecular Medicine News Service, http://orthomolecular.org/resources/omns/v10n14.shtml

OMNS (2007) Vitamin C: a highly effective treatment for colds. http://orthomolecular.org/resources/omns/v03n05.shtml.

OMNS (2009) Vitamin C as an antiviral http://orthomolecular.org/resources/omns/v05n09.shtml.

Taylor T (2017) Vitamin C material: where to start, what to watch. OMNS, http://www.orthomolecular.org/resources/omns/v13n20.shtml.

Yejin Kim, Hyemin Kim, Seyeon Bae et al. (2013) Vitamin C is an essential factor on the anti-viral immune responses through the production of interferon-α/β at the initial stage of influenza A virus (H3N2) infection. Immune Netw. 13:70-74. https://www.ncbi.nlm.nih.gov/pubmed/23700397.

2. Vitamin D:

Cannell JJ, Vieth R, Umhau JC et al. (2006) Epidemic influenza and vitamin D. Epidemiol Infect.134:1129-1140. https://www.ncbi.nlm.nih.gov/pubmed/16959053.

Cannell JJ, Zasloff M, Garland CF et al. (2008) On the epidemiology of influenza. Virol J. 5:29. https://www.ncbi.nlm.nih.gov/pubmed/16959053.

Ginde AA, Mansbach JM, Camargo CA Jr. (2009) Association between serum 25-hydroxyvitamin D level and upper respiratory tract infection in the Third National Health and Nutrition Examination Survey. Arch Intern Med. 169:384-390. https://www.ncbi.nlm.nih.gov/pubmed/19237723.

Martineau AR, Jolliffe DA, Hooper RL et al. (2017) Vitamin D supplementation to prevent acute respiratory tract infections: systematic review and meta-analysis of individual participant data. BMJ. 356:i6583. https://www.ncbi.nlm.nih.gov/pubmed/28202713.

Urashima M, Segawa T, Okazaki M et al. (2010) Randomized trial of vitamin D supplementation to prevent seasonal influenza A in schoolchildren. Am J Clin Nutr. 91:1255-60. https://www.ncbi.nlm.nih.gov/pubmed/20219962.

von Essen MR, Kongsbak M, Schjerling P et al. (2010) Vitamin D controls T cell antigen receptor signaling and activation of human T cells. Nat Immunol. 11:344-349. https://www.ncbi.nlm.nih.gov/pubmed/20208539.

3. Magnesium:

Dean C (2017) Magnesium. OMNS, http://www.orthomolecular.org/resources/omns/v13n22.shtml

Dean C. (2017) The Magnesium Miracle. 2nd Ed., Ballantine Books. ISBN-13: 978-0399594441.

Levy TE (2019) Magnesium: Reversing Disease. Medfox Pub. ISBN-13: 978-0998312408

4. Zinc:

Fraker PJ, King LE, Laakko T, Vollmer TL. (2000) The dynamic link between the integrity of the immune system and zinc status. J Nutr. 130:1399S-406S. https://www.ncbi.nlm.nih.gov/pubmed/10801951.

Liu MJ, Bao S, Gálvez-Peralta M, et al. (2013) ZIP8 regulates host defense through zinc-mediated inhibition of NF-κB. Cell Rep. 3:386-400. https://www.ncbi.nlm.nih.gov/pubmed/23403290.

Mocchegiani E, Muzzioli M. (2000) Therapeutic application of zinc in human immunodeficiency virus against opportunistic infections. J Nutr. 130:1424S-1431S. https://www.ncbi.nlm.nih.gov/pubmed/10801955.

Shankar AH, Prasad AS. (1998) Zinc and immune function: the biological basis of altered resistance to infection. Am J Clin Nutr. 68:447S-463S. https://www.ncbi.nlm.nih.gov/pubmed/9701160.

5. Selenium:

Beck MA, Levander OA, Handy J. (2003) Selenium deficiency and viral infection. J Nutr.133:1463S-1467S. https://www.ncbi.nlm.nih.gov/pubmed/12730444.

Hoffmann PR, Berry MJ. (2008) The influence of selenium on immune responses. Mol Nutr Food Res. 52:1273-1280. https://www.ncbi.nlm.nih.gov/pubmed/18384097.

Steinbrenner H, Al-Quraishy S, Dkhil MA et al. (2015) Dietary selenium in adjuvant therapy of viral and bacterial infections. Adv Nutr. 6:73-82. https://www.ncbi.nlm.nih.gov/pubmed/25593145.

- 6. Klenner FR. The treatment of poliomyelitis and other virus diseases with vitamin C. J South Med Surg 1949, 111:210-214. http://www.doctoryourself.com/klennerpaper.html.
- 7. Cathcart RF. The method of determining proper doses of vitamin C for treatment of diseases by titrating to bowel tolerance. Australian Nurses J 1980, 9(4):9-13. http://www.doctoryourself.com/titration.html

Orthomolecular medicine uses safe, effective nutritional therapy to fight illness. For more information: http://www.orthomolecular.org

The peer-reviewed Orthomolecular Medicine News Service is a non-profit and non-commercial informational resource.

Editorial Review Board:

Ilyès Baghli, M.D. (Algeria)

Ian Brighthope, M.D. (Australia)

Prof. Gilbert Henri Crussol (Spain)

Carolyn Dean, M.D., N.D. (USA)

Damien Downing, M.D. (United Kingdom)

Michael Ellis, M.D. (Australia)

Martin P. Gallagher, M.D., D.C. (USA)

Michael J. Gonzalez, N.M.D., D.Sc., Ph.D. (Puerto Rico)

William B. Grant, Ph.D. (USA)

Tonya S. Heyman, M.D. (USA)

Suzanne Humphries, M.D. (USA)

Ron Hunninghake, M.D. (USA)

Michael Janson, M.D. (USA)

Robert E. Jenkins, D.C. (USA)

Bo H. Jonsson, M.D., Ph.D. (Sweden)

Jeffrey J. Kotulski, D.O. (USA)

Peter H. Lauda, M.D. (Austria)

Thomas Levy, M.D., J.D. (USA)

Homer Lim, M.D. (Philippines)

Stuart Lindsey, Pharm.D. (USA)

Victor A. Marcial-Vega, M.D. (Puerto Rico)

Charles C. Mary, Jr., M.D. (USA)

Mignonne Mary, M.D. (USA)

Jun Matsuyama, M.D., Ph.D. (Japan)

Dave McCarthy, M.D. (USA)

Joseph Mercola, D.O. (USA)

Jorge R. Miranda-Massari, Pharm.D. (Puerto Rico)

Karin Munsterhjelm-Ahumada, M.D. (Finland)

Tahar Naili, M.D. (Algeria)

W. Todd Penberthy, Ph.D. (USA)

Dag Viljen Poleszynski, Ph.D. (Norway)

Jeffrey A. Ruterbusch, D.O. (USA)

Gert E. Schuitemaker, Ph.D. (Netherlands)

Thomas L. Taxman, M.D. (USA)

Jagan Nathan Vamanan, M.D. (India)

Garry Vickar, MD (USA)

Ken Walker, M.D. (Canada)

Anne Zauderer, D.C. (USA)

Andrew W. Saul, Ph.D. (USA), Editor-In-Chief

Editor, Japanese Edition: Atsuo Yanagisawa, M.D., Ph.D. (Japan)

Robert G. Smith, Ph.D. (USA), Associate Editor

Helen Saul Case, M.S. (USA), Assistant Editor

Michael S. Stewart, B.Sc.C.S. (USA), Technology Editor

Jason M. Saul, JD (USA), Legal Consultant