



# Pima County

MEETING LOCATION  
Administration Bldg - East  
130 W. Congress Street  
1st Floor  
Tucson, AZ 85701  
Public Access to Hearing  
Room at 8:40 a.m.

## Legislation Details (With Text)

**File #:** File ID 13990 **Version:** 1 **Name:**  
**Type:** Addendum **Status:** Approved  
**File created:** 1/13/2022 **In control:** Board of Supervisors  
**On agenda:** 1/18/2022 **Final action:** 1/18/2022  
**Title:** Minimum Requirements for Becton, Dickinson and Company Facility  
RESOLUTION NO. 2022 - 2, of the Board of Supervisors, recommending minimum requirements for the Pima County Department of Environmental Quality's Air Quality Permit for Becton, Dickinson and Company to operate a medical products sterilization facility using ethylene oxide, a substance that is carcinogenic as well as highly flammable and explosive. (District 5)

**Sponsors:**

**Indexes:**

**Code sections:**

**Attachments:** 1. BOS\_ResoBectonDickinsonAQPermit\_Dist3Submittal

Date	Ver.	Action By	Action	Result
1/18/2022	1	Board of Supervisors		

### Minimum Requirements for Becton, Dickinson and Company Facility

RESOLUTION NO. 2022 - 2, of the Board of Supervisors, recommending minimum requirements for the Pima County Department of Environmental Quality's Air Quality Permit for Becton, Dickinson and Company to operate a medical products sterilization facility using ethylene oxide, a substance that is carcinogenic as well as highly flammable and explosive. (District 5)